

American Cinematographer



International Journal of Motion Picture Photography and Production Techniques

SEPTEMBER 1979/\$1.50

Film 79

IN LONDON



Camera operator Harry Mathias (with Steadicam) shoots an action sequence for a Hertz TV commercial produced by Jerry Kaufmann Productions, Inc.

Most action sequences simply beg for the use of Steadicam...

Our Oscar-winning Steadicam film/video camera stabilizing system is a most exciting — as well as extremely practical — production tool.

Steadicam will transform virtually anything that moves into an effective camera platform, saving countless hours in production time and reducing costs. It is ideal for shooting any kind of action sequences... on land, at sea, and in the air.

Actually, whether in the studio or on location, there's hardly anything that our unique Steadicam system cannot do. And it accepts, interchangeably, most portable 16mm, 35mm and video cameras currently in professional use!

When you plan your next production, make sure you take the time to consider how you can use Steadicam to your best advantage. And discover the thousand and one creative ways you can make Steadicam work for you.

For further information, please contact:

cinema E products
CORPORATION

Technology In The Service Of Creativity

2037 Granville Avenue, Los Angeles, California 90025
Telephone: (213) 478-0711 • (213) 477-1971 • Telex: 69-1339

STEADICAM[®] is covered under U.S. Patent No. 4,017,168 and under foreign patents abroad.

TO IMPROVE NEW YORK FILMMAKING, YOU'VE GOT TO HAVE 'VISION.

Panavision. Once you've said it, you've said it all in 35mm. Cameras. Lenses. Systems. The works.

Starting with the new ultra-versatile, self blimped Panaflex.[®] A camera so advanced, it's a generation ahead of its time. A camera so light and natural to use, you'll have trouble remembering it's a "35," and it's studio silent!

Or PSR: the world's most wanted studio camera that has set a new standard in professional filmmaking for silence, reliability and versatility.

Like Panavision[®] cameras, Panavision lenses have rapidly become the industry's standard, their quality and versatility is world famous with exotic new additions appearing regularly.

Let us show you more about Panavision. As the exclusive East Coast Panavision distributor, we invite you to visit our camera department and see why so many motion picture credits say: "filmed in Panavision."



gc general camera corporation
471 Eleventh Avenue, New York, N.Y. 10018 (212) 594-8700

The Precision of Swiss Movement is Also in Motion.

Supremely refined, yet unbelievably rugged.

When it comes to creating delicate instrumentation, Swiss perfection is legend. No less so with the impeccably engineered BOLEX H-16 EBM. The product of 50 years of Bolex experience, it achieves a new standard of

accuracy for 16mm cameras with a realistic price.

To fully appreciate this accomplishment, consider the imperatives of professional filmmaking. And how superbly the EBM serves them.

The First Imperative: Effortless Handling. The photo shows a fully equipped yet perfectly handheld camera—from its one-amp battery in the pistol grip to its unbelievable 16-100mm f/1.9 Vario Switar automatic power zoom lens with built-in light meter. Total weight of this rugged, ready-to-
roam package? An incredible 12½ lbs.

The Second Imperative: Uncompromising Performance. All the essentials for professional results are gathered here: chronometer accurate electric film drive, suitable for synchronized sound with your choice of crystal or sync pulse generator. A diaphragm presetting device that lets you focus and frame with full light coming into the flickerless reflex viewfinder. And all the other niceties that help you refine your technique and your results, including: variable speeds from 10 to 50

fps, built-in filter slot, automatic threading and full rewind.

The Third Imperative: Adaptability. With its positive-locking large bayonet mount and optional C-mount adapter, you can attach virtually any lens to your Bolex EBM. And for stability under all shooting conditions, choose among our versatile tripod, precision-machined monopod, or shoulder brace.

There are two power supplies available for the Bolex EBM—as much power as you'll ever need for continuous studio or on-location shooting. And with the easy clip-on 400 ft. magazine, your film capacity is sure to measure up to all your shooting requirements.

The Final Imperative: Affordability.

When we say that you can rig up a quite complete system for less than half the price of other high quality 16mm cameras, you may be astonished. So initially were the many pros who have since discovered that they needn't spend a fortune to own a system which can help them build one.

We urge you to inspect the Bolex EBM carefully before you purchase any other camera. And set the perfection of Swiss movement into motion for you.

Bolex...First in sixteen.

SUPER TRADE-IN ALLOWANCE

Here's your chance to trade-in your existing spring-wound Bolex camera for \$400.00 when you purchase the fabulous new Bolex H16 EBM Electric with automatic power zoom Vario Switar 100 POE lens. Here's how it works: We will send you a check for \$400 for any Bolex 16mm camera with lens, regardless of age, in fair, undamaged condition, immediately upon receipt of your old camera and the Bolex U.S.A. guarantee card and sales receipt for the new EBM/POE.

Void where prohibited by law.
Offer expires 12/31/79.



BOLEX

Professional Motion Picture Equipment

Bolex (U.S.A.) Inc., 250 Community Drive, Great Neck, N.Y. 11020 (516) 466-8222

American Cinematographer

International Journal of Motion Picture Photography and Production Techniques

The American Society of Cinematographers is not a labor union or a guild, but is an educational, cultural and professional organization. Membership is by invitation to those who are actively engaged as Directors of Photography and have demonstrated outstanding ability. Not all cinematographers can place the initials A.S.C. after their names. A.S.C. membership has become one of the highest honors that can be bestowed upon a professional cinematographer, a mark of prestige and distinction.

Herb A. Lightman

editor

Three Tyler

assistant editor

Barry Day

production control

Patty Armacost

circulation

Barbara Prevedel

accounting

Gabrielle de Ganges

layout assembly

Contributing Editors

David Samuelson

Sidney P. Solow

Anton Wilson

Book Review Editor

George L. George

Editorial Advisory Committee

Milton Krasner, Chairman

Lloyd Ahern

Joseph Biroc

Charles G. Clarke

Stanley Cortez

Linwood Dunn

George Folsey

Ernest Laszlo

Sam Leavitt

Lester Shorr

Ralph Woolsey

Editorial — Advertising —

Business Offices

1782 North Orange Drive

Hollywood, Calif. 90028

(213) 876-5080

Send mail to

P.O. Box 2230

Hollywood, CA 90028

SEPTEMBER 1979

VOL. 60, NO. 9

● FEATURE ARTICLES

874 Report From FILM 79

876 The Film Story: Yesterday, Today and Tomorrow

880 Film is Good for TV and TV is Good for Film

881 Film or VT Time Code? — The American View

882 Flying with Superman

888 Seeing is Believing

892 Modern Techniques of Optical Trick Cinematography

896 The New Arri Image Stabilizer System

900 The New Leonetti-Wilcam ULTRACAM-35 System

904 Noted and Notable at FILM 79

908 The New Samcine A.C. Lighting Power Distribution System

912 The Stereo Black Screen

922 The New Aaton 8-35 35mm Camera

926 The New MOVIECAM 3N Camera

● DEPARTMENTS


860 The Bookshelf

864 Cinema Workshop

ON THE COVER: A familiar scene that unmistakably spells "LONDON": "Big Ben", the Houses of Parliament, Westminster Bridge and a classic double-decker bus—all symbols of the stately city that played host to the FILM 79 International Technical Conference and Exhibition, held at the Royal Lancaster Hotel, July 2-6, 1979. Cover design by HERB A. LIGHTMAN. Posterization by WARNER COLOR LAB.

AMERICAN CINEMATOGRAPHER, (ISSN 0002-7928) established 1920, in 60th year of publication, is published monthly in Hollywood by ASC Holding Corp., P.O. Box 2230, Hollywood, California 90028. U.S.A. **SUBSCRIPTIONS**: U.S. \$9.00; Canada, foreign, including Pan-American Union, \$10.00 a year (remit International Money Order or other exchange payable in U.S.). **ADVERTISING**: rate card on request to Hollywood office. Copyright 1979 ASC Holding Corp. Second-class postage paid at Los Angeles, California. **POSTMASTER**: send form 3579, with change of address to, ASC Holding Corp., P.O. Box 2230, Hollywood, CA 90028.

AATON 35 mm



A.M. Mieville

Aaton makes J.-L. Godard a 35 mm camera. Ultimate steadiness

Two years ago, the well known film director, J.-L. Godard, commissioned Aäton to make a 35 mm camera. He wanted to combine the advantages of the quantity of information contained in a 35 mm film image, and the ease of handling and unobtrusiveness of super 8 cameras. The first prototype has been in use since April 1979, and the results are more than encouraging.

The Aäton 8-35 is **handheld**, and has **instant magazines**; until now, the only 35 mm camera with instant mags has been the Cameflex (1946), which is extremely noisy.

The noise level of the 8-35 is 33 dB. Without any sound absorbing material, the prototype runs at 35 dB; two decibels less is realistic with damping. 33 dB appears quite acceptable in light of the fact that a non-optimum self-blipped 16 mm camera can run in that area.

The **steadiness is excellent**; it is ensured by the same **claw movement system** (U.S. patent 3806016) that has made a name for the Aäton 16 mm LTR. The pulldown of the stroke is absolutely linear, with the dead point in the film plane. Willy Lubtchansky, J.-L. Godard's cameraman, contends that the 8-35's steadiness is comparable to that of a Mitchell. On double exposure tests, no visible sign of any movement whatsoever can be observed.

An original feature : a second electric motor in the camera body drives the

60 m and 120 m magazines through an independant drive clutch.

The 8-35 is **small**, and **light**; it weighs in at around 5 kg, with 60 m mag — slightly less than the Aäton LTR 16 mm camera.

This camera is meant to be a companion to the Panavision or Arri 35 BL : it is easy to handle, unobtrusive, mobile. For certain films, it may even be the only camera; with a soft blimp, the sound level could be made acceptable for indoor work.

The first pre-series of some twenty cameras will be launched early in 1980. Many well-known cameramen and directors have already spoken for theirs' by putting down 50 % payment (in the order of \$ 10,000 to 15,000); delivery will be early 1981.

& 16 mm

Ferco
New York
San Francisco

Camera Mart
New York

Victor Duncan
Dallas
Chicago Detroit

Aäton Cameras Inc.
1697 Broadway New York N.Y. 10019 (212) 541-8181

The exciting future developments of Aäton's innovations in 35 mm should not, however, overshadow its proven achievements in the 16 mm field. The Aäton LTR has now shown itself to be a reliable instrument, with over 400 sold in Europe in the last few years.

Below, Dedo Weigert, « shooting » a lion on location in Java Indonesia, with camera number 84. One of the early cameras to come out of Aäton, Dedo also took it with him for extensive filming in the jungles of the Amazon; with up to 100 % humidity, and condensation dripping in the lens, he shot 60,000

feet without so much as a single scratch, or any other problem.

Neither the very low noise level of the LTR (average : 26 dB) nor its excellent image steadiness and sharpness are compromised to make it a rugged and reliable tool for work in expedition type settings. The Aäton LTR is at home in the icy chill of Lapland*; it has proven itself problem free in the muggy humidity of the African jungle (see A.C. Aug. '79). And in the torrid dust storms of the Iranian desert too, the Aäton 16 mm camera has been shown to be robust and

dependable (A.C. June '77). It is established as a camera that can brave the wilds with ease, and bring it all back on film.

The LTR magazine is **simple to load : with gloves in cold climes**, or with **hot and sticky hands** in the tropics. And the aperture gate can be checked and cleaned effortlessly with the magazine off the camera.

The Aäton LTR is now available in the U.S.. Rapid maintenance and turn-around are ensured through Aäton's New York operation.

*Remember, when working in sub-zero temperatures, it is best to *leave the camera in the cold at all times*, and to lace it up in the cold as well.



CINEMA WORKSHOP



By ANTON WILSON

AUTO WHITE BALANCE

Every cinematographer is familiar with color temperature and the fact that every film made is balanced for one specific color temperature only, usually 3200°K (tungsten) or 5600°K (daylight). It is also common knowledge that if lighting conditions do not match one of these two standards, color correcting or conversion filters must be employed to ensure proper color rendition. Murphy's law seems to hit hardest in this area as every location seems to have a mixture of window daylight and overhead fluorescent, while the lighting kit is always tungsten. Despite the best color temperature meters, color compensating filters for the camera, and dichroics or gels for the lights, perfect color balance is difficult to achieve and there is still chance of a horse of a different color. Even outdoor locations employing "daylight" film or filters run the risk of gross color errors, as outdoor conditions can range from 3000°K to more than 20,000°K. Of course, most labs can color correct to a certain extent. However, they still request that the cinematographer balance as best he can on location. At the very least, color balancing has always been a necessary nuisance for the cinematographer.

Now, imagine a new film stock that will automatically adjust its color temperature rating to perfectly match the prevailing lighting conditions of each shot. Whether the illumination be candlelight, sunset, open shade, or a mixture of daylight, tungsten and fluorescent, the results would always be spot-on, without the necessity of external filters or gels on the lights. This may seem like a far-out fantasy, yet virtually every professional ENG/EFP video camera does just that.

The tiny button is usually labeled "auto white balance" and is inconspicuously grouped with the several other buttons and switches found externally on all video cameras. The process takes anywhere from 5 seconds down to 1/2-second on the newest cameras. The principle behind this miracle is really quite simple and a short explanation of the auto white balance process is sure to be a thrilling revelation.

Color is determined by the specific wave length or frequency of light. There are myriad colors in the rainbow, ranging

on a continuum from infra-reds through ultra-violets. Yet, we as human beings determine color only by the relative amounts of reds, blues and greens. The eye is thought to be made up of three basic sensors, which respond to blues, reds and greens respectively. Even though a particular object or surface may be emitting or reflecting many different frequencies, the eye just registers the relative strength of these frequencies in groupings of reds, blues and greens. The brain then "averages" these three signals and comes up with a "color" for the object. It should be realized that in many cases this "color" that the brain comes up with may not have any resemblance to the actual "colors" of the object according to frequencies of light.

The important point is that the ultimate color, as perceived by the brain, is created by merely registering the red, blue and green content of the image.

Color film makes use of this fact and is constructed of three layers, one each to register reds, blues and greens—just like the human eye. (Of course this terrestrial film may not provide acceptable color rendition for other cosmic creatures. However, that is a problem Kodak will have to face when the situation arises.) The color temperature rating of a film stock merely reflects the relative sensitivities of the three layers. For example, "daylight" balanced films have color


layers of approximately equal sensitivity, due to the fact that "daylight" is composed of relatively equal amounts of red, blue and green. Tungsten balanced film, on the other hand, is designed with a more highly sensitive blue layer relative to the red layer to compensate for the fact that tungsten light is weak in blue wave lengths. So color temperature ratings describe the relative sensitivities of the three color layers.

As we now know, the professional color video camera operates on the same principle as color film employing three light sensitive tubes, one each for reds, blues and greens. Because the output of these tubes is an electrical signal, the color temperature rating of the video camera can be made to any value by merely adjusting the relative gain or "volume" of these three signals. Thus, if the illumination is weak in the blues (as is a tungsten light source), the signal from the blue tube can be turned up. Now comes the amazing auto white circuit.

The video camera is merely pointed at any white surface. A plain white piece of paper is usually sufficient. The auto white button is pressed. Inside, the camera knows that "white" means exactly equal amounts of red, blue and green. So, while holding the gain of the green tube constant, the camera automatically adjusts the gain of the outputs from the

Continued on Page 920

The black button located on the front of this ENG camera, just below the lens, activates the Auto White Balance circuit. By pointing the camera at a pure white object and pressing this button, the camera automatically adjusts the red and blue gain to create perfect color balance, even under the most unusual mixture of lighting.



THE BASIC CAMERA

It's true you can find more sophisticated 16mm cameras than the Bell & Howell Model 70 Filmo. But there's no question that the rugged and reliable Filmo can perform with equal efficiency many of the jobs for which those sophisticated and expensive cameras are used. Make no mistake, the Filmo is a professional camera in every sense of the word. In fact, more than 50,000 have been in use throughout the world since the camera was first introduced. The Filmo gives you quality pictures of about anything



you might choose to film, from news events to documentaries, athletic contests to industrials, medical films to stock footage. It is a compact, versatile, hand-held 16mm camera and features a three-lens turret that can be fitted with a combination of "C" mount lenses. With the Filmo's convenient ratchet-wound spring motor, you can shoot at any one of seven speeds — 8, 12, 16, 24, 32, 48 or 64 fps. And, you can increase the normal 100-foot film capacity to 400 feet with the addition of an external magazine and motor drive. Brand new Filmos, accessories, parts and servicing are now available from AGE Inc. and through our worldwide dealer network. Call or write today for additional information on Filmo 70-DR and 70-HR cameras and available optional accessories.


Filmo

Model 70 Design 16mm Camera

Filmo 70-DR Camera is illustrated with set of Angenieux 10mm, 25mm and 75mm lenses with companion viewfinder objectives.

**It's rugged.
It's efficient.
It's professional.**

The Filmo 70 Design Camera is available in two models. The basic camera, the Model 70-DR, has a 100-foot 16mm film capacity, ratchet-wound spring motor, seven speeds (8, 12, 16, 24, 32, 48 and 64 fps) and a three-lens turret. The Model 70-HR is adapted for an external 400-foot magazine and motor to film long scenes without interruption. Seven filming speeds, Veeeder footage indicator and shutter stabilizer are included. Magazine and motor are extra.



an exclusive product of

alan gordon enterprises inc.



1430 N. Cahuenga Blvd., Hollywood, CA 90028

Telephone: (213) 466-3561 • (213) 985-5500

TWX: 910-321-4526 • Cable: GORDENT

Copyright 1979 Alan Gordon Enterprises, Inc.

IT'S INDUSTRIAL

It's hot, dirty,
dangerous
and tough

It takes a rugged filmmaker to be an industrial cameraman. And it takes a rugged camera to meet his demands. When the heat scorches your forehead or the cold numbs your fingers, you keep shooting, and so does CP-16.

CP-16 is the tough industrial production camera. It's as versatile as the cameraman. When you shoot hand-held, it's light and fast. And for double system sound, the CP-16 is quiet enough that you won't need a blimp, even in close quarters.

When you need it, the rugged CP-16 can be serviced in a hurry. With American made parts and expert service available from the **East Coast, the Midwest and the West Coast**, the CP-16 camera will reduce downtime to a minimum.

If you shoot tough industrial films, you need the tough industrial production camera — CP-16. And when you need CP-16, you need us, **the most experienced CP dealers in the world**, with the full line of CP-16 cameras, accessories and full factory authorized service centers.

THE CAMERA MART, INC.

456 W. 55th. Street
New York, NY 10019
(212) 757-6977

VICTOR DUNCAN, INC.


200 E. Ontario, Chicago IL 60611 (312) 321-9406
2659 Fondren, Dallas, TX 75206 (214) 369-1165
32380 Howard, Madison Hgts., MI 48071 (313) 589-1900

**ALAN GORDON
ENTERPRISES, INC.**

1430 N. Cahuenga Blvd.
Hollywood, Calif. 90028
(213) 466-3561

CINE 60 POWERBELTS

NewsHawk



Millions of hours of TV news and documentaries, shot by thousands of news teams, worldwide. That's the proven performance record of Cine 60 Powerbelts . . . the veteran "NewsHawk" in the tough, hard-nosed business of news gathering. What's more, you benefit from the unmatched experience of 18 years in portable power that only Cine 60 provides. So, tell us the make and model of your equipment. We'll send you complete data and information to cover your specific system. Cine 60 — the "NewsHawk" Powerbelt and Powerpak Battery Systems. 160 models, 4 to 14 Amp-hours.

CINE 60
I N C O R P O R A T E D

630 Ninth Ave. 6430 Sunset Blvd.
New York, N.Y. 10036 Hollywood, C.A. 90028
(212) 586-8782 (213) 461-3046


See Us at Booth 2700-NAB Show

O'Connor


FLUID CAMERA HEADS

USE YOUR HEAD. USE OURS.


Twenty-five years of experience since Mr. O'Connor first invented the fluid camera head in 1952. Universally the favorite of professionals.



MODEL 30: Just 6 lbs., yet handles film and video cameras up to 30 lbs. Drag mechanism, continuously adjustable through 360° panning and $\pm 60^\circ$ tilt, with separate locks for each. The tilt has an adjustable counterbalance spring.



MODEL 50: Lightweight head weighing only 7 lbs., for cameras up to 50 lbs., easily maneuverable, steady, smooth, jerk-free panning and tilting. Ideal for location shooting, news work and field production.



MODEL 102-B HYDRO-PED: Built for flexibility and designed for rigidity. Levels on any terrain with hydraulically balanced adjustable column.

O'Connor products are available for sale, rental or long-term lease at The Camera Mart Inc. The Headquarters for professional equipment...with the personal attention and factory-authorized service professionals appreciate. Write for comprehensive O'Connor catalog.

SUSTAINING
SMPTA
MEMBER

Member Professional
Motion Picture
Equipment Association
mpa

Camera Mart

THE CAMERA MART, INC.

456 West 55th Street, New York 10019
(212) 757-6977 / Telex: 1-2078
Sales • Service • Rental



THE BOOKSHELF

By GEORGE L. GEORGE
NAMES ON THE SCREEN

Three new Reference and Resource Guides have been added by G.K. Hall & Co. to their well established series: CHARLIE CHAPLIN by Timothy J. Lyons (\$30), AKIRA KUROSAWA by Patricia Erens (\$15) and LINDSAY ANDERSON by Charles L.P. Sipet (\$18). Each volume includes a biography, a critique of achievements, an exegetic filmography and an annotated guide to writings.

Yakima Canutt has written (with Oliver Drake) a zestful book of reminiscences, STUNT MAN. His lengthy career as rodeo rider, movie stunt man and director of action film sequences—notably the chariot race in *Ben Hur*—started during the silent era. Now 83, Canutt recaps his most spectacular roles and provides an exciting behind-the-scenes look at filmmaking (Walker \$14.95).

The autobiography of CBS founder and top executive William S. Paley, AS IT HAPPENED, is written in a generally candid, low profile style, letting triumphs and setbacks in a remarkable career speak for themselves. Only in a few instances—the blacklist and Watergate-related matters—does he discernibly depart from the openness that marks his fascinating memoir (Doubleday \$14.95).

Nunnally Johnson, who made a brilliant career as film writer-producer-director, is memorialized in FLASHBACK by his daughter Nora Johnson, a novelist in her own right. Her insightful and nuanced portrait depicts a mercurial and often overbearing personality in a nostalgic evocation of Hollywood during its heyday (Doubleday \$11.95).

An engaging autobiography by Ralph Bellamy, WHEN THE SMOKE HIT THE FAN, follows the busy career of the consummate actor. Whether working on stage, in films or on television, Bellamy enjoyed a variety of experiences that he relates with wit and a sharp eye for detail (Doubleday \$10.95).

★ ★ ★

MIXED MEDIA

The steady climb to leadership that the American Broadcasting Company has demonstrated in the last two decades is described in INSIDE ABC by former V-P Sterling "Red" Quinlan. Executive power struggles, mergers, take-over attempts, financial maneuvers make for a fascinating casebook history of big business be-

havior (Hastings House \$12.95).

Otto Kleppner's classical work, *ADVERTISING PROCEDURES*, now in its 7th edition, is a comprehensive textbook of publicity techniques in television and other media. Creating and managing advertising are expertly covered, and a concise history is included (Prentice-Hall \$17.95).

A massive and minutely detailed guide, *THE COMPLETE DIRECTORY TO PRIME TIME NETWORK TV SHOWS 1946-PRESENT*, compiled by Tim Brooks and Earle Marsh, presents full data on some 2500 programs, including cast, plot synopsis, and broadcast history (Ballantine \$19.95/9.95).

Edited by Horace Newcomb, *TELEVISION: THE CRITICAL VIEW* offers a broad outlook on the medium as seen by 39 experts. It assesses and interprets specific program types, analyzes their cultural meaning, and defines television in its own terms (Oxford U. Press \$5.95).

Two British psychologists, H.J. Eysenck and D.B.K. Nias, make in *SEX, VIOLENCE AND THE MEDIA* a reasonable and objective assessment of the influence that film, television and the print media exercises on viewing and reading audiences (St. Martin's Press \$10.95).

In *ENTERTAINMENT: A CROSS-CULTURAL EXAMINATION*, the various roles of entertainment—communication, social and political influence, marketing function—are knowledgeably discussed by 26 scholars, under the editorship of Heinz-Dietrich Fischer and Stefan Reinhard Melnik (Hastings House \$18.50/9.50).

Comedian Steve Martin assembles 50 of his routines in *CRUEL SHOES*, a sampler of his crazy humor, sharp satire and occasionally appalling bad taste (Putnam \$6.95). Another form of humor—the involuntary one—is surveyed in *BLOOPER TUBE*, a humorous collection of occasional verbal lapses collected by Kermit Schafer (Crown/Harmony \$8.95/5.95).

Glenhall Taylor's *BEFORE TELEVISION: THE RADIO YEARS* recalls three decades of radio as entertainment, an informative and diverting survey of once favorite performers and programs (Barnes \$12). In *RADIO COMEDY*, Arthur Frank Wertheim offers a choice sampling from scripts aired by leading comedians, acquainting today's audiences with the distinctive humor of what was then strictly family fare (Oxford

U. Press \$18.95).

Monty Python's Flying Circus television shows, whose British zaniness found here a highly responsive chord, are perpetrated in two hilarious books: *RIPPING YARNS*, where Michael Pallin and Terry Jones collect six of their most outrageously absurd scripts (Pantheon \$5.95), and *ANIMATIONS OF MORTALITY*, where Terry Gilliam reprises many of his wild and often macabre animated sequences (Atheneum \$7.95).

★ ★ ★

OF MANY THINGS

The stubborn and eventually winning fight by a black woman, Jessie Maple, to join New York's cameramen's local and practice her craft is told in her stirring book, *HOW TO BECOME A UNION CAMERAWOMAN FILM/VIDEOTAPE*. Her advice to other women with similar ambitions is both inspiring and practical (LJ Films, 1270 Fifth Ave., NYC 10029; \$4.95).

Eastman Kodak has issued a sturdy and serviceable pocket-size manual, *CINEMATOGRAPHER'S FIELD GUIDE*. It carries concise and specific data in sections on Film and Filters, Usage Hints, Formats and Packaging, and Ordering Raw Stock. Each offers technical and practical information described in brief and clearly stated terms, complete with tables of specifications and other pertinent facts (Booklet H-2, \$3.95).

Similarities and differences between cinema and literature are examined in *STORIES INTO FILM*, where editors William Kittredge and Steven M. Krauzer have assembled six novellas that became successful movies, among them *Blow-Up*, *The Rear Window*, *The Hustler* and *The Man Who Shot Liberty Valance* (Harper & Row \$5.95).


A critical and historic evaluation of the mass communication impact of film, television, radio and other media is presented in Vol. I of *HANDBOOK OF AMERICAN POPULAR CULTURE*. This scholarly study by academic specialists, edited by M. Thomas Inge, includes bibliographical data and a description of existing research centers (Greenwood \$25).

In *DECIDING WHAT'S NEWS*, sociologist Herbert J. Gans compares the handling of the news respectively by NBC, CBS, *Time* and *Newsweek*. His penetrating survey persuasively delineates the values, objectives, and methods of news reporting (Pantheon \$12.95). ■

KEM UNIVERSAL

**A Unique, Modular, Extendable
Editing System — Quickly Inter-
changeable For All Film Formats.**

Multiple screens and tracks
let you weigh the full balance of images
dialogue, music and effects.



EAST OF THE ROCKIES:

MM Editing Systems Inc.
230 Park Avenue (at 45th St.), Rm.
339, N.Y. N.Y. 10017 (212) 697-5865

WEST COAST AND TEXAS:

KEM Editing Systems Inc.
6253 Hollywood Blvd, Hollywood
California 90028 (213) 461-4143

SHORT FILM SHOWCASE 1979/80

The National Endowment for the Arts Announces Round III of The Short Film Showcase

For The Distribution of Selected Films to Commercial Theatres

The Program:

The Short Film Showcase is a program of the National Endowment for the Arts and is administered by the Foundation for Independent Video and Film, Inc. (FIVF) to: create a wider audience for the work of independent filmmakers by exhibiting quality short films in commercial theatres and by providing technical, marketing and promotional services for those films sponsored by the Showcase.

All films submitted will be judged by Screening Committees composed of qualified professionals invited by the Arts Endowment. Up to ten (10) films will be chosen by the Committees for inclusion in the Showcase on the basis of the film's creative and technical excellence and suitability for exhibition to general audiences with feature films in U.S. theatres. Each filmmaker whose work is selected by the Final Screening Committee will receive an honorarium of \$2,500. and will supervise the 35mm blow-up of his or her film. The Arts Endowment will use its best efforts to attempt to place selected films into 35mm distribution but cannot guarantee

when or if such films will actually be used for free circulation to commercial theatres through the Short Film Showcase.

Entry Qualifications:

Any completed 16mm or 35mm composite print by a U.S. Citizen or Permanent Resident that is:

- 1) *Eight (8) minutes or under total running time (including titles and end credits)* and
- 2) will qualify for an MPAA rating of G or PG
- 3) has not already been accepted for 35 mm theatrical distribution in the U.S. and for which the artist owns or controls the U.S. theatrical rights and has cleared all performance rights.

Only One (1) Film May Be Submitted Per Entrant

Entry Instructions:

Each film submitted for entry **MUST** be:

- a) mounted on a reel
- b) shipped in a strapped regulation hardboard film case or plastic shipping case with corner clamps
- c) marked with film title and name of filmmaker on reel, leader and shipping case
- d) sent *prepaid* and *insured* (by

entrant) and must contain a RETURN MAILING LABEL with POSTAGE AFFIXED to cover mailing costs plus insurance (specify class of mail desired) from New York.

No Improperly Packaged Films Will Be Accepted

All films are submitted at owners risk. Receipt of films will **ONLY** be acknowledged by entrant sending either U.S. Postal Form #3811 (Return Receipt) (if insured or registered en route to New York), or by enclosing a self-addressed stamped envelope or card.

Entry Address:

Send films to:
Short Film Showcase c/o FIVF
99 Prince Street—2nd floor
New York, NY 10012

Entry Deadline:

All films must be delivered to FIVF no later than November 1, 1979.

Notification:

Showcase winners will be notified and all other films will be returned by February 28, 1980.

Entry Form: (Enclose With Film)

I have read and accept the above conditions and state that I am the principal filmmaker for the film entered in my name, that I have all rights of publication to this film and that the content of the film does not infringe upon the rights of anyone.

_____(Signature)

Print clearly or type:

Name: _____

Address: _____

Phone: () _____


Title of film: _____

Running Time: _____ Color _____ B/W _____

Date film was completed: _____

I learned about SFS through: _____

Foundation For Independent Video and Film, Inc.,
99 Prince St., New York, NY 10012




Cannes Film Festival
"La Camera D'Or" Award
For the best first directed 35mm feature film:

1979 - "Northern Lights"
by John Hanson and Bob Nilsson

1978 - "Alambrista"
by Robert Young

**Both films were shot in 16mm.
The 35mm blow-ups were made by DuArt.**



After years of intensive research and testing, DuArt has perfected the skill, the equipment and the expertise of 16mm blow-ups. Using our sophisticated computer equipment and unique knowledge, we literally live with the film on scene-by-scene basis. It becomes a personal and intimate relationship between people, film and computer technology.

Free. To help film makers, we have prepared a brochure explaining recommended

practices of shooting 16mm for blow-up to 35mm. Write or call and we'll gladly send you a copy. If you need assistance in planning your next production, feel free to call Irwin Young or Paul Kaufman.



245 West 55th Street New York, New York 10019
(212) Plaza 7-4580

"Some guys get all the breaks..."



I can laugh all the way to my **Perf-Fix**® machine. Broken sprocket holes no longer plague me. My machine *Instantly*, *Permanently* and *Easily* replaces missing perforations or repairs torn ones.


I can protect new prints, too, by applying **Perf-Fix** tape to the head and tail ends. What a relief to see that model of reliability and durability sitting on my worktable.

Give yourself a break. Whatever your film needs, 16mm, 35mm, 70/65mm, *negative* or *positive*, the **Perf-Fix**® system for film perforation repair and protection will be good to you forever."

Write or call us for our brochure and repaired film sample.

The **Perf-Fix** Company
12381 Wilshire Boulevard, Los Angeles, CA 90025
(213) 820-5827





TWO FOR THE PRICE OF ONE.

If you can find all Scoopic's features on another 16mm camera, you'll find something else as well. A price tag that's twice as high—or more.

Yet the Canon Scoopic 16MS gives you all the performance and dependability that made its predecessors the favorite of news and documentary cameramen worldwide. Plus greater


built-in flexibility. And extra versatility, thanks to a number of new accessories.

It adds up to greater creative potential at substantial savings. Which means more accessories you can now afford; more to spend on film and processing; a larger budget for your next production... or another Canon Scoopic 16MS.

*Optional

Canon®

Professional Motion Picture Division, 10 Nevada Drive, Lake Success, N.Y. 11040, (516) 488-6700;
123 Paularino Avenue East, Costa Mesa, Ca. 92626, (714) 979-6000;
Canon Optics & Business Machines Canada, Ltd., 3245 American Drive, Mississauga, Ontario, (416) 678-2730.




The whiz that helped make "The Wiz" a wow!

Ossie Morris, B.S.C. (a wizard in his own right)—academy-award winning cinematographer whose credits include fifty-five feature-length films for an array of directors that reads like a "Who's Who" of Hollywood. And for his fifty-fifth film—Sidney Lumet's screen version of the colorful musical "The Wiz," starring Diana Ross and Lena Horne—Ossie Morris again relied on thousands of critical lighting measurements from 'The Whiz' of light control ... the Gossen Panlux Electronic footcandle meter.

Filmmaking's top professionals count on the Panlux Electronic for the same reasons so many workers in video, theatrical, display, industrial, and scientific applications do: *unexcelled illumination measuring accuracy.*

From 0.05 footcandles dark to 12,000fc bright. In daylight, or almost any artificial light source within the visible spectrum. Its special cosine correction permits precise ratio measurement even from extreme off-axis positions. And because it's battery-powered, it's equally proficient in studio and on location. Best of all, it's all Gossen—the world's standard for precise light measurement under the most challenging conditions. So, the Universal City Studios' screen version of "The Wiz" is a wow—thanks to Ossie Morris, and his Gossen Panlux Electronic. Put its wizardry to work for you, today. For complete information, just whiz down to your Gossen dealer, today. Or write for details on the entire line of precision Gossen Exposure Meters.



GOSSEN®



Gossen Division, Berkey Marketing Companies,
Box 1102, Woodside, N.Y. 11377



Gossen Panlux Electronic
Multi-Purpose Footcandle/
Luminance Meter

Heard any good films lately?

Ever notice? People always "see" films. In film, the sound goes with the picture. Or it just doesn't go.

Sound mixing for film takes a certain touch. It takes a feel for what sounds good on film, not just on tape; for what sounds live and natural, not canned. And of course, it takes advanced equipment. Like Magna-Tech mixers and RCA optical transfers.

We've got the touch. And the equipment. We also have more than twenty years experience in sound mixing for film. Give MPL a try. We think you'll see a difference in your sound.



MOTION PICTURE LABORATORIES, INC., Piedmont Division, 2517 South Boulevard, Charlotte, North Carolina 28203, (704) 525-5416
CINE-CRAFT LABORATORIES, INC., 45 North Texas Avenue, Orlando, Florida 32805, (305) 298-0012
CINE-CRAFT LABORATORIES, INC., 3611 San Fernando Boulevard North, Burbank, California 91505, (213) 843-7036.

"INTO 16mm?"

MOVIOLA[®] MAKES IT EASY."

large screen produce a very bright, easy-to-see picture, with the digital readout for feet/frames and minutes/seconds a real time saver.

"Film handling on the M-77 is very gentle — especially compared to other horizontal editors on the market. In fact, I've run original on the M-77 without a scratch.

"To sum it up, I'd say that the Moviola M-77 lets me concentrate on the film and not on the machine."

Susan Slanhoff has been cutting documentaries, television shows and spots on Moviola M-77 Console Editors for more than six years. She, like other editors, is finding the M-77 the key to fast, accurate 16mm post-production.

If you're into 16mm and want to save time and money, call or write today for full information and the name of your nearest Magnasync/Moviola dealer.

Susan Slanhoff
Moviemakers Co., San Francisco

"Moviola's M-77 is my answer to easy editing. I can control the plates separately from the sprocket drive, and don't have to worry about the film flapping in the breeze, as it can do on other flatbeds. When I hit the stop button, the plates stop precisely where I want them to, with no film spillage or loss of tension.

"I especially like the ability to punch in and out of sync quickly and suddenly with a smooth startup; most other flatbeds I've used won't start that gently.

"The advance/retard capability on sound is fantastic. It's perfect for lip syncing, sound effects or for just plain and simple syncing of rushes.

"The master torque motor gives me complete control from stop to ten times sound speed, letting me inch as slowly or quickly as I want; this makes it simple to find a particular spot in the sound track. And the M-77's hollowscope flickerless prism and

magnasync

moviola

magnasync/moviola corporation

A Subsidiary of Craig Corporation

5539 Riverton Ave., P.O. Box 707
North Hollywood, California 91603
(213) 763-8441/Cable: MAGNASYNC
Telex: 67-3199 MAGNA/MOVIO



the new «steenbecks»

Superior conception and a high manufacture level have made us famous as the "specialists for film editing machines" on the international market. With this "STEENBECK generation" we are setting up new scales for picture-sound synchronization.

Prove the facts:

Official supplier
of the XXII. Olympic Games
1980 in Moscow

time decoder
IRT-EBU-system
facilitates and
shortens the
synchronization
work

electronic
universal counter

large, brilliant picture
through new optics, TV
reproduction of film
possible

high sound quality
also for stereo

simplified
threading way

■ fully electronic drive ■ variable speed up to 10ply
synch. speed ■ electronic coupling system ■
excellent wow and flutter values ■ Holoscope
equipment on request.
Descriptive literature will be submitted upon
request

9045 Eton Avenue • Suite A



Canoga Park, CA 91304 • (213) 998-4033

STEENBECK INC.

Manufacturers of the Worlds Finest Flatbed Editors





An original Lowel Kit after eighteen years of active rental.

A brief case history.

Way back in 1959, we created the first tiny lighting kit. Inside a "briefcase" were five patented Lowel lights that could clamp on, wedge behind, tape-up and do other unheard of mounting feats. The kit also included a Lowel discovery which we named Gaffer-tape™. The system, with its folding barndoors, was considered a big breakthrough in location lighting.

Many of the kits, like this one, have been in continuous use, through rental houses, for eighteen years. And you know how rental gear gets

treated. None of these veterans will win a beauty contest, but they're still going strong. That's because we built them strong. Lowel specified a lot of high-resilience aircraft aluminum, a welded chain, and special spring-loaded socket that has provided unfailing electrical contact—for eighteen years.



Today's design is slightly different. But there's no change in our policy of using the best materials and most rugged construction. All Lowel equipment and kits are put together with great care, because your image—and ours—depend on it.

For equipment and kits see an authorized Lowel dealer. For brochures contact us. Lowel-Light Manufacturing Inc. 421 West 54th St., N.Y., N.Y. 10019 (212) 245-6744. Telex: 666597 UW. West Coast: 3407 West Olive Ave., Burbank, Ca. 91505 (213) 846-7740 **lowel** 



FOTO-KEM introduces a forgotten Hollywood tradition, "Major Flick"

Who, or what, is Major Flick? Major Flick is the original spirit of Hollywood's pride of workmanship and quality service.

We, at Foto-Kem, recently turned an old Hollywood landmark building into one of the country's most modern and efficient motion picture laboratories.

During our remodeling, much to our surprise, we discovered Major Flick living as a recluse in the building's old tower.

I said, "Major Flick, come out of retirement, dust off your beret and megaphone and be our company spokesman."

"OK", he said, "but you've got to live up to my standards of quality service."

"No problem", says I, "we give our customers even better quality service than they did back then. In fact, let's name our service the 'Major Flick' Service, after you."

"Good", the Major said, "let's get started."

"Mr. Nontheatrical filmmaker, you know how the BIG LABS cater to the VIP's, the Major Motion Picture Studios and Networks? Well, at Foto-Kem **YOU** are the VIP. That's what the 'MAJOR FLICK' service is all about. Plus, there's the round-the-clock developing, the new wet-gate printer, the optical wet-gate, the contact wet-gate, the silver track ME4 process, and we develop Eastman's #47 negative. How's that Gerry?"

"That's telling it like it is." If your product deserves "Major Flick" care and service, try us.

Gerry Brodersen
The Prez

 **FOTO-KEM Industries, Inc.**
MOTION PICTURE LABORATORY
24 HOUR SERVICE
2800 West Olive Avenue
Burbank, California 91505
213/846-3101

Why it makes sense to use Arriflex Service:

Regular preventive maintenance is important. So is doing it right.

W **Reputation Protection**
e're in the service business to back up the cameras we sell. It's in our best interest to provide the best Arriflex service in America.

We're part of the worldwide ARRI organization.


Arriflex Corporation is a subsidiary of Arnold & Richter in Munich, where the cameras are made. Some of our technicians were trained there. Their technical advisers regularly visit our facilities. They keep us up to date on specs and techniques.

We work only on Arriflexes.

Practice makes perfect. All we know about is Arriflexes — and nobody knows more. All Arriflex parts are numbered and on a computer list. And we're in daily Telex contact with the Factory. That means efficiency. Generally, service takes ten working days. By appointment, two days. In an emergency, back the same day.

We use exactly the same equipment as the Factory.

At our facilities in New York and California, we have tools specially made for us by the people in Munich. They use the same special tools to assemble a new camera. We use them here to reassemble an overhauled camera.



Checking critical relationship between claw and register-pin on 16mm ARRI movement. Tolerance is 0.0004 inch. Screen image is magnified ten times.

What does the word "Overhaul" mean?

When *we* use that word, it means we completely dismantle the camera. We even submerge the empty housing in a special cleaning fluid. Then we reassemble the camera, checking each part and installing a new one if necessary. In terms of specs, it's then the equivalent of a brand new camera.

The more often you service, the less often you buy parts.

Not all service work requires an overhaul, of course. But regular cleaning and adjustment make the moving parts last much longer — and labor costs less than parts.

How much does service cost?

It's hard to pin down. Some people quote a lower hourly rate than ours, and

then may bill you for a longer time. As a sales and marketing company, we don't make a profit on service labor. We back up the cameras we sell — and we pay our very good technicians what very good technicians get.

There is no such thing as bargain service.

Why did you buy an Arriflex in the first place? Partly, confidence in its reliability. Now it's service time. How much is confidence worth?

Cutting compound? Mix oil and dust.

"I rent cameras mostly to people who make commercials," says ARRI dealer Denny Clairmont. "They shoot in helicopter-blade windstorms, ocean salt spray and desert dust. They mount the camera on a car and drive it down a dirt road."

"Dust mixes with the oil and grease in the camera to form a cutting compound! If you want to grind down a metal moving part, that's the way. Bumping along the road isn't good for a precision instrument, either."

"In my experience, though, Arriflex parts will perform like new indefinitely — *if you keep them clean.*"

ARRI
ARRIFLEX CORPORATION

One Westchester Plaza, Elmsford, New York 10523. (914) 592-8510. And 600 N. Victory Blvd., Burbank, Calif. 91502. (213) 841-7070
In Canada: ARRI/NAGRA Inc., 6467 Northam, Mississauga, Ontario L4V 1J2. (416) 677-4033

ECTOR
OF
OGRAPHY

WE'VE HUNG AROUND WITH SOME OF THE GREATEST

Spectra[®] Meters have been the favorite of Directors of Photography since the late 40's, when the original large hemisphere was designed to simulate three dimensional characteristics in a scene. The hemisphere eliminates the problems of extremes of light and dark encountered with reflected light measurements.


CINE SPECIAL[™]

Now, the Spectra Cine Special meter includes additional features you've requested to meet the critical exposure measuring needs of today's filmmakers. The f-stop meter is, of course, direct-reading, and frames per second are locked-in for your convenience.

Naturally, the Cine Special is still a direct-reading meter when used for reflected readings. And you have the traditional block scale calibrated in 1/3 stops, as well as a footcandle scale.

There's more, of course. Each feature of this meter is the result of over thirty years experience serving the needs of Directors of Photography. Put this history and experience to work for you!

LUMICON[™]



The Lumicon footcandle meter is the first choice of gaffers and lighting directors. Its clear, uncluttered scale shows readings in footcandles only. Rugged, accurate, and reliable, it is the perfect mate to the Cine Special.

Distributed by SIMON Associates, 1019 Trillium Lane,
Mill Valley, Calif. 94941. Toll-free, outside Calif. (800)
824-7888, Ext. A179; inside Calif. (800) 852-7777, Ext. A179

Manufactured by Photo Research Division,
Kollmorgen Corp., Burbank, Calif., U.S.A.

spectra[®]

© Copyright 1979

Film 79

IN LONDON

On-the-spot at London's Sixth International Technology Conference and Exhibition, sponsored by the British Kinematograph, Sound and Television Society, this publication's Editor finds it the best yet

By HERB A. LIGHTMAN

LONDON

California-type weather . . . holiday crowds, but not nearly as dense as two years ago when the Silver Jubilee of Elizabeth II was in full swing . . . astronomical prices made worse for us Yanks by the depressed American dollar . . . Still, London is a lovely city in summertime.

Over at the Royal Lancaster Hotel, hard by Hyde Park, delegates are begin-

ning to register for FILM 79, the 6th International Technology Conference and Exhibition of the British Kinematograph, Sound and Television Society. During the past decade, this biennial event, organized and managed by a corps of dedicated BKSTS volunteers, has become (along with *Photokina* and the SMPTE Conference) one of the world's foremost forums for the exchange of motion picture and television technology.

Familiar faces from far and wide are

beginning to appear and there are warm mini-reunions going on all over the registration area. That's part of what it's all about—getting together with your colleagues from the ends of the earth every two years to renew friendships, exchange ideas and refresh the spirit.

There is one gnawing apprehension: the awareness by the promulgators of FILM 79 (and some of the guests) that this event, overwhelmed by its own success, has long since outgrown any facility which Central London has to offer. To be sure, there is a vast convention complex available at Wembley, but it is cold and barnlike (lacking the desired atmosphere of intimacy) and is far from the West End, where the delegates much prefer to be quartered.

Two years ago, with all best intentions, the worthies of the BKSTS tried to remedy the situation by moving the event to the more commodious Grosvenor House Hotel. It was a disaster. True—there was considerably more space for the equipment exhibits and the presentation of papers, but the service in this beleaguered hostelry left much to be desired and the intimate atmosphere was non-existent.

This year, everyone I talk to seems delighted to be back at "The Royal Lanc", as it's affectionately called, even though it's evident from the start that things will be a bit crowded up. They are indeed. The equipment exhibition area, broadened out to fill every available nook and cranny, is still not large enough to accommodate all who need space to display their wares. The seating in the papers presentation auditorium has been chopped down, so that "Standing Room Only" prevails for the more popular presentations. No matter. We're home again.

Under the patronage of H.R.H. The Prince Philip, Duke of Edinburgh, FILM 79 formally gets underway on the morning of July 2 with a welcoming address by BKSTS President R.F. Ebbetts.

This is followed by a paper entitled "*The Film Story: Yesterday, Today and Tomorrow*", delivered by Ken Mason of Eastman Kodak (see Page 876). It is a stunning presentation, illustrated by a smoothly flowing medley of more than 100 color slides. Ken's speech tackles





Every available inch of exhibition space at the Royal Lancaster Hotel was taken up with displays of equipment during FILM 79. Since this event follows *Photokina* by nine months, it receives an influx of new equipment that was not ready in time for the Cologne exhibition, with the result that there are many pleasant surprises. For example, FILM 79 featured three new, highly sophisticated 35mm cameras and an image stabilizing device only hinted at during *Photokina*.

head-on the ticklish subject of film-video tape rivalry, which has been debated endlessly over the years. Using a combination of indisputable logic and solid statistics, he arrives at the conclusion that *there is no rivalry*. There is only the cross-fertilizing coexistence of two valuable media of communication, each of which has its distinct advantages.

This thesis is reinforced by a following paper entitled "*Film is Good for TV and TV is Good for Film*" (see Page 880), delivered by Peter Morley, a prominent British director who routinely switches from one medium to the other as the demands of the assignment dictate.

Other highlights of Monday's papers presentation include: "*Trends in Television Production Techniques*", by Peter

Rainger; "*An Illustrated Guide to Television Commercials*", by Patrick Hayes; "*The Computer as a Production Tool*", by Dr. J.O. Jenkins; "*Moving Pictures to the World*", by Richard Price; "*Distributing Non-Theatrical Film Product*", by Iain Muspratt; "*The Classification and Control of Cinemas in France*", by Claude Soulé; "*Flying with Superman*", by Zoran Perisic (see Page 882); "*A New Noise Reducing Radio Microphone System*", by Frank Kelly; and "*A New Approach to Image Stabilization*" by Horst Bergmann.

The latter marks the eagerly-awaited wraps-off revelation of the hush-hush image stabilizer which Arnold & Richter so secretively guarded at *Photokina '78*.

In the evening there is one of those

occasions of pomp and circumstance so dearly beloved by the British—the President's reception for overseas delegates at The House of Lords. Since it's a bit formal for my casual tastes, I opt to spend the evening privately with family and friends who live in London.

The papers sessions on Tuesday, July 3 are devoted to FILM TECHNOLOGY and include the following: "*HMI Without Fear of Flicker*", by Richard B. Glickman; "*A New Gevacolor Negative—Type 682*", by A. Vervoort and H. Stappaerts; "*The Lightflex Electronic Matte Box*", by Gerry Turpin; "*Modern Techniques for Optical Trick Cinematography*", by Roy Field (see Page 892); "*Tape-to-Film—A Major Step Forward*", by Fred Weinle; "*Time*
Continued on Page 884

THE FILM STORY: YESTERDAY, TODAY AND TOMORROW

Film 79

By KEN MASON

An industry leader discusses the status of film applications, primarily motion picture, and surveys some exciting developments, addresses challenges and identifies interesting new opportunities

I remember the manner in which our chairman, Walter Fallon, opened his remarks at a SMPTE conference a few years ago. Walt had started his career at Kodak as a scientist. He said something to the effect that after appearing before a wide variety of audiences, it was a special treat for him to be back with a group of people who could appreciate the enduring beauty to be found in a sensitometric curve.

While our perspectives may be somewhat different, I think Walt and I both share the same kind of enthusiasm when it comes to looking at where film has been, what it's doing today, and where we see it headed tomorrow.

The history of motion pictures, of course, goes hand-in-glove with the history of the cinema. That's been our traditional association.

Television was an early benefactor of film's well-established entertainment value. Along with motion pictures for theater consumption, television is film's second largest market. . . and a healthy one at that.

That's why we were a little surprised to hear that some folks were saying that the percentage of television programs produced on film is diminishing at such a rate that zero is only a few years away.

Well, as I say, this came as news to us, and some of our market analysts took the trouble to do a head count on the U.S. shows telecast during the 1978-79 season. Overall, 41 percent of TV air time is devoted to film-originated programming.

But it is during prime time that the huge TV audiences assemble. For the 1977-78 season, 75 percent of primetime hours originated on film.

For the 1978-79 season, that figure was 83 percent, and early indicators are that the 1979-80 figure will be 86 percent. That kind of "decline" has just as much enduring beauty as a sensitometric curve.

Also, a look at the latest film production and sales figures for all manufacturers indicates that somebody somewhere is buying a lot of motion-picture footage. Apparently, the word hasn't gotten around about the demise of film.

Of course, these gloomy forebodings are not exactly new. We received the first announcement of the imminent passing of film with the introduction of video-recording equipment in the mid-fifties.


In the meantime, the quality of film has become better and better. The cost of film, as a component of production, has not altered appreciably over the years relative to all other production costs. (I am reminded of the fact that Eastman Color Print Film, if I wanted to express it in dollars, is exactly the same today as it was when the product was introduced in 1950.)

Under the circumstances, one is tempted to drag out the old Mark Twain chestnut about the report of his death being greatly exaggerated.

But that one has been over-used. Anyway, there are a couple of other bits of Twain wisdom that seem more appropriate here.

To the story of his life, Mark Twain once wrote that he "was seldom able to see an opportunity until it had ceased being one." On another occasion, he added: "You can't depend on your eyes when your imagination is out of focus."

And that is very much like the story of the broader technology that unites us all, in which motion pictures and television



(ABOVE RIGHT) Ken Mason, Vice President, and General Manager of Motion Picture and Audiovisual Market Division, Eastman Kodak Company, opened the papers program at FILM 79 in London with the address excerpted here. (BELOW) When videotape became practical, doomsayers predicted the death of film—which, at this writing, remains a very healthy corpse indeed.



... even radio show up merely as different routes to the same end. This is "the technology of making experience repeatable," as some writers have phrased it.

The development of this technology has been characterized by frequent appearances of opportunity cunningly presenting itself to beholders as just one problem after another. Let's recall a few of them.

For a starter, we could go all the way back to the precursor of motion pictures, sound recording. Many portrayed the early phonograph as a contrivance of the devil. But who came up with the most alarming vision of all?

Believe it or not, it was that popular bandmaster of his day, John Philip Sousa. He penned this grim warning:

"In the prospective scheme of mechanical music, we shall see man and maiden in a light canoe under the summer moon on an Adirondack lake with a gramophone carolling love songs from amidst ships."



And: "The Spanish Cavalier must abandon his guitar and serenade his beloved with a phonograph under his arm."

And finally, "children are naturally imitative, and if, in their infancy, they hear only phonographs, will they not sing, if they sing at all, in imitation, and finally become simply human phonographs—without soul or expression?"

Maybe the old "March King" had something there after all.

But you have to suspect that Sousa may have been less concerned about the guitars of Spanish Cavaliers than he was about playing dates for big brass bands.

When Thomas Edison, who had invented the phonograph, applied the same thinking to the visual image, he came up with the Kinetoscope. (Note the



When Thomas Edison invented the Kinetoscope (note the 70mm format), he never visualized it as anything more than a penny-in-the-slot, hand-cranked peepshow. He felt that if the images were projected for more than one person at a showing, he would run out of customers in no time.

70mm format.) But Edison refused to let his imagination roam beyond the penny-in-the-slot, hand-cranked peep-show, because he foresaw another of those problems. If the images were projected so that more than one person could see them at a showing, he would run out of customers in no time.

Back on the sound side, in 1915 an enterprising young wireless operator named David Sarnoff advanced a novel plan for broadcasting signals to be captured and turned into sound for public consumption. His "Radio Music Box" would bring music, entertainment, and news into the home. His associates of the time greeted the idea as an unsolvable paradox. If you *broadcast* something,

how could you be sure who received it?

Besides, it would kill the sales of phonograph records.

When sound and sight came together in the "talkies", a witch's brew of new problems appeared. The microphone became the dictator of content and creativity. Production moved into rooms with walls literally, rather than figuratively padded. The camera was relegated to a sound-proof box, with its capabilities of expression shackled. The voice of the director was stilled, at least during takes.


And, since few of the day's leading players were vocally geared for the big change, where would the stars come from? Who would sell tickets at the box office once the novelty of sound wore off?

Cold figures tell the story about film's supposed "demise" in TV programming. (LEFT) Market research shows that 41 percent of total TV air time is devoted to film-originated programming. (RIGHT) However, the more meaningful figures apply to prime time, when the huge viewing audience is assembled. Here film enjoys a current 83% majority, which is expected to rise to 86% in the next year.

TOTAL AIR TIME

41%

FILM-ORIGINATED





Cable TV is growing by leaps and bounds. It allows viewers, for a fee, to watch superior entertainment, including first-run motion pictures, uninterrupted by commercials. Several major companies are active in the field and their success proves that people will pay for better entertainment.

(LEFT) Videodisc is waiting in the wings with its own set of advantages and appeals. It should be the next entertainment system to catch fire. (RIGHT) At the Kodak Laboratories in Rochester, N.Y., some exciting things are going on in lasers, but the author cautions that life in the laboratory just isn't the same as life in the real world. It takes years of on-the-job usage to work all the problems out of a new system—and film has withstood the test of time.



(LEFT) Theoretically, videotape can be reused—but only at the expense of losing program material or transferring it to film. Many historic and valuable programs have been lost because the studio could not afford to tie up the tape. (RIGHT) During the year 1978-79 Kodak will have spent more than 800 million dollars on research and development. As can be imagined, a share of that money is going into the study of light-sensitive materials.



The coming of television opened up a whole new section in the morgue.

Radio was doomed. Now that we could have pictures to go along with words and music, nobody would be content to just listen.

The movies were doomed. Since people could have their entertainment "free" and "live", they weren't likely to pay to get it canned.

Newspapers did not look long for this world either. With the advent of TV journalism, tomorrow's headline would be obsolete before it could be set in type.

Then another major impasse was reached with David Sarnoff, who apparently had not learned from his earlier "problem" in establishing an audience for broadcast radio, committed the NBC network to color. Where was all that program material and color going to come from?

Well, here we are in 1979 and there's no lack of color programming (a good bit of it supplied by film, we could add parenthetically).

But radio has to be judged a pretty healthy looking corpse. There are more



(LEFT) The electronic camera is not a recorder; that job is still handled by a second piece of equipment that is inseparable from the camera. (RIGHT) The film camera IS the recorder. It has the film inside it. Until electronic cameras and recorders become a good deal less costly, a lot lighter, and shed their umbilical cords, they are likely to see limited use in location shooting.



(LEFT) A growing trend favors the multiple, "back-to-back" theaters which effect savings by sharing common walls, foyers and projection facilities. Here is such a unit in Paris that has eight screens. (RIGHT) Flanked by actresses Maggie Smith and Maureen Stapleton, a gleeful Ken Mason accepts a Class I ("Oscar" statuette) Academy Award for Eastman 5243 duplicating color movie film.

radios in use than television sets, phonographs, and automobiles combined. Incidentally, radio is the chief medium for promoting the sale of phonograph records.

Newspapers have proved to be rather durable, too. While the absolute number of daily publications has thinned slightly over 25 years, total circulation worldwide has seen a net gain.

Well, how could so many knowledgeable people, so often, lose sight of the opportunity for the problems? What caused the contemporary imagination to go out of focus—as Twain put it?

More important, what can we glean from it all that might apply to the heralded confrontation between photography and electronics?

It's not difficult at all for the imagination to slip out of focus when it has to be filtered through a series of misdefinitions, misimpressions, misassumptions, and mismatches, as well as myopia, myth, and outright fallacy. And it seems that the technology of repeatable experience, by its nature, abounds in all of these.

To take an obvious example, there is the *misdefinition* of the movie audience as those people who buy a ticket at a box office to get in to see a motion picture.

By this definition, since 1945, the audience has shrunk from 70 million admissions a week to 22 million a week last year. Numbers like those would do a lot to blur the imagination of anybody considering motion pictures as a viable business.

Yet, the fact is that feature films consistently run between 15 and 20 percent of prime-time television programming. When movies are shown on American TV, it is not uncommon to reach an audience of 25 million or more viewers. That means that on any given night, 25, 50, or even 70 million viewers may be watching movies. Those figures certainly add a little perspective to today's movie audience.

It's significant that these figures represent U.S. television—a mature television service. Normally, we would expect a market to start out on film and then move to a more advanced, more expensive

technology. But we do not see this happening. We do not see it happening anywhere in the world.

Closely related to the misdefined audience is the myth of market saturation. It's arrived at by calculating the hours of television broadcasting and the number of theater screens in any given marketing country. The first is limited by the length of the day. The second, while showing some growth, reflects structural rearrangements more than actual expansion.

We see such rearrangements in the increase in back-to-back theaters which effect savings by sharing common walls, foyers, and facilities. There is such a unit in Paris. It has eight screens.

Producers are influencing saturation through a process known as "four-wall-ing", where they rent a single theater to better control exhibition variables. Namely costs.

"Saturation booking" is another trend. A producer will make large numbers of prints of a feature and get them into
Continued on Page 924

FILM IS GOOD FOR TV AND TV IS GOOD FOR FILM

Film 79

By PETER MORLEY

A British director who works in both film and video makes the point that it is the story or subject that must and does dictate whether the TV or film approach is preferred for a particular assignment

Film, some say, is threatened by video. Video, some say, is being consumed by its own rampant technology, thereby encouraging more use of film. Insecurity in one or the other can breed contempt for one or the other. I assume that one of the reasons why this paper has been included in FILM '79 is because of the implications of this relentless march of technology.

I also assume that the reason why I have been strong-armed into presenting this paper is that over many years I have been a user of both film and video. I am heavily biased therefore in favour of—both.

I am well aware that some of the points that I will be making will dip into areas covered by other speaker's papers. Let me reassure those experts here who may feel threatened that it is perfectly safe to remain in the hall—my remarks will be non-technical.

I must confess that I have an axe to grind about both film and video, but I will resist grinding it until the end of this paper.

To start with then, let me define what to me, and no doubt most of you, is the obvious. Film-making and television programme making using film or video (or indeed a piece of string) is the art of communication. The best movie of the year for the cinema screen, the award winning drama for the small screen, documentaries, commercials, sponsored films, news bulletins, State Occasions, cup-finals and, heaven help us, the Eurovision Song Contest. Each one of these is an act of communication. Facts, interpretations, ideas.

Or to put it more simply, story telling. And the point I want to stress is that it is the story that should dictate to a director whether to use film or video. Content before technique, this should be the golden rule.

Of course, I am aware of amazing developments. How can I help but being aware walking past the FILM '79 technical exhibits next door. Computerised programme and film-making, editing by numbers, film to tape—tape to film transfer; digital this and digital that; the whole world seems to be hell-bent on extracting digits.

I simply want to confine myself to the director's choice. A choice based on some of the differences between film and

video. The first of these I would call the textural difference. Again stating the obvious, we all know that film, first in the camera and then in the projector, moves intermittently. It starts, stops, pauses, then moves again. The eye perceives only the pause. (I warned you I was going to be totally non-technical, but I must confess that I speak with some authority on this subject because I started my career as a rewind boy in the projection box of the Dominion Theatre, Tottenham Court Road.)

Now, in video as we know, the image is created by an electronic beam moving at great speed, filling in, colouring in, if you like, 25 frames (so they tell me) every second. Amazing, both systems are amazing. Both systems work magnificently well. But they are quite, quite different. The movement of film through the gate, although hidden from the eye, produces a picture which simply "feels" different from the electronic image. So instead of quarrelling over this textural difference let us accept it—indeed, be grateful for it, and choose the right one for the right job. Would LAWRENCE OF ARABIA have looked and felt the same shot on video? Would today's Centre Court coverage at Wimbledon look better for being beautifully photographed in Panavision?

Video gives us immediacy, not only in time, but in presence. This "feel" is sharpened by the magnificent and sometimes cruel crispness of the picture. Cinematography, on the other hand, is an art form in its own right. The subtleties of lighting and exposure—of interpretation—available to the creative lighting cameraman makes film unique.

So that is one of the main differences—the difference of texture. Another set of differences is too obvious to dwell on. Logistics, size, cost, mobility and so on. Important of course, but for another occasion.

But I would like to mention another difference which fascinates me, which I have experienced over the years, which is difficult to label and, maybe for that reason not often talked about. I would call it the alchemy of directing a film or a television programme. A question of the relationship with other people, the human factor. And this is where film and video, too, are totally different.

In film, the relationship of the director

to his cameraman and later his editor is intimate, low-key, almost secretive. As though a conspiracy is at work honing the creative process. For the TV director using video, the opposite applies. He speaks simultaneously to his lighting director, cameramen, floor manager, vision mixers, sound balancer, many others—20, 30, 40 people, all at the same time.

His creative process is shared, almost in public, with a large group of eager enthusiasts. By and large his commitment has to be made then and there—by and large, the point of no return is reached then and there.

Unlike the director using film, who can postpone decisions, evaluate compromises and make his final commitment much later in the privacy of his cutting room—the TV director really is in the hot seat and lives rather dangerously. (Although electronic post-production techniques have now reduced the heart failure rate.)

Film and video production create their own magic. The adrenalin flows in both—but at a different rate of knots. Fred Zinneman making JULIA for the cinema and Herbert Wise I CLAUDIUS for TV have a lot in common. Both are superb directors, immensely creative and inventive. They know how to get really fine performances from their artists. They know how to communicate with their creative technicians, they are both brilliantly successful. One uses film—the other video.

Can there really be anyone who thinks that film is better than video, or the other way round? Is there, in fact, a threat? Should protests be taken seriously from those who shout the loudest about Electronic News Gathering heralding the death of the film cameraman in TV, and yet remain silent, maybe in astonishment, at the rapidly expanding numbers of films made for TV?

In 1979 Euston Films (the film-making arm of Thames Television) have in production—simultaneously—a 13-part serial, an 11-part serial, a two-hour movie for TV, a ninety-minute movie for TV—all on film. Surely that cannot be bad.

And how about television dramas, single plays and so on, made entirely on film? They are not accidents of planning, they are largely the result of the stories

Continued on page 920

FILM OR VT TIME CODE?—THE AMERICAN VIEW

Film 79

By EDMUND DiGIULIO

An attempt to bring order out of chaos in the heated debate over which system of time-base coding should be standardized. The author details what he feels it would take to create an acceptable system

Attitudes toward time code for film reflect two distinctly different views: the one generally held by Europeans and that held by Americans. The Europeans have been actively working on the problem for at least a decade, and in 1973 the European Broadcasting Union (EBU) adopted as a standard the time code proposed by the German Radio-Television Institute (IRT). TDF in France has proposed a slight modification to the EBU code, but it remains essentially the same.

Most European manufacturers of camera, sound, and editing equipment have developed hardware to record and read this code. And a certain amount of this hardware has been purchased by various television organizations in Europe. The Russians have also purchased a fair amount of equipment utilizing the EBU time code for use during the 1980 Olympic games.

The usefulness of the EBU time code does, however, appear to be limited. A BBC task force visited various TV installations in Germany in 1977 and concluded that, while having time coding on film is certainly to be desired, it is an awfully expensive investment just to simplify the task of synching up dailies.

With regard to the market for EBU time code equipment in the United States, it virtually does not exist. With rare exceptions, no equipment of this type has been sold in the U.S. to date.

How do we explain this dichotomy?

To begin with, the European TV establishments that have purchased this

equipment are all government-owned; and equipment purchasing is dictated by policy decisions that need not always have an immediately viable economic justification. Even in this more favorable environment, however, I believe the amount of EBU time code equipment purchased in Europe has been very limited.

In the American view, though, seeing at each succeeding trade show new equipment to implement the EBU code—now making it man-readable, now being able to print it—we get the feeling we are looking at the Emperor's clothes. In other words, we see all this excellently designed equipment, but does it have any real substance?

In the American market place where all filmmaking, both theatrical and for television, is privately owned (with the one exception of the Public Broadcasting System which is partly government financed), EBU time code equipment in its present form has not been demonstrated to be economically viable.

Current thinking in the U.S. is that we had better either forget the whole thing or come up with a different approach to the problem of time code for film that can, by its increased utility, be economically justified.

In 1971 the SMPTE established a time code working group of which I was a member. In considering the IRT proposal that became the EBU time code standard, we were concerned by its limitations. The EBU time code did not uniquely identify every frame. It was located in the sound track area so that it could not carry through to release prints. And the low bit rate of 100 bits per second seemed to rule out the possibility of high bit rate codes to control auto-programming.

The committee found (as committees do) that it could not "invent" an encoding process for motion picture film to fulfill anticipated needs. However, in synopsis, it did define the requirements for an effective code . . . with several applicable to telecine:

—A suitable time code would enable the precise synchronization of sound and picture with any number of cameras and recorders, at any point during a run.

—The application of coding would become the log of time sequence and script index.

—Each frame should contain a minimum data content, consisting of time, scene, and take numbers, as well as production number. Camera or recorder number and date must also be accommodated, of course.

—The editor could use the code for identifying specific scenes or portions of a scene. The code would also provide an excellent index if it became necessary to reprint or retransfer a portion of a scene. This type of code system would also enable the use of computer editing systems to automate the editing process.

—When the final workprint has been assembled, the code segments which correspond to each scene would enable the negative to be assembled with great ease.

—The code would be useful for looping of dialogue or effects as a means of automatically locating the areas to be replaced, and to control the film movement.

—A code used for production could also be used to index sound effects and music library material.

—If a new code is created for the release print as an elapsed-time code, it would be useful in music scoring, re-recording, printing, release print scene replacement, commercials insert, etc.

—Any specific code used should be compatible with television practices to permit film records to be interlocked to one another and/or to videotape. This does not necessarily mean that the proposed SMPTE videotape time code has to be used for film. However, it would probably be economical to use this proposed code on the magnetic materials in the film industry, provided that certain difficulties such as frame counting could be resolved.


These requirements can be developed into seven basic suggestions, and were combined with general code performance considerations in the committee's report.

In brief, the 1971 committee recognized the need to modernize the motion picture process, but it also recognized that current editing techniques were efficient, and in some cases, more effective and efficient than electronic editing. At the time of the report, the potential benefits of coded film were still awaiting inventive or developmental processes.

Over the past several years, however,

Continued on Page 946

Ed DiGiulio, President of Cinema Products Corporation, explains why he feels Americans have failed to accept the EBU time code system.



FLYING WITH SUPERMAN

Film 79

Placing the ZOPTIC System within the context of other special effects methods of making a subject appear to fly, as was achieved with such extraordinary success in the recent filming of SUPERMAN

By ZORAN PERISIC

Of all special optical effects, the illusion of flying is probably the one most difficult to create convincingly. The key to this is to achieve a total freedom of movement of the object in flight within the background.

Standard optical process systems, which are used extensively at present, all have considerable limitations in this respect:

Colour difference—travelling matte process, usually referred to as blue-backing process, is not only very time-consuming and expensive, but has a major limitation in achieving a good coordination between the flying object and the background. Even with the use of Video to playback the background scene, it was difficult to achieve a good relationship between the background and the foreground.

A great number of shots were done in

this way for SUPERMAN, but only a few were used in the final film, because they could not be made to work successfully.

The image of Superman had to be reduced further on an optical printer from the point where the original move ended. This transition is difficult to achieve. Other standard drawbacks of this system are: loss of colour balance, lighting restrictions and the old familiar black line around the subject.

Blue is normally excluded from the wardrobe of artists when using blue backing—which of course was not possible in the case of Superman. The solution here was to make his tights out of a specific type of blue which was actually bordering on green in order to get a separation from the blue backing.

The only optical house which had been doing travelling matte work successfully closed down just at the time when

SUPERMAN was starting, so that all the work of this type had to be sent out to Los Angeles.

Back-Projection is another standard process which can be used for creating flying effects to a very limited extent. But because this system is the least flexible for this type of work it was not even attempted.

Front-projection, the natural successor to back-projection, offered much better possibilities. This process involves projecting a pre-filmed scene via a 2-way mirror onto a special screen. This screen is composed of a multitude of tiny glass spheres which are coated on the outside of one half and imbedded in the backing material with the clear half on the outside.

A light ray entering through this "window" undergoes total internal reflection and exits from the glass sphere along the



same axis as it entered. These light rays are picked up by the camera lens behind the beam splitter. The nodal points of the projection lens and the camera lens must be in exactly the same relative position. The reflectivity of a screen made up of these tiny spheres is so great that even a white object placed in front of it will appear as a black silhouette in the projected background scene. This silhouette is, in fact, an instant matte of the subject. With the appropriate illumination, the subject can be made to blend in with the background.

When the projector and camera lenses are lined up correctly, the shadow created by the subject on the Front-Projection screen is not visible by the camera lens. If the alignment is incorrect, then a black fringe appears—the camera lens is seeing the shadow of the subject at that point.

Because Front Projection evolved from Back Projection, the equipment in use has consisted generally of the same heavy cumbersome projectors, modified so that the camera could be mounted onto the same base as the projector. This arrangement is perfectly satisfactory as long as the same type of work is attempted in Front Projection as had previously been done with Back Projection; i.e. static set-ups where the background is added to a suitable foreground action. The majority of standard process projector shots are of this type. However, when it comes to a flying effect, a different problem arises.

A subject such as an aeroplane or Superman, for that matter, has to be moved across the picture. Unfortunately, wires tend to show up in Front Projection. One way around this is to do an extra "cover" take of the background plate only and use this to eliminate the wires "optically".

The other problem with wires is that it is difficult to get a smooth enough movement. It is, in fact, for this reason that most model shots involving wires are done at high camera speeds. However, most standard process projectors do not have the facility to run in sync with the camera at speeds above 24 FPS.

Vibrating wires were tried out extensively on Superman. The main problem with this was the uneven pressure on the wires as Superman leans to one side. Even if it had been possible to make the wires invisible, there would still be the problem of physically moving a man from point A to point B at incredible speeds. This is difficult enough in a straight line, let alone when the man is expected to execute complicated manoeuvres. There were occasions when Chris Reeve was thrown into a net placed at the end of the

track to stop him from going through the studio wall! The swing on a curved track is unpredictable and often he came to within inches of hitting parts of the set!

Ideally, the subject would be suspended in the air by some invisible means. One such method is to put a pole through a hole in the Front Projection screen which is fixed to a rigid base on the other side of the screen. The model is attached to the other end of the pole. The camera lens is placed in line with the pole and the model acts as a mask for it. A knuckle-type joint is used to make the model pitch and yaw. The pole can also be made to rotate.

This arrangement works very well in certain situations where the subject is seen stationary and the impression of speed and direction of flight is conveyed by the background. However, this is all that could be done with the standard Front Projection approach. The subject could not move across the frame because it is fixed to the pole, but if the entire Front Projection machine (i.e. projector and camera) is panned from side to side, the subject appears to travel across the frame. Tilting the camera/projector compound makes the subject appear to go up or down in the frame. This, coupled with manoeuvrability of the subject does make for a much more realistic flight effect. The projector/camera compound has to be sufficiently small to enable it to be manoeuvred in this way.

A lightweight projector was built by Jan Jacobson for SUPERMAN which could be mounted on a geared head. By using two geared heads crossways, panning, tilting and rocking movements could be accomplished. By this means, Superman could fly across the picture and up and down, but always in the same plane. He could not be made to fly "in depth" through the picture towards or away from the camera. In order to make him fly really convincingly he has to do just that—to move "in depth". This is, of course, physically impossible to any useful degree using the pole, even with a model, let alone a person. Flying him on wires was still the only way, despite all the drawbacks. However, the very idea of a physical movement in depth by whatever means is doomed to failure because it goes against the golden rule of Front Projection. The subject should be kept closer to the screen than to the camera wherever possible, otherwise serious "fringing" problems occur; the reason for this is quite simple—the shadow of the subject will have softer edges as the subject is moved away from the screen because it is related to the depth of field of the projection lens.

Since the shadow of the subject is, in fact, its matte, it is impossible to match a

soft edge of the shadow with the sharp clean edge of the subject, unless the subject is allowed to go out of focus proportionally also. However, this would be defeating the object of the whole exercise.

Therefore, the only way satisfactory results can be achieved is to keep the subject as near to the screen as possible and avoid any appreciable movement towards the camera. Yet on the other hand, without movement "in depth", the whole illusion of flying cannot be achieved successfully.

This is where ZOPTIC came in. This system makes the subject appear to move towards or away from the camera while it is in fact stationary. This is accomplished by using two matched zoom lenses in synchronisation—one on the projector and one on the camera. The size of the projected image is altered with the zooming action of the projector lens, but the corresponding zooming action of the camera lens cancels this out, so that through the camera viewfinder the background appears to be a constant size. Meanwhile, the subject is only affected by the zoom action of the camera lens and appears to grow in size as the lens zooms in. It is this apparent increase in the image size of the subject against a "constant size" background, which creates the illusion that the subject has moved closer to the camera, whilst the real physical distance between the two in effect remains unchanged.

The Neilson-Hordell projector, which was able to take the ZOPTIC system, proved to be too limiting for certain manoeuvres. The original rig, although quite small by normal standards, was really designed for general purpose Front Projection and not exclusively for flying. On the instigation of the Director of Photography, Denys Coop, and with the enthusiastic backing from Richard Donner, I designed the flying rig which can be mounted onto two geared heads set at 90° to each other. This way, Superman could be made to fly in any direction, as well as towards or away from the camera. He was at last free of any restrictions and virtually all Front Projection flying shots were done on this rig. Even for close-up shots, ZOPTIC was used constantly to produce subtle changes, adding more realism to the flight as though Superman was being photographed from an aircraft flying in front of him.

Following a series of tests, the first production shot to be done with ZOPTIC was the long shot of Superman and Lois Lane flying around the Statue of Liberty. Judging by the reaction of the director and the producer, it became obvious that the Flying Unit had made a breakthrough. Superman could really fly! ■

REPORT FROM FILM 79
Continued from Page 875

Code Printing Equipment Combining EBU Code and Numerals", by Jean-Jacques Bessire, presented by Norman Chapman; *"Seeing is Believing. How Conditioning Affects Visual Judgments"*, by Ron Venis (see Page 888); *"What is the Normal or Correct Exposure?"*, by Daan Zwick; *"Image Quality Transfer Through Film and TV"*, by Dr. K. Staes and L. Hayen; *"Simultaneous Presentation of Live Action and Film"*, by I. Ben Yehuda; *"Advanced Light Sources for 16mm and Super-8 Projection"*, by Dr. Ingoma Kugler; and *"New Developments from Oxford Scientific Films"* by Dr. John Cooke.

The printed program indicates that Jean-Pierre Beauviala will speak on *"A New Single-System Camera."* The equipment to be discussed is the new Aaton 7 Basic 16mm camera, which "has been designed to meet the need for a very robust, inexpensive single-system camera, for applications when ultra-quiet running is not necessary, and high-speed film transport is necessary."

For reasons not fully explained, Mr. Beauviala, at the last moment, decides to speak instead about his new Aaton 8-35 35mm Camera, an impressive lightweight, compact hand-held 35mm camera (see Page 922).

In the evening an "Equipment Users Seminar" has been scheduled. It is to be held in the Conference Room of the Royal Lancaster "with food and drinks available."

As for the subject content, the invitation states: "It is hoped the session will benefit those members and delegates concerned with maintenance of filming equipment, the problems of the maintenance technician, and the training of maintenance staff up to the standard needed now and in the future." David Samuelson will chair the event and I am asked to join the rather illustrious panel.

With much interplay between the panel

members and those attending, the evening quickly becomes an informal "rap session", as we say in America, and the discussion strays from the stated topics to include such burning questions as: "Can film schools really train people to make films?"

All in all, it is a rousing evening and, I feel, a very good way to achieve a productive interchange of ideas on an informal basis.

On Wednesday, July 4, the papers program is devoted exclusively to TELEVISION TECHNOLOGY. A wide range of pertinent topics is covered. However, since *American Cinematographer* readers are primarily oriented toward film, I shall not take space to list the topics here.

That evening, in a marvelous gesture of hands-across-the-sea amity, the BKSTS hosts a Fourth of July Party at the Royal Garden Hotel. I feel that our British colleagues are wonderfully sporting to help us celebrate our most important national holiday—considering the event that is being commemorated.

I am always amused at how "terribly British" I find myself becoming after only a few days back in England. This is not an affectation, but rather an atavistic inevitability, stemming from my having had an English mother (born and raised in London) and a string of maternal forebears stretching back, most likely, to the days when Britons were naked savages who painted themselves blue. However, on the Fourth of July at the Royal Garden these Anglophile instincts are overwhelmed by the Stars and Stripes. Toggled out in red jacket, blue trousers and white shirt (with a red, white and blue polka dot necktie to gild the lily), I am a veritable Yankee Doodle Dandy. It's all for laughs, of course, since I much enjoy laughing at myself.

As for the menu at the Fourth of July party, our British hosts have touchingly provided what they describe as "typical American food"—namely, hamburgers, hot dogs, pancakes and ice cream. Not-

withstanding the fact that at least three of these gustatory delights are of German origin, it strikes me that if we did indeed concentrate on such a diet in America, we'd all be intestinal basket cases.

Never mind—it's the thought that counts!

On Thursday, July 5, the papers program is devoted to AUDIO-VISUAL, featuring several interesting papers, including one which attempts to define what "audio-visual" really is.

In the afternoon there is a most fascinating program, the result of a collaboration between the BKSTS and the British Academy of Film & Television Arts. These two august bodies had already co-sponsored on July 1 a forum entitled "Trends in the content and artistic quality of films today", featuring producer David Puttnam (LISZTOMANIA, MIDNIGHT EXPRESS), producer Gary Kurtz (AMERICAN GRAFFITI, STAR WARS), director Karel Reisz (SATURDAY NIGHT AND SUNDAY MORNING, ISADORA) and producer Barry Spikings (THE MAN WHO FELL TO EARTH, THE DEER HUNTER).

The BKSTS/BAFTA collaboration had also sponsored on the evening of July 3 a black tie buffet dinner, followed by a screening of HANOVER STREET.


The program now at hand—the third and final in this series—is entitled *"SPECIAL EFFECTS '79"*, with my old friend, Academy Award-winning cinematographer Oswald "Ossie" Morris, BSC, as Chairman, and a panel consisting of Denys Coop, BSC, Derek Meddings and Colin Chilvers—all of whom were part of the team of six awarded "Oscars" for their special effects wizardry on SUPERMAN.

This event, like the two others before it, is held in the Princess Anne Theatre of the BAFTA's posh headquarters in Piccadilly, and the program is illuminated with film clips of special effect triumphs, dating back to the original KING KONG and working up to SUPERMAN and

Continued on Page 931

A highlight of FILM 79, but billed as a special event outside the regular schedule, was the "Equipment Users Seminar", calculated "to benefit those members and delegates concerned with the maintenance of filming equipment, particularly location filming equipment, the problems of the maintenance, and the training of maintenance staff up to the standard needed both now and in the future." The lively interchange between panel and audience also considered other questions, such as: "Do film schools really teach people how to make films?" The well-attended seminar was chaired by David Samuelson.






**CP-16/A
Trade-Up '79
Special**

The whole works... for only \$9000!

Trade-in any 16mm camera and lens (still in working condition), and move up to CP-16/A excellence — with a choice of two of the finest Angenieux lenses available.

These are outstanding camera/accessories & lens package deals at spectacularly low prices!

Here's what you get for \$9000.



1 CP-16/A sound camera (with built-in Crystasound amplifier);

2 NC-4 battery packs;

2 NCC-6 chargers;

1 3XL-IAZ magnetic record head;

2 PLC-4A 400' magazines; **1** location case;


PLUS...

1 Angenieux 9.5-57mm AV30 lens... the lightest, fastest (f/1.6), highest-resolution zoom lens available for the CP-16/A camera.

And here's what you get for \$11000.

If you prefer, you can have the entire

camera/accessories package described above, but with an Angenieux 12-240mm AV30 zoom lens instead! It is the ideal lens for any situation requiring wide-angle as well as telephoto coverage.



With trade-in, you'll pay only \$11000 for the whole works.

Offer good through December 31, 1979.

Don't miss out on the opportunity to cash in on these and other CP-16 camera/lens trade-up '79 specials.

See your local CP-16 dealer now, or call Cinema Products directly for full details.

cinema E products
CORPORATION

Technology in The Service Of Creativity

2037 Granville Avenue, Los Angeles, California 90025
Telephone: (213) 478-0711 • (213) 477-1971 • Telex: 69-1339



Cooke
Varotal

Super Cine Varotal

Cine Varotal

Cooke Varo Kinetal

Cooke. Definition of quality.

At Rank Taylor Hobson we're extending the range of Cooke Zoom lenses.

But whichever Cooke zoom you choose you'll get pin sharp pictures right to the edge of the field.

Two Cooke Varotals

The Cooke Varotal is available as a 35mm and 16mm lens. It's the finest resolution 35mm zoom lens in the world. It's the 'fastest' 16mm zoom lens you could choose - which is why it's ideal for low light level location work often needed when shooting film for television.

Cine Varotal and Super Version

The Cine Varotal is the sharpest 10:1 35mm zoom lens in the world. Ideal for location work. The new Super Cine Varotal is the special version for special effects.

In other words - undetectable special effects.

Cooke Varo Kinetal

The only zoom lens to give you 35mm professionalism from 16mm film.


All of them match up with the new generation of film emulsions. All hold focus throughout their zoom ranges. And all are ruggedly built to take the full range of attachments favoured by the world's lighting cameramen.

Cooke is the name for optical image quality. And you'll be hearing more news of new Cooke zoom lenses from Rank Taylor Hobson.



**RANK TAYLOR
HOBSON**

Rank Taylor Hobson, P.O. Box 36, Guthlaxton Street, Leicester LE2 0SP, England. Telephone: (0533) 23801. Telex: 34411.



Matthews Crank-O-Vator Our New Light Heavyweight Champion

It's a knockout . . . Matthews type 7580 Crank-O-Vator, a heavy duty lightweight stand designed for H.M.I., Incandescent, Quartz and Arc lights. A uniquely designed, precision lighting tool, the Crank-O-Vator marries the strength of steel with the more mobile characteristics of aluminum.

Both of the Crank-O-Vator's risers extend simultaneously. All bearing surfaces are self lubricated and there is ample storage

area on stand pedestal for ballast or grid.

Other outstanding features include an automatic clutch and safety brake; the Crank-O-Vator will not reverse under load.

A fast single motion is all that's required to fold for storage and easy portability. The Crank-O-Vator is ideal for every application in the film and video industry. Engineered and built by Matthews Studio Equipment.

The Hallmark of the
Matthews Family: reliability,
precision and versatility.



2405 Empire Ave.
Burbank, Calif. 91504
213/843-6715 Telex 691599 (Matthew)

SEEING IS BELIEVING

Film 79

By RON VENIS

Or is it? The author points out how conditioning affects our visual judgments, including our appraisal and acceptance of the pictures we see on the cinema screen and television tube

This title is a well-known aphorism and generally is used in everyday conversation to imply that what we see is true. However, this is not necessarily so and perhaps a better title would be—"Is what you're seeing *really* there?" or even "Are you *seeing* what's really there?"

Seeing, of course, involves the brain, frequently in an interpretative mode, and the purpose of this paper is to illustrate that what is seen frequently depends upon the prior conditioning of the brain, rather than simply the observed physical properties of something. Here is one example of how powerful prior conditioning is:

Most people can stand on a scaffolding board or plank 9-10 inches wide suspended three feet or so above the ground and move quite easily on this plank. If the plank, however, was projecting not a few feet above the ground, but from the roof of a building 100 feet above street level, then few people would feel so sure about stepping out on to it. Even if still air conditions were carefully chosen, it would need a brave man to try the experiment, and the probability of his falling off would be pretty high.

The dimensions of the plank are quite adequate for almost anyone to stand on and he has the reassurance of this knowledge when he is 100 feet up on top of the building. Yet, quite obviously, the fear of falling off has influenced his behaviour and perception. The certain knowledge that he can stand on that plank is swamped by some deeper and more powerful programming of the brain. This "prior programming" concept deeply influences not only what we see, but also the way in which we respond to what we see.

Another example of prior conditioning is newspaper pictures where the main concern is the content and not the picture quality. By the generally accepted standards that all people in the picture-making business claim to have, the quality of newspaper pictures is always very poor.

Firstly, they are black and white, which in itself is not natural, as we normally observe the world around us in colour. Yet we see nothing remarkable in a black and white representation, perhaps, because we do not expect to see anything other than black and white pictures in a newspaper. The remarkable thing is that we do

not, in this sort of context, even notice the absence of colour, so powerful is our prior programming.

Secondly, the contrast range will be abnormally low, 10:1, perhaps, and the tonal scale is usually distorted with obvious black and white compression. By any objective standard the definition is poor and yet, despite all this, we do not find the picture quality poor enough to mentally remark upon it.

If we were to see a newspaper picture projected as a slide, however, its lack of quality would be immediately apparent and the lack of acceptable quality would be noticed immediately because we are accustomed to high-quality pictures from slides. It is reasonable then to draw the conclusion that the picture quality we are happy to accept has less to do with absolute standards than conformity with the norm for that particular medium? This, of course, implies a considerable degree of prior mental programming.

Anthropologists tell us that for truly primitive people a two-dimensional representation of a scene is meaningless. The convention of scale does not apply in such cases and a black and white reproduction is a nonsense. This supports the argument that what we see, certainly where reproductions are concerned, is very much conditioned by what we have been educated to accept.

There are many other examples to illustrate that the way in which we respond to stimuli or situations is determined not by the stimuli or situations directly, but by unconscious prior mental programming. For many of us a familiar daily experience is using the escalator at an underground station. Once in a while, as we approach the escalator, we see that it is stationary, and we have to use it as an ordinary stairway. As we step on to the stationary escalator we lurch because we make the same adjustment to our forward motion that we make when the escalator is moving. We do this, despite the knowledge that the escalator is not moving. Our prior programming, acquired over years of experience of using escalators, is clearly a much stronger influence on our behaviour than the current situation. Funnily enough, people who do not regularly use escalators do not experience this particular reaction, but that merely underlines the point that is being made. Our reactions and response to many

situations and stimuli are determined more by unconsciously absorbed "education"—prior mental programming—than by the situations or stimuli themselves and, most importantly, we are not normally consciously aware of this.

The extent to which we have been programmed to accept conventions is considerable and the process of programming or education is frequently unconscious. We are not aware of it happening or having happened. In a pictorial sense, a good example of this is the way in which we immediately accept the "rules" of perspective—and they are rules. Many of the art galleries of the world exhibit pictures by Great Masters of the Middle Ages which were painted before the rules of perspective had been developed. Today, however, we all accept the convention of perspective because we have, by constant daily exposure, been educated to do so. However, this particular prior programming can override the evidence of our eyes. For example the accompanying illustration of Escher's "Cascade or Waterfall" serves to show how our acceptance of the convention of perspective makes it difficult to spot what is wrong with the picture.

Another two examples are Escher's "House of Stairs" and Morton's "Fork."

These pictures show quite clearly our inability to see what is there. The pictures satisfy the conventions to which we have been programmed, but each is a nonsense and it takes quite a while to work out what is wrong. Perhaps that exposes another example of prior programming. We automatically expect pictures to be representations of the real world. Can we believe what we see when we look at a picture? We are so programmed that there is a strong inclination to want to believe and provided the picture is what we expect it to be, i.e. it is plausible, we do believe it. It is when a picture contains the unexpected that it worries us and this applies as much to quality aspects as to content.

It is the picture quality considerations that are of particular interest and this is an insufficiently explored area of knowledge. In a paper in the SMPTE Journal*, Ken Lisk of the Eastman Kodak Company used an elegant phrase which stated that "... the television system is designed to just satisfy the visual re-

quirements of the viewer. . . ." One cannot help but wonder to which particular system or viewer he was referring. After all, many people are delighted with the picture quality they get from a 1/2-inch or 3/4-inch video cassette, even though these are considerably below accepted broadcast standard.

What then determines acceptable picture quality?

There is a story, apocryphal no doubt, attributed to the then Lew Grade who, when advised by an engineer that a programme he had purchased was not of transmission quality, simply asked, "Who cares about the picture quality if the programme is good?" That philosophy contains a large element of truth. To some extent our requirement for picture quality is inversely proportional to our interest in the picture content. It also explains why many people think their video-cassette pictures are marvellous: they made them themselves.

Therefore, acceptable picture quality depends to some extent on our interest in the picture content, but also on our nor-

mal expectations for the particular reproducing medium. This latter aspect is something to which we have been educated or prior programmed. Conformity with the prior programmed norm for the medium seems to be far more important than absolute parameters.



We are all conditioned to accept, for example, that in the cinema rotating wheels tend to go backwards. It does not mar our enjoyment, nor indeed detract from the illusion of reality, but if anyone today were to propose a new moving picture reproduction system in which normal directions of motion were rendered backwards, he would have great difficulty finding development finance.

In the early days of cinema, recognisable moving pictures were, in themselves, such a remarkable achievement that all sorts of minor shortcomings of the medium were reduced to total insignificance. People did not stay away from the cinema because the pictures flickered, were tonally distorted, were silent, were black and white and had peculiar movement rendition. Those people


and succeeding generations became educated to accept what was the norm for cinema reproduction. Of course, the norm for that medium has improved considerably over the years, but very little, if any, of the improvement came about because of public demand. The improvements were prompted by those working in the industry.

Similarly, with television. Would the growth of television in society have been less rapid and extensive if technical standards had remained where they were, say immediately after the war? That is a question that is impossible to answer with any certainty, but, on available evidence, the probability is—yes! It is generally accepted that the technical standards of television in the United States are rather lower than those obtaining in Western Europe, but this does not seem to have restricted the growth of television in the former country. By the same token, there are no indications that when a television service switches to colour, the number of viewing households in-

Continued on Page 943



At first glance, all of these pictures appear "normal"—but closer scrutiny reveals that they are nonsense anomalies that please the eye, but fool the mind. (LEFT) Escher's "Cascade or Waterfall" would have us believe that water falls downward, but can also run uphill. (RIGHT) Another picture by Escher, "House of Stairs", boggles the mind with what is essentially a visual joke. (BELOW LEFT) In this picture the rules of perspective are flagrantly defied. (RIGHT) Morton's "Fork" is not a fork at all, when you examine it closely.



You're a professional photographer, or an advanced amateur, and you've got a pretty sizeable investment in first class photographic equipment. When you shoot, the results are important. Yet sometimes, in spite of careful metering, your color film comes back from the lab with unacceptable color balance and you've lost irreplaceable pictures. What went wrong?

WHEN YOU SHOOT COLOR A FINE CAMERA IS NOT ENOUGH

The problem is that the color temperature of light varies constantly, while color film is balanced for an ideal light source, either tungsten or "average" daylight. To match color film to actual light conditions you need color filters, and only a color meter can predict the filter required. And, even then, basic color meters only measure Blue/Red variations and cannot predict filter correction for Green/Red variations.

The Spectra® TriColor™ is a **Full Spectrum** color meter and measures all three primary colors—blue, red, and green—for still and cine photography. It will accurately analyze the color temperature of any light source—fluorescent, incandescent, arc, mercury vapor, outdoors in shade or at high altitude—or any mix of them. Its readings are quickly converted, with the simple computer card provided, into the appropriate filter pack and exposure compensation data.



Spectra meters are made by Photo Research, the company that won two Academy Awards for the color temperature principles used in the original 3-Color meter and in the improved Tri-Color meter. Their exposure meters are the standard for accuracy in all major movie studios.



spectra®

TRICOLOR™ METER

Distributed by SIMON Associates, 1019 Trillium Lane, Mill Valley, Calif. 94941. Outside Calif. (800) 824-7888, Ext. A179; Inside Calif. (800) 852-7777, Ext. A179.
Manufactured by Photo Research Division, Kollmorgen Corp., Burbank, CA

© Copyright 1979


Clearly The Best

Our correction and color effect filters are so optically clear that they improve both the quality of absorbance and transmittance beyond that of any others. Not only are they the brightest filters, they are the toughest. The polyester base is always .003 thick. It won't peel, crack or tear, is high heat and flame resistant and cuts down on fading. The color you pick from our sample book will match the one you use on the job...always. Consistent colors, consistent filters, consistent high quality. LEE filters do exactly what we claim, every time. Not just another filter,

Clearly the best.



BELDEN COMMUNICATIONS, INC
25 W. 45TH STREET, NEW YORK, N.Y. 1003
(212) 730-017



MODERN TECHNIQUES OF OPTICAL TRICK CINEMATOGRAPHY

Film 79

How basic optical illusions are created on film, and the methods of assuring that the most suitable rolls of film stock can be selected to obtain the best possible results in the field of special effects

By ROY FIELD and TONY ILES

What is Optical Trick Cinematography? It is the art of combining two or more images shot independently into one piece of film.

In the very early days of cinematography, film-makers were super-imposing images in original photography by double-exposing the negative to achieve a composite result. These appeared as ghost images, which although very acceptable for certain effects, did not meet every requirement. Gradually, more sophisticated optical effects were dis-


covered and used. In recent years there had to be an improvement in the techniques used for optical effects, as the quality and resolution of the film, and the sudden increase in screen sizes, made the work of the optical specialist more and more difficult.

Nowadays, with techniques such as travelling matte, rotoscoping, forcing high contrast mattes for bright objects, etc., it is possible to get more and more sophisticated opticals using the optical printer. With the fine-grain stocks avail-


able (both negative and print) and modern high-resolution lenses, improved lens coatings, and projection onto large screens, it has become increasingly important to achieve the highest possible quality duplicate negatives for the preparation of optical special effects.

A fundamental technique in optical trick cinematography is that of the travelling matte. In this, typically, an actor in the foreground can be superimposed on a background scene, in a way that could be

Continued on Page 914




(LEFT) During the making of **SUPERMAN**, a scene was shot involving Christopher Reeve as Superman, bridging a gap in the railroad track with his body to save the train from derailing. (RIGHT) The lower sections of the scene were shot on the stage at Pinewood Studios. (BELOW LEFT) The top half was shot by an entirely different crew in America many months later. By locking down both cameras rock-steady and paying precise attention to lens angles and other details, the two scenes could be "married" successfully in the optical printer.





(LEFT) A fundamental technique in optical trick cinematography is the travelling matte. It was used to produce the illusion of Superman flying over the city of New York, and the progression started with this background scene of the skyline. (RIGHT) Next, Christopher Reeve was photographed "flying" against a special blue background. Great care had to be taken to make the blue of his costume sufficiently different from that of the background so that separation could be achieved.




(LEFT) From the shot of Superman against the blue background, an exposure was made to generate an opaque mask, or matte, of the figure against a clear background. (RIGHT) This matte was bi-packed in contact with the background scene of New York and printed onto a piece of internegative film. (BELOW LEFT) The blue background was held back by bi-packing it with a reverse mask, known as a *counter matte*. (RIGHT) The finished composite optical effect, with Superman printed into the "hole" in the background scene.



ECLAIR ACL: the rugged reliable quiet camera

ABC Sports selected three cameramen to shoot
Bridalveil Falls: All three owned ECLAIR ACL's.



Bob Carmichael, one of the cameramen who climbed the 500 ft. high frozen waterfall had the following to say about his new ECLAIR ACL:

I bought my ACL after looking carefully at every camera on the market. I work distant locations, usually with challenging environments, often in extreme weather conditions. I've got to have a rugged reliable camera. That's the bottom line. The ACL's lightweight design and quick change snap-on magazines are essential to getting the action in sports and adventure shooting. The new viewfinder is brighter and the LED-7 exposure system keeps me on top of my exposure situation. Get away from the noise of civilization and you discover how really quiet the ACL is. But the thing that sets the ACL apart is the fact that the multi-speed crystal motor runs through even the coldest temperatures. At Bridalveil we actually got ice build-up on the camera body and it continued to function perfectly. ECLAIR ACL is now so well proven that it really is an industry standard.

ABC Sports Bridalveil film crew:
cameraman/director—Scott Ransom
cameramen—Bob Carmichael, Greg Lowe
Soundman—Peter Palafian

ECLAIR ACL: the dependable quiet one

SOREMEC U.S.A. INC.
eclair



905 N. COLE AVE., HOLLYWOOD, CA 90038

TWX: 910-321-4192 Eclair USA LSA

SAMUELSON FILM SERVICE LIMITED

303/315 Cricklewood Broadway
London NW2 6PQ, England
Tel: (01) 452 8090, Telex: 21430
Cables: Samcine London

SAMUELSON ALGA CINEMA SARL

24/26 Rue Jean Moulin
94 Vincennes, nr. Paris, France
Tel: 328 58 30, Telex: 670260F
Cables: Samcine Paris

SAMUELSON ALGA SALES

122 Champs Elysees
75008 Paris, France
Tel: 359 35 33

SAMUELSON FILM SERVICE AUSTRALIA (PTY) LIMITED

25 Sirius Road, Lane Cove
Sydney 2066, N.S.W., Australia
Tel: 428 5300, Telex: 71 25188

25 Lathian Street, N. Melbourne
Victoria 3051, Australia
Tel: 329 5155

SAMCINE SALES LIMITED

303/315 Cricklewood Broadway
London NW2 6PQ, England
Tel: (01) 450 4550, Telex: 21430
Cables: Samcine London

SAMUELSON GENOP (PTY) LIMITED

Genop House, 15 Hulbert Road
New Centre, Johannesburg, S. Africa
Tel: 836 4275, Telex: 43 0057
Cables: Genop Johannesburg

SAMFREIGHT LIMITED

Rooms 59/60G, Building 521
London Heathrow Airport
Hounslow, Middx., England
Tel: (01) 897 2851, Telex: 22197
Cables: Samfreight London

Samuelson Lighting Ltd

Dudden Hill Lane
London NW10 2DS, England
Tel: (01) 452 5477, Telex: 21430
Cables: Samcine London

MULTI-IMAGE LENS OUTFITS

For many years Samuelson have had a single Astro Multi-Image lens outfit which has always been in great demand by cameramen seeking to shoot 'in camera' various effects which otherwise would be both expensive and time consuming to achieve on an optical printer . . . even to those simplest of all effects, reversing a shot from left to right or turning an image upside down and rotating it about the optical axis.

We have now commissioned six new outfits which we have mounted in a new manner to fit in our regular 6.6 in. matte boxes.

The new mounting system consists of an electrically driven rotating filter holder (similar to our Shimmering Filter system) onto which any of the multi-image elements may be fitted.

The Astro multi-image outfits consist of three ranges viz:

B1, B2, B3 and B4 are four 100 mm dia multi-image polyprisms giving 3, 4, 5 and 6 parallel images respectively.

C1, C2, C3, C4 and C5 are five 100 mm dia multi-image systems incorporating a number of individual 'negative' lenses which are used in conjunction with a single 'positive' lens (CO). With these systems it is possible to achieve 9 images set out like a telephone dial, 60 images set out in a checkerboard pattern, 5 images set out cruciform, 9 images set as a 3 x 3 square or 7 images set parallel.

The D1-D7 series are 60 mm diameter multi-image pyramid prisms giving 2, 3, 4, 5 or 6 images arranged radially with and without a clear central area.

The systems which have a clear central area are particularly exciting when used with a zoom lens which has a small enough front diameter to be covered by the multi-image lens. For instance, with the new Samcine 18-100 mm 35 mm type wide angle zoom lens or with virtually any 16 mm type zoom lens, it is possible to use, say, the D1 'telephone dial' element and by starting a shot on the long end of the zoom range see only a single image and then zoom back to reveal a number of similar images set around the central one. With the motorised drive the outside images can be made to rotate about the central one which remains still. For product shots, etc., the effect can be very, very eye catching.

As if all of that is not enough we have some outfits of 'Screw-On' multi image lenses, which are quite different.


This set are all 77 mm diameter pyramid type prisms which we supply with various adaptors for direct attachment onto the fronts of suitable lenses. 'Suitable' lenses include all the 16 mm and 35 mm type Zeiss high speed lenses (the 50 mm 35 mm type and the 25 mm 16 mm type are particularly suitable) the Zeiss 10-100 mm and any zoom which has a screw thread filter holder for a Series 9 filter (Angenieux 10 x 12 mm etc.) and quite a few others.

The Screw-On multi-image lenses are a set of 9 viz:

SO-1 gives 3 images set radially, SO-2 & 3 give 4 and 5 radial images respectively together with plain central areas, SO-4 gives three parallel images, the central one being plain, SO-5 is half plain half multiple parallel images, SO-6 gives 2 images with one section clear and the other a plus diopter giving dual focussing at infinity and at 5 inches or one part in focus and the rest way-out, SO-7 is a two image double diopter giving focus at 10 inches or closer and SO-8 & 9 are multi prisms similar to SO-3 & 4 but multi-coloured.

Astro Multi-Image Lenses

Type TR-B, 100 mm dia. Polyprisms




TR-B1:
3 parallel images

TR-B2:
4 parallel images

TR-B3:
5 parallel images

TR-B4:
6 parallel images

Type TR-C, 100 mm dia



TR-C0:
plain positive lens to be
used in conjunction with
all TR-C negative
multi-image lenses

TR-C1: 9 images set
'Telephone Dial'

TR-C2: 60 images set
'Checkerboard'

TR-C3: 5 images set
'Cruciform'

TR-C4: 9 images set
3 x 3 Square

TR-C5: 7 images set
Parallel

Pyramid prisms

Type TR-D, 60 mm dia.



TR-D1:
2 parallel images

TR-D2:
3 radial images

TR-D3:
3 radial images +
plain central section

TR-D4:
4 images



TR-D5:
4 radial images +
plain central section




TR-D6:
5 radial images



TR-D7:
5 radial images +
plain central section

Dove Prism




Screw-on Multi-Image Lense 77mm diameter



SO-1: 3 radial images

SO-2:
4 radial images +
plain central section

SO-3:
5 radial images +
plain central section




SO-4:
3 parallel images,
central section plain



SO-5:
half plain, half
4-5 parallel images




SO-6:
bifocal diopter with
off-centre plain section



SO-7:
2 image double diopter



SO-8:
5 radial images +
plain central section,
multi-coloured



SO-9:
3 parallel images,
central section plain,
multi-coloured

EUROPEAN MANAGING ASSOCIATES FOR

PANAVISION®

Corporation of California Ltd

THE NEW ARRI IMAGE STABILIZER SYSTEM

Film 79

A new lightweight, compact device from Arnold & Richter, which fits in front of the taking lens and effectively smooths out vibrations for hand-held shooting with film and TV cameras

Sneak-previewed to a chosen few at *Photokina '78* (but only in terms of a video cassette showing what it can do), the new ARRI Image Stabilizer came all the way out of the closet at FILM '79 and created something of a sensation in its own understated way.

Formally introduced by Arnold & Richter Marketing Manager Horst Bergmann by way of a paper entitled "*A New Approach to Image Stabilization*", the device remained on display in the equipment exhibition area throughout the duration of the conference, along with the aforementioned demo reel (this time on film), showing a young camerawoman using it while filming hand-held from cars, boats, helicopters and on horseback.

To be sure, there is nothing new about seeking to stabilize a motion picture camera image and free it from vibration under jerky or bumpy conditions, and quite a few devices have been developed toward this end. Varying greatly in size and cost, these devices operate on different principles and some of them have highly specialized applications. Each also has its limitations, due to size, sensitivity, focal length of lenses that can be used, or the frequency of vibrations it is best adapted to dampen.

Devices of this sort which have been in service for the longest time in the film and television industries, proving their dependability along the way, are mainly those fixed appliances designed to be mounted securely to helicopters and other moving vehicles. The Tyler and Continental mounts are prime examples of this type. Closely allied to these are the gyroscope-stabilized platforms, such as those designed by Tyler, which are mounted as units onto various moving vehicles and which accommodate the entire camera equipment. While all of these devices function admirably well, they share the sole drawback of being quite large and bulky—in no way practical for stabilizing the movement of a hand-held camera.


In a second category are mobile stabilizing rigs, such as the Steadicam and Panaglide, which involve pendulum suspension of the camera on a spring-compensated gimbal joint system. The cameraman is strapped into this rig so that his body literally becomes a functioning element of the device. While these devices are certainly more mobile than

the aforementioned solidly mounted stabilizing platforms, they are still quite bulky in configuration and require the services of a rather highly trained operator.

A third category of stabilizing appliances achieves its objective by optically compensating the image forming rays. This does not involve stabilizing the entire camera, but is achieved by means of an additional unit attached to the camera lens. In one type of such appliance, the Dynalens, compensation is affected by means of a liquid prism which is controlled by an electronic gyroscope system to deflect the path of the light rays. The latter system requires that its electronic components be constantly fine-tuned by a specialist.

The new Image Stabilizer introduced by Arnold & Richter differs in design and function from all of the aforementioned systems, although, like the latter, it does achieve stabilization by means of an auxiliary optical system placed in front of the taking lens. However, the device itself is an autonomous system to be applied to a wide range of cameras (both film and TV) and taking lenses.

The unit is distinguished by its lightweight construction and compact silhouette, both characteristics rendering it a convenient and unobtrusive device for hand-held filming. In actuality, it can be used with or without a tripod and in nearly every mobile filming situation on land, in the air, from a waterborne craft, or even when sitting on the back of an animal. It is



Two views of the new Arriflex Image Stabilizer System shown mounted on an Arriflex 16SR camera. The device is not restricted to use with Arriflex cameras, but may be used on almost any film or TV camera. The heart of the system is a British Aerospace gyroscope, which consists of a two-axis gimballed free gyroscope that carries a mirror mounted on a third gimbal.



equally suited for TV or film shooting, with both 16mm and 35mm cameras.

A TV viewing system is not an integral part of this unit, nor is it necessary as it is with the Steadicam and Panaglide systems. The decision as to whether a video viewfinder or monitor system should be used in conjunction with the unit is a matter of choice dependent on the cameraman's judgment, plus the demands of the particular shooting situation.

Aside from its obvious function in stabilizing the image, the system is designed to facilitate freer use of the camera, since it functions without electronic controls, requires no external power supply and needs no special lenses. The new ARRI Image Stabilizer is mounted in front of the camera lens, like a matte box, and sunshades and filters can be attached to it.

The main component of the new stabilizing system is a British Aerospace gyroscope, which consists of a two-axis gimballed free gyroscope that carries a mirror mounted on a third gimbal. The mirror gimbal is pivoted within the outer gyro gimbal about an axis parallel with the inner gyro gimbal. The mirror and the inner gyro gimbal are coupled by a linkage which gives an effective ratio of 2:1 between them.

The position of the mirror on its pivots is set so that when the gyro gimbals and spin wheel are orthogonal, the mirror is at 45 degrees to the outer gimbal axis. The camera is set so that it looks along the outer gimbal axis into the mirror, to see the view that lies along the direction of the gyro wheel. Because this direction tends to be stable, the picture seen by the camera is stable. However, since the cameraman must be free to pan or tilt, the gyroscope must be precessed in the desired direction. This has been done by a means which does not change the established method of panning cameras.

A movement of the camera in a certain direction causes a friction mechanism to precess the gyro wheel in the same direction. This means that the gyro, and hence the direction of the field of view, is loosely coupled to the camera body. Move the camera body slowly or steadily and the field of view follows. Move it quickly or through narrow angles and it tends to remain stable in the original spatial direction. While panning, the direction of the field of view lags behind the direction in which the camera body is pointing, but this is not apparent to the operator, who is using a viewfinder which looks through the lens.

The complete mirror system, together with its electrical motor, is housed in a relatively small unit. The entrance and exit ports for the image rays are sealed dust-tight by means of two optical flats



The ARRI Image Stabilizing System is very light in weight, weighing only a few pounds, which makes it ideally suited for hand-held use in a variety of situations. The demonstration reel shown at FILM 79 showed a young camerawoman using it, while filming hand-held from cars, boats, helicopters and on horseback.

which can be unscrewed; if necessary, they can be replaced by filters, which can also be screwed on.

The power for the gyroscope motor is supplied by a quickly-changeable, built-in, high-power 1.5-volt single cell battery, such as Mallory MN 1300 or Varta 7232, which last approximately eight hours with average use. As a protective measure, the moveable gyro gimbal is locked to the case when switched off.

The new system functions in such a way as to allow for the simplest possible mode of operation; only the on/off switch for the gyroscope motor and the release for the mirror gimbal must be depressed. When the gyroscope motor is switched on, a red lamp indicates the acceleration of the gyroscope. This reaches its rated speed after 15 seconds, at which time the red lamp goes out and a green light signals that the unit is ready for shooting. With Arriflex cameras the mirror is automatically "uncaged" by means of the cable release attached to the camera switch. This, when operated, simultaneously releases the camera running mechanism and the mirror stabilizing system. With other cameras, lacking this link-up, the mirror must be uncaged shortly before switching on the camera. It is advisable to leave the gyroscope motor running during short breaks in shooting, as more power is needed for the gyroscope run-up than for maintaining its speed.

Another characteristic of the new system worth mentioning is its capability for being used in the horizontal, as well as the vertical, position. Since it is espe-

cially necessary with wide-image covering angles to bring the unit with the mirror system as near as possible to the front of the taking lens, it can be advantageous, depending upon the camera used, if one can choose the position of the mirror system which allows the shortest distance from the taking lens. On the other hand, it can be useful, when using a narrow film camera such as the Arriflex 16SR, to be able to film with the unit in the vertical position. For example, when shooting inside vehicles, it is advantageous to have a camera which occupies the least possible amount of space. When panning the camera, the resulting centrifugal

Continued on Page 944

The Image Stabilizer is shown here mounted vertically, but it can also be mounted horizontally on occasions when that configuration is deemed to be preferable.





Shooting a documentary: quick moves. Camera rests comfortably on Mr. Fauer's shoulder as he hand-holds with tripod attached.

Hand-holding with the tripod on the camera! Jon Fauer talks about working with a Sachtler:

The effect on documentary style of a 6¾ lb. fluid head and carbon-fiber 58 inch legs that weigh 2¼ lbs.

“When the action isn't going to repeat and it's happening fast, you often have to go hand-held,” says documentary cameraman Jon Fauer.

“But you give up a lot, of course. No steady long-lens closeups. No throwing the background out. Even staying wide, the image isn't really rock steady on a big screen. All these things you sacrifice for speed.”

“I bought the Sachtler because of its incredible light weight with the carbon-fiber legs. After I began using it, I found I could make quick moves to a new angle carrying tripod and camera together. The Sachtler was the first tripod that didn't slow me down.”

“The quick-release plate lets me go hand-held fast — and with the ARRI SR on my



“We spend half the time carrying the equipment around,” says Jon Fauer. “Weight is important.”

shoulder, the plate doesn't dig into me. I find I can put the camera back *onto* the Sachtler faster than I could with any other tripod.”

“Using my SR on other fluid heads, I was always fighting the counterbalance spring. Too much or too little. The Sachtler's adjustable spring gives me perfect neutral balance—with my 400mm *and* my Zeiss Superspeeds.”

“The SR's tripod socket is fairly far forward on the base, and the Sachtler's quick-release plate is small. That's why it doesn't dig into my shoulder,” says Mr. Fauer.

“The head is small, too. And this led to something I wouldn't have believed. In the heat of the moment, I found myself needing a hand-held shot *fast*. So I began hand-holding—with the tripod still attached! I forgot it was on there.”

Who took the photos on this page — and why is that significant?

On this job, there was a two-man crew: Jon Fauer, cameraman, and his assistant, Jeff Laszlo. Usually, the assistant has his hands full carrying the tripod around two steps behind the cameraman. As you can see, Mr. Fauer carried camera and tripod himself. The pictures were taken by Mr. Laszlo.

sachtler
SUPPORT SYSTEMS
ARRI
ARRIFLEX CORPORATION

One Westchester Plaza, Elmsford, New York 10523. (914) 592-8510. And 600 N. Victory Blvd., Burbank, Calif. 91502. (213) 841-7070

Where to see Sachtler equipment on display now:

Listed alphabetically below
are some ARRI dealers in
whose showrooms you can now
inspect Sachtler tripods.

Adolph Gasser Inc.
5733 Geary Blvd.
San Francisco, Calif. 94121
(415) 751-0145

Alan Gordon Enterprises
1430 N. Cahuenga Blvd.
Hollywood, Calif. 90028
(213) 466-3561

Atlanta Film Equip. Rentals
1848 Briarwood Rd. NE
Atlanta, Georgia 30329
(404) 325-3676

Brenner Cine Sound
5215 Wisconsin Avenue NW
Washington, DC 20015
(202) 244-3800

Camera Mart Inc.
456 W. 55th Street
New York, New York 10019
(212) 757-6977

Film Equipment Rental Co.
707 11th Avenue
New York, New York 10019
(212) 245-4800

Glazer's Camera Supply
1923 3rd Avenue
Seattle, Washington 98101
(206) 624-1100

Jack Pill & Associates
6370 Santa Monica Blvd.
Hollywood, Calif. 90038
(213) 466-3471

Otto Nemenz Internat. Inc.
7531 Sunset Blvd.
Hollywood, Calif. 90046
(213) 874-0811

Roessel Cine Photo
48-20 70th Street
Woodside, New York 11377
(212) 424-1600

Victor Duncan Inc.
200 East Ontario Street
Chicago, Illinois 60611
(312) 321-9406

Victor Duncan Inc.
2659 Fondren Drive
Dallas, Texas 75206
(214) 369-1165

Victor Duncan Inc.
32380 Howard St.
Madison Hts., Mich. 48071
(313) 589-1900

sachtler
SUPPORT SYSTEMS
ARRI
ARRIFLEX CORPORATION
DISTRIBUTED
IN THE U.S.A.
EXCLUSIVELY
BY ARRI-FLEX
CORPORATION

AÄTON 8-35 CAMERA Continued from Page 922

foot magazine or a 400-foot magazine. The magazine is very light because there is no mechanism in it. The automatic adjustment means there is no problem with friction when you are using a 200-foot magazine, a 400-foot magazine or a 1000-foot magazine.


The movement includes no registration pin, which many people would regard as an error in design. However, we have proven in our 16mm design that the camera works far better than any other system without any so-called registration pin, because the claw movement pulls down the film in a highly linear way, with no bow effect on the film performance. This principle of obtaining a linear stroke is the reason why the camera has such a high degree of stability. The steadiness of the Aäton 8-35 camera does not suffer at all when compared to that of other well-known cameras.

In order to complete the prototype of the Aäton 8-35 as fast as possible, we had to use a beam-splitter system, but it is quite evident that we will have a rotating mirror system in the production models. We have room for it and the shutter, in fact, is in the shape of a rotating mirror, but for the sake of speed and simplicity we installed a beam-splitter in the prototype. This has resulted in a 30% loss of light.

In order for the claw to have enough time to enter the perforation and effect a gentle pulldown, we adopted the 153-degree shutter. This shutter, together with the beam-splitter, results in a one-stop decrease in exposure. A beam splitter is quite fragile and that is the main reason why we will replace it with a rotating mirror.

The main request from Jean-Luc Godard was for a very, very steady camera—one that would match with the Panaflex camera, because eventually he wanted to employ both cameras, using the Aäton 8-35 for getting into very difficult places. Definition and steadiness were his main concerns, so we were obliged to make a basically quiet mechanism. Most quiet 35mm cameras are now described as "self-blipped", but the Aäton 8-35 is not a self-blipped camera. It is a quiet camera without a blimp. With a self-blipped camera you have a basically noisy movement and you have good reason to dampen all the noise and eliminate the output of internal noise, but you still have vibration in the camera and vibration is not good for definition. So with our basically quiet camera, we have better definition than a self-blipped camera.

Without any blimp at all it will not be



Steadiness is ensured by the same claw movement system (U.S. patent 3806016) that has worked so successfully in the Aäton 16mm LTR camera. Pulldown of the stroke is absolutely linear.

possible to reach 21 dB or 23 dB for quite a long time. We are now at 35 dB, but on the production model we will be able to reach 30 dB, or perhaps 29 dB. The 30 dB level would be quite comparable to that of self-blipped cameras with a lens blimp on the lens.

In the case of the Aäton 8-35, the noise comes mainly from the magazine, so if you put a very soft blimp over the magazine, without anything over the lens, I feel that you will be able to run the camera at 28 dB, which is quiet enough for most film work.

The first prototype of our Aäton 8-35 will be used by Jean-Luc Godard to make a long feature film, starting in September.

For further information concerning the new Aäton 8-35 camera, please contact:

Aäton SA; 2, rue Président-Carnot; BP 104 Cedex/38001 Grenoble; France (76) 42.64.09.

THE NEW LEONETTI-WILCAM ULTRACAM-35 CAMERA

Film 79

First public showing of an all-new silent studio/hand-held motion picture camera which is designed "to set new industry standards"

Previously shown only to members of the American Society of Cinematographers at a recent dinner meeting of the Society, the new Leonetti-Wilcam ULTRACAM-35 camera made its auspicious debut at FILM 79.

What follows is the manufacturer's description of the equipment:

ULTRACAM-35 fits the expectations that the name implies. This all-new silent studio/hand-held 35mm motion picture camera was designed and constructed from its inception with the combined facilities, knowledge and experience of Leonetti Cine Rentals, Wilcam Photo Research and consulting opinions of cameramen, operators, and assistants in the industry.

Since 1955 Leonetti Cine Rentals has been a service and manufacturing oriented company within the motion picture industry, pioneering in and maturing with all areas of modern cinematography, along with being the forerunners in the development and manufacturing of lighting, grip and sound equipment. Leonetti Cine Rentals was the first organization in the development and use of complete film location packages.


Because of the new demands in the film industry, a new production camera was needed to fill the requirements of modern-day needs. Leonetti Cine Rentals found in the company of Wilcam Photo Research the unique combination of thirty years of experience in the field of film production, advancements in electronics, and optical and mechanical engineering that made it possible to

develop the ULTRACAM-35. Consequently, the decision was made to start from the beginning, rather than try to patch from the present designs. In the development process, twelve patents or patents pending, have resulted.


We believe the ULTRACAM-35 will set new industry standards in sound levels,

viewing systems, ease of operation, dependability and the luxury of being able to accept the full range of lenses that have been manufactured in the past or present that many cameramen require.

ULTRACAM-35 becomes the producers' complete camera system, as it allows the use of today's fullest ad-



(ABOVE AND BELOW) Various views of the new Leonetti-Wilcam ULTRACAM-35 camera, which is not an adaptation of existing designs, but rather an all-new concept, backed by twelve patents or patents pending. The camera's development is the result of collaboration between Leonetti Camera Rentals and Wilcam Photo Research. It has already been used in filming several features.



vanced developments, such as the Technovision anamorphic lens system. The name Technovision speaks for itself: Francis Coppola's APOCALYPSE NOW, THE GREEK TYCOON, Walt Disney's THE BLACK HOLE, Warren Beatty's new film presently being filmed in Europe, and many others used this system.

ULTRACAM-35 is the cameraman's camera in providing ease of operation, reliability and adaptability, the requirements that are demanded of the international film-making industry.

The remarkable result of ULTRACAM-35 is not merely advancement in one or two aspects of performance, but in every facet from efficiency of production time to quality on the screen.

Frank M. Leonetti
Geoffrey H. Williamson

Specifications of ULTRACAM-35

FORMAT:

35mm full aperture .736 x .985

MOVEMENT:

Single-claw, double registration pin, compensating link. Using tungsten counterbalance for minimum possible vibration. Automatic film location by spring-loaded pin, brought into film path as registration pins are retracted. Registration pins are automatically released when camera is started. Pitch adjustment compensated for 3x more change in stroke length at end of stroke than at start. Entire movement can be released by two screws, and removed for cleaning. Coupling is keyed for correct alignment on replacement.


SHUTTER:

2-blade 1/2-speed rotating mirror shutter, with reflecting surface and focal plane cutting blade in one unit on a single shaft. Maximum equivalent angle 175°, minimum 45°, infinitely variable electrically. Angle is variable while it is running, using limited angle torquer. Reflex viewing angle is 41°30' instead 45° to accommodate short back focus lenses.


VIEWFINDER:

Eyepiece rotates through 360°, using Pechan prism to maintain continuous upright image, for behind camera viewing. A unique mechanism is incorporated, allowing Pechan prism to be independently rotated. This feature enables operator to always view an upright image. All first reflecting surfaces are enhanced silver, approximating 99% reflection. All air-to-glass surfaces use a high-efficiency coating averaging less than .25% reflection from under 400 to over 680mm. Exit pupil size of entire system is 10mm. Standard magnification is 6x and a true

Continued on Page 918



The ULTRACAM-35 features a single-claw, registration pin, compensating link movement, using tungsten counter-balance for minimum possible vibration. Entire movement can be released by two screws and removed for cleaning. (BELOW) All magazines have built-in torque motors for take-up. Torque is controlled by spring-loaded arm in camera body.





To shoot Huey landing on sandbank, 16SR was wrapped in plastic bags. Camera crew shooting inside copter wore army uniform

so they could be in other camera's shot. Cameramen often shot over machine-gunners' shoulders. Ejected cartridge cases

would fly through frame; noise of gunfire so close would cause cameramen and camera to flinch, adding to realistic look.

How and why part of "More American Graffiti" was shot in 16mm using the Arriflex 16SR:

The Vietnam sequence needed a combat footage look. To create that *controlled* illusion called for some unorthodox techniques and skills.

Bryan Anderson floats 16SR as he follows running soldier, for unrehearsed combat-footage look. "With the SR's closing eyepiece," he says, "I could begin or end a

shot like this with my eye at the finder. People were at first a little dubious about this way of shooting, until they saw the rushes. After that, they wanted more."



"The original blowup was beautiful," says Editor Tina Hirsch. "During dubbing, we projected the workprint on a 25 foot screen at Goldwyn. The blowup material looked *much too good* — as though it *belonged* with the 35mm footage, especially the multiple-image stuff. To make it look authentic, we had to ruin the quality."

Four formats

More American Graffiti cuts back and forth between four visual formats. One strand of the story was shot with long lenses at 1:1.85. Another was shot wide-angle and anamorphic. A third is multiple images. Those three are 35mm.

Blown up twice

The fourth strand was shot in 16mm and blown up — *twice*. To make that sequence look more distinct, the footage was first blown up to a 35mm CRI and a timed workprint made. From that, *another* negative was made, optically blown up a further 10%, using camera original stock to gain contrast.

Hand-held dialogue

"Many people think the Vietnam sequence is the best in the film," says Director of Photography Caleb Deschanel. "The gritty quality of the

photography makes you really believe what you're seeing. The whole thing was shot hand-held, including dialogue scenes. We kept reminding Bryan Anderson and Hiro Narita (the operators) that *they* were under fire and in danger."

Grab it and go

"We needed cameras that would let us move fast *and* help us get the best possible 'combat' footage. You can always degrade the image later, as *we* did — but you can't improve the *shot* later. We all felt comfortable with the SR. It seemed really solid. The balance was great. The battery was right on the camera, so you could grab it and go. *Excellent optics.*"

One-take explosions

"When we got to shooting the battle scenes and helicopter stuff, we would slate the rolls and just get in there and do it," says Mr. Deschanel. "We tried to keep a full mag in case things got out of hand, but we often ran out anyway. Being able to reload quickly helped us a lot — especially with explosions and difficult helicopter scenes."

\$2250.00 an hour

"Things were constantly in a big rush," says Writer-Director Bill Norton. "The Huey helicopters were available to us for only three days. In any case, two Hueys plus a Jet Ranger for air-to-air at \$750.00 an hour each..."

Crowd scene

"We shot dialogue scenes *inside* the Hueys, in the air. There would be *two* cameramen (with cameras), the soundman, me, the pilot, an actor and some extras, all in there at once!"

Combat-footage effect called for low angles from behind troops taking cover on ground. Long finder let Anderson walk with SR while keeping lens near ground.



This shot began with Bryan Anderson riding jeep fender. When jeep stopped, he followed Senator (civilian clothes) and Captain as they ran into a bunker. Ander-

son made many shots while running. If camera bounced noticeably, editor would sometimes put an explosion effect on soundtrack, opposite the image bounce.



Hiro Narita testing balance of Shikicam used in scene described at right. Observing in the background is *More Graffiti* Director of Photography Caleb Deschanel.

Wading backwards

"In one dialogue scene," says Hiro Narita, "Two actors with radio mics crouched, talking, in a river — and then hurried across it under fire. An underwater platform had been built so they could wade thigh-deep. To get the shot, we waded *backwards* in front of them!"

Shakicam

"With the camera on my shoulder, it would have been *too* unsteady and too top-heavy for moving in water. So we used Caleb's 'Shakicam.'" (See picture at left.)

Tightrope walker

"I held it like a tightrope-walker's pole in front of me," says Mr. Narita. "Just above the surface while the actors talked, then raising it slowly to waist height as we pulled back across the river. Caleb guided me from behind. The SR with a 9.5mm lens was at the right end, the counterbalance on my left. Interesting effect!"

***More American Graffiti* is a Lucasfilm production.**

We couldn't have done it in 35mm, obviously. And the two ground battle scenes were shot in one day each."

Unusual style

"Because of Bryan Anderson's documentary background, he really came into his own during the Vietnam sequence," says Mr. Norton. "He would frequently suggest unusual approaches to a scene. Since it was 16mm, I'd say *Go ahead*. He got some very spontaneous-looking stuff."

Change of pace

"One of the two 16SRs we used was my own camera," says Bryan Anderson. "I've used it for documentaries, industrials and commercials. *I didn't expect to use it on a multi-million dollar feature!* We were told to give it an 'immediate' look. That suited me. I had a great time."

ARRI
ARRIFLEX CORPORATION

One Westchester Plaza, Elmsford, New York 10523. (914) 592-8510. And 600 N. Victory Blvd., Burbank, Calif. 91502. (213) 841-7070
In Canada: ARRI/NAGRA Inc., 6467 Northam, Mississauga, Ontario L4V 1J2. (416) 677-4033

NOTED AND NOTABLE AT FILM 79

Film 79

A potpourri of ingenious and well-thought-out products to improve the product and save time and money in every phase of film-making



NEW BUBBELITE SOFT LIGHT

Cinema Products Corporation introduces a new and unique soft light for motion picture and television field production—the BUBBELITE (U.S. Patent, No. 3,851,164).

The BUBBELITE is a *very soft*, soft light, which provides extremely smooth and uniform illumination. It can be used to fill shadow areas at or near eye-level, or as a key light when feathered, soft and deeply graded shadows are desired.

Extremely lightweight, portable, and easily set up in less than 30 seconds, the BUBBELITE enables the cinematographer or lighting director to achieve true studio control on location, without requiring a truck-load of equipment.

Outstanding Features:

- The BUBBELITE features a uniquely designed umbrella-like reflector constructed of a special fabric. Because of the umbrella's unique curvature in relation to the light source and the reflectance involved, the 1200-watt BUBBELITE provides the equivalent of a 2000-watt throw in a standard soft light.
- Quartz lamps: Each BUBBELITE head uses two 600-watt tungsten-halogen single-ended lamps (Code: BHC/DYS/DYV).
- Power requirements: 120-140 volts AC-DC, 10 amperes.
- Switch: three-position, one lamp on, off, two lamps on.
- Maximum height to lamp center: 10 feet.
- Light source area: 4.125 sq. ft.
- Light intensity at 8 feet: 200 foot-candles (f/4, ASA 100, 1/50th)
- Area coverage from 8 feet: More than 80 square feet.

Each BUBBELITE kit consists of two

complete BUBBELITES (heads, stands and cables), packed in a sturdy, fitted carrying case, and weighing less than 12 lbs.

A complete BUBBELITE kit (less lamps) is priced under \$500.



NEW CONCEPT BATTERY PACK AND CHARGERS

The John Barry Group have had designed a brilliant new range of NiCad battery packs, together with a totally new concept in recharging—something which will be of inestimable value to the film and television industry.

One of the NiCad battery packs, the BARRYPACK 4-30 model, is becoming accepted as the standard new portable lighting system for film and television newsgathering. It offers fully automatic battery protection during charge and discharge. The solid state battery voltage monitor gives continuous indication of the state of the charge, with automatic cut-off.

The BARRYPACK 4-30 has been designed for use with all professional portable battery-operated light heads, 350W, 250W, 150W—30V. It features rapid recharge and matched cells and is ideal for running any 28V DC camera motor.

Currently, 100 of the BARRYPACK 4-30 Model have already been exported to Southeast Asia.

BARRYPACKS (NiCad battery packs) and BARRY CHARGERS (NiCad battery charger incorporating the new Sensomatic pulse charging system) are manufactured and designed in Australia to meet the need for reliable portable power, with both quick-recharging and fast-recharging capabilities.

Quick-charging is only 2½ hours on a fully discharged 2 A.H. battery. Fast-recharging is 30 minutes on a fully discharged 2 A.H. battery.

Both these charging methods incorporate the Sensomatic Pulse charging system, an innovative concept which also offers longer battery cycle life and reduces capacity fading when compared with ordinary constant current chargers.

BARRYPACKS have been specially designed for carrying comfort with lightweight cases in a distinctive red polyurethane, with an adjustable carrying strap.

Both BARRYPACKS AND CHARGERS set a new standard in NiCad battery-packs and chargers and are ideal for all ENG usage, newfilm cameras and portable light heads.

For further information, contact JOHN BARRY GROUP, 105 Reserve Road, Artarmon, NSW 2064, SYDNEY, AUSTRALIA. Telephone: (02) 439-6955. Telex: 24482.



KRASNOGORSK-3 CAMERA FROM RUSSIA

A precision engineered 16mm Mirror Reflex TTL camera from the USSR supplied complete with a fitted case containing shoulder stock, lens hood, pistol grip, etc.

The f1.9 Meteor lens has a 5:1 zoom range of 17 to 69mm and is capable of producing images to the very highest professional standard. This zoom control is manually operated and very smooth focal length changes are possible using the extension lever supplied.

A powerful spring-wound motor provides a speed range of 8 to 48 f.p.s. and allows a maximum run on a full wind of approximately 20 seconds at 24 f.p.s. The single frame facility, together with a reflex viewing system, makes the Krasnogorsk an ideal choice for creative animation work.

Exposure is controlled 'through the lens' via a semi-automatic meter powered by a standard PX 640 battery.


Useful ancillary features are the locking dioptic viewfinder eyepiece and the

shoulder strap lugs fitted to the top housing.

The quick-release lens mount is a special fitting. No other lenses are available at present. The possibility of using adaptors is being explored.

The KRASNOGORSK-3 camera, for export, is exclusive to Paul Simon Ltd., who provides all service.

For further information, please contact: PAUL SIMON LTD., 2 Market Street Halifax, W. Yorkshire, ENGLAND, Tel. 0422 57442/52240.



THE NEW SONDOR DUBBER M03a-LIBRA

Sondor's main activity these days is concentrating in the field of postproduction equipment and projects for dubbing both video and film productions. Obviously film as well as videotape will be used for TV productions, as one medium complements the other. For sound dubbing it is completely irrelevant and unimportant whether the picture that has to be dubbed originates from a celluloid-film or a magnetic tape. So dubbing of both shall be done with the same equipment in the same rooms by the same staff.

In papers and articles this idea has been spread in certain parts of the world by SONDOR during 1978; with quite a success as a number of new dubbing facilities in important European TV centres have been supplied by SONDOR and been put in operation during 1978 such as Radio Bremen, Suedwestfunk Baden-Baden, RTV Ljubljana and many projects in Europe and Far East are in preparation.

The new SONDOR dubber M03a-Libra is especially designed for this purpose. The patented SONDOR "libra" system—a combination of capstan drive and sprocket drive—allows easy lacing, similar to a standard studio tape deck. Synchronous speed of up to 30 x normal

(750 frames per second), DC-controlled torque motors, sensor-controlled clutch, individual loudspeaker monitors for up to three tracks, very fast spooling, start and stop characteristic of less than 5 milliseconds do allow very short handling times.

Options such as a device to run endless loops from 1 to 10 meters and different ways of prelistening have been developed and shown for the first time during *Photokina 78* in Cologne.

The a-libra is available in console or 19" rack for 16mm magnetic film, for 35/17.5mm magnetic film and as 16mm film-scanner, colour or b/w with COMOPT, COMMAG and SEPMAG facilities.

The new V2/OMA3 is the most rapid and most careful film machine for 16mm scanning and projection. With a light intensity of 160 Lux on a 2-meters-wide screen and a steady picture up to a speed of 300 f.p.s. this projector fulfills the demand of a modern dubbing theatre. Audio specs, such as wow and flutter and signal-to-noise ratio, meet the standards for SEPMAG equipment, so that the V2 also can be used as a magnetic film recorder/reproducer. The fact that power electronics, as well as the electronically temperature controlled Xenon lamp house, are completely enclosed in the 19" rack which is on casters underlines the versatility and mobility of the equipment.

The Timecode-Interlock as a first module out of the new Electronic Programmer System EPS 8000 interlocks any number of SONDOR dubbers to the SMPTE Time and Control code recorded on a cue-track of a VTR or VCR. Speed range of the electronics goes from 1/4 normal running speed up to 50 x. Offsets of up to 24 hours are accepted and interlocking of magnetic films with a timecode recorded on the newly standardised cue-track are possible as well as interlocking without timecode on the sprocketed tape, in which case the films have to be set on start mark.

On all SONDOR dubbers, new amplifiers have been introduced allowing noise-free "all-situation-inserts". Also Replay-off-recordhead (the so-called "selsync"-operation) is by now a standard feature on all SONDOR dubbers.

SAMUELSON'S SCAF LADDER A HANDY PRODUCTION TOOL

The SCAF LADDER is a 7 meter/23-foot-high free-standing triangular ladder, which breaks down into a small package, which fits into an estate car, which will pass through an ordinary door, which (because of its modular

design) can be erected by two men in a few minutes without nut and bolts or special tools. The assembled SCAF LADDER has a broad metal base for stability and wheels that allow for easy movement, but can be locked down.

The SCAF LADDER can be used for all maintenance purposes in factories, churches, warehouses and schools; for getting to difficult-to-reach places on building sites and warehouses; as an observation platform on racecourses and battlefields; as a lighting gantry in sports grounds and film studios and for getting to all sorts of places and situations at less cost than a scaffold tower. It could have countless applications on a motion picture or television location.

The SCAF LADDER is a solution finding more and more problems to solve.

Details from: SAMUELSON LIGHTING LTD., Dudden Hill Lane, LONDON NW10 2DS, ENGLAND. Telephone: 452-5477.



NEW VERSION OF OSCAR-WINNING STEADICAM AVAILABLE

Cinema Products Corporation announces the availability of a new version of the Oscar-winning STEADICAM film/video camera stabilizing system—STEADICAM (Universal Model II).

While the basic design of the system has not undergone any revision, several modifications have been incorporated into STEADICAM (Universal Model II) for greater maneuverability and safety in operation.

The new *breakaway-style* camera operator's vest features an emergency release cord located on the vest's right shoulder, which allows the operator to divest himself of the entire STEADICAM system in less than two (2) seconds in any emergency situation which may

Continued on Page 948

"We've sold \$250,000 worth of Tiffen filters, a record that speaks for itself."

Grant Loucks, President,
Alan Gordon Enterprises

"Probably the most severe test one can put a photographic filter through is to introduce it into the optical path between camera taking lens and optical collimator, then comparing the resolution of that lens with and without the filter.




"Here at AGE Motion Picture Rental Department, we put Tiffen Filters to this test on a regular basis, as a means of assuring consistent quality.

"Tiffen Filters meet our highest standards. They are reliable and remarkably well constructed, with no short-comings in color stability or quality control.

"Using Tiffen Filters on rental lenses is also a matter of sound business judgement. It is not unusual to have a twenty dollar Tiffen Filter save a four-thousand dollar lens, by protecting it from flying debris, sand or dust.

"We also *sell* filters from the largest inventory on the West Coast. In the past several years, Alan Gordon Enterprises Inc., has sold a quarter million dollars worth of Tiffen Filters, a record that speaks for itself."



Grant Loucks, President,
Alan Gordon Enterprises

TIFFEN
The first name in filters

90 Oser Avenue, Hauppauge, L.I., N.Y. 11787 [516] 273-2500 Telex 96-7748
Write Dept., ASC for FREE Professional Brochure & Price List

“Dios mio, que he hecho?”

Hans Burman/Director of Photography

“Saint Chem-Tone did a miracle.”

Orlando Jimenez-Leal/Director

“When I was called to direct *Everyday, One Day*, starring Julio Iglesias, my first thought was, this film will have to look beautiful.

“Being a Director of Photography myself, my long experience with your lab and the Chem-Tone process made me confident that I would get the results I wanted.

“But my Director of Photography, who came from Madrid, did not share my confidence. Therefore, I had to push him to push the film—to mix all kinds of color temperatures, to shoot with very low, low light levels and, sometimes, no levels at all. He went along very reluctantly.

“The night we saw the first dailies, he was on the edge of his seat (and so was I... maybe I had pushed him too far ...).

“As the dailies appeared, my D.P. was impressed—he couldn’t believe his eyes. Amazed and happy, he turned to me and said, ‘Dios mio, que he hecho?’ (‘My God, what have I done?’).

“Nonchalantly, I replied, ‘Thank Chem-Tone.’

“Trying to imitate my English, he said, ‘San Chem-Tone?’ (‘Saint Chem-Tone?’).

“Suddenly, he realized what he had said. ‘That’s right,’ I said, ‘Saint Chem-Tone did a miracle.’ We all laughed.

“The Spanish people, as you probably know, are very religious; so, now, my cameraman is very devoted to a new ‘saint.’

“Thanks ... you did a beautiful job!”



Solo tvC has Chem-Tone

tvc laboratories, inc., 311 west 43rd street, new york, new york 10036 (212) 397-8600

THE NEW SAMCINE A.C. LIGHTING POWER DISTRIBUTION SYSTEM

Film 79

An important new ground leakage device, that meets the recently formulated stringent safety requirements for HMI Lighting, while ensuring that the lights won't go out right in the middle of a take

Since the introduction of HMI lamps, which are three or four times more efficient than regular Tungsten bulbs, the use of mains voltage AC electricity to power on-location lighting equipment has been more prevalent.

In Britain the mains voltage is 240V AC (220V elsewhere in Europe), making the distribution of AC power quite a different ball game from that of 110V DC.

A code of practice has recently been drafted by the British Standards Institute which will require that all 240V AC equipment be protected by earth (ground) leakage devices.

Earth leakage devices are automatic cut-outs or breakers which switch off the power if there is the slightest leakage to earth anywhere in the system and are used extensively for general industrial purposes not connected with film and television work.

The problem with their use in film and television is that they may easily switch out all the lights during a long take or a live television broadcast if someone with a particularly damp sneeze sneezes up-wind of a 2K.

Faced with this requirement, Samuelson's Lighting Division, Samuelson Lighting Ltd., have designed the Samcine AC Lighting Distribution System to fulfill the requirement and still maintain a constant power supply that is necessary for film and television work.

The Samcine distribution system monitors incoming mains with a sensing coil and will detect any ground leakage in excess of 30 milliamps.

The Samcine distribution system monitors incoming mains with a sensing coil and will detect any leakage to earth (ground) in excess of 30 milliamps from equipment connected to the unit. The leakage is signalled audibly and visually, enabling the operator to trace the origin of the leakage and clear it.

The eight-way distribution unit uses three 32-amp and five 16-amp 220/240V two-pole and earth, BS4343/CEE17 splashproof, industrial panel-mounted sockets. Each socket is fitted with a neon indicator and protected by a mechanical circuit breaker of compatible rating and an isolating neutral link. The circuit breakers are non-thermal and the isolating neutral links can be finger-tip operated.

Access to the circuit breakers and the neutral links is by a waterproof lockable cover with an unbreakable viewing window. The cover is hinged at the top and has an interior inspection lamp which lights automatically when the door is opened.

A double-pole isolator switch, a neon indicator, is controlled from one side of the unit. The switch is lockable in the off position and the same key locks the access cover.

Mains supply to the unit is by a three-core TRS connected 125-amp plug which is clipped to the unit when not in use.

Under the carrying handle on top of the unit are four waterproof pattern coloured signal lamps which indicate the state of the system. The red light indicates that the unit is "live", the green that polarity is correct and that the unit is connected to earth (ground). When an earth leak (ground fault) in excess of 30 milliamps is detected the blue lamp flashes and will continue to do so until the earth is cleared. A push-button changeover switch with a protective shroud, situated on the inside of the unit next to the isolator switch, is used to select a buzzer to operate in conjunction with the flashing blue lamp when an earth leakage is detected.

When recording sound the buzzer may be switched off and the amber on the top of the unit glows to indicate "buzzer off". The buzzer switch is colour coded: black—on, amber—off, so that selection is possible before connecting the unit to the mains.



A button to test the detection circuit is mounted internally, and the unit is so designed that each time it is switched on the blue lamp and the buzzer will operate for approximately 10 milliseconds. In the event of a relay failure the detection circuit will "fail safe" to the earth (ground fault) detected mode.

The unit is manufactured from sheet steel to withstand impact, and conforms to waterproofing specifications. It is fitted with guard rails which, in addition to protecting the switches and sockets from damage, are designed to allow one unit to be stacked on another and are available in telescopic form, so that the legs may be extended to increase the height of the unit when working in particularly wet situations.

In practice the unit is switched to give an audible warning during the entire time that lamps are being rigged. With this system, as each cable run or lamp is made live, any power leakage to earth (ground) will automatically be signalled. By switching out each line in turn the fault may easily be traced and rectified.

Only when all is working satisfactorily, and during an actual sound take, should the gaffer, or the electrician responsible, switch over to a visual-only earth leakage (ground fault) warning, switching back to the audible warning system as soon as the take is completed. ■

The eight-way distribution unit uses three 32-amp and five 16-amp 220/240V two-pole and earth, BS4343/CEE17 splashproof panel-mounted sockets.





THE RIGHT PRICE

"We didn't have a fortune to spend on processors," states Stan Nalski of Film Craft Laboratory, Detroit, MI, "but our volume necessitated good equipment."

The processor that Film Craft finally selected was an Allen. Allen . . . quality equipment at the right price. Features like the dependable ATA film transport system is one example of built-in value. Solution and energy conservation systems are another, as are digital speed and temperature readouts. Automatic load accumulators, 316 SS and titanium throughout, and removable racks are other advantages. All help to keep cleanup and maintenance to a minimum. But our reputation for giving good value is only part of what Allen has to offer, we are known for great service and technical support, too. For details, send for literature or talk with an Allen Rep.




The Allen Products Company

Box 417, 180 Wampus Lane, Milford, CT 06460 Tel: 203 874 2563 Telex: 964368
European Tel: U.K. Harlow 36038 Midwestern Tel: 312 297 6262 Western Tel: 213 478 1404

© Copyright 1977 by The Allen Products Company

"I want to stay ahead of my competition. That's why I bought computer animation equipment that doesn't have any."

George McGinnis, Image Factory Inc.



The Cinetron 1100 can do more for you than any other

stands English. No computer programming is necessary.

It saves you time and you can meet schedules you never could before. You'll also be able to devote more time to creativity than you could in the past.

The Cinetron 1100

computer animation equipment made by anyone. Anywhere.

It lets you create stacks, strobos, tubing, slit-scans, even isometrics. And it does it all fast and easy.

It has an electronic motor with up to 14 speeds plus rewind and anti-strobe adjustments. It even has automatic moves. You simply show it where to start and stop.

The Cinetron 1100 gives you inverse sine, logarithmic, level and exponential speed tapers. This exponential taper lets you match the speeds of different zooms, on or off center, automatically and gives you the most life-like acceleration and deceleration of anything on film.

The Cinetron 1100 also gives you smoother fades and dissolves than you've ever gotten before.

Two of the three peg tracks will hook up on command. So you don't need long backgrounds or planning to the point of hook up. The 1100 will sense the hook up point you indicate and reset the track, making the proper background overlap automatically.

The 1100's list of capabilities just goes on and on. It even under-

The Cinetron 1100 is an assistant that never makes a mistake. It'll do exactly what you tell it to and never misunderstand you.


Why do you get so much more from the Cinetron 1100 than from other computer animation equipment? Because besides designing and manufacturing computer animation equipment, Cinetron uses our equipment the same ways you do. We do animation. From cell animation and graphics to titles and mattes. And we deal with the same problems you do. So when you call Cinetron with a question, chances are, you'll speak with someone who can answer it.

There's another advantage to our using the equipment we make. It gives us the chance to work the bugs out. We test every capability of our equipment for up to two years before we even make it available to anyone else. So you get gear you can count on. And if something should go wrong, you can count on us to make it right.

People all over the country — with CBS, I.F. Studios, Edstan and The Optical House to name a few — have come to respect and rely on

Cinetron Computer Animation Equipment.

If you need any computer animation equipment, regardless of how sophisticated, call (404) 448-9463 and we'll talk. We'd suggest you check us out against our competition first, but when you find out what they offer, you'd learn we don't have any.



Cinetron Computer Animation Equipment.
The best you can buy. Until we make something better.

Cinetron Computer Systems, Inc./6700 I-85 North/Norcross (Atlanta), Georgia 30093.

U S F I L M

Utah / US Film Festival — October 26-30, 1979, Salt Lake City, Utah



Independent Cinema Competition & Filmmaker's Seminar

For further information, entry forms,
and seminar schedules, contact:

US Film, Arrow Press Square #2
Salt Lake City, Utah 84101
(801) 533-5325

National Film Forum • Independent Cinema Competition • Filmmaker's Seminar • John Ford Medallion Award

THE STEREO BLACK SCREEN

Film 79

By PAUL MCGURK

The STEREO BLACK SCREEN is the result of 10 years' research and development by one very exceptional man—Sasuke Takahashi of Yao City, Osaka, Japan. He was convinced that the advances made in screen technology over the last fifty years in no way could be compared with those made in the other fields of image reproduction. The latest methods of recording information on film or video had far outstripped the capability of any material to faithfully reproduce that information to the human eye.

The result of his belief and endeavour was the STEREO BLACK SCREEN, now patented throughout the world.

It has been said that the definition of genius is the infinite capacity for taking pains. I believe that, when I visited Mr. Takahashi recently in Japan, I met a man with that capacity. I was determined that his invention should be seen and appraised by professionals and that the marketing of the product would begin at the most critical end of the viewing spectrum.

In the past few months I have had the opportunity of demonstrating this material under many testing conditions and have been able to compile a list of uses for which I believe it has no equal. Dubbing theatres, print viewing, conference presentation, exhibition display, mobile film presentation units, rushes, projected television systems, education and training, preview theatres—are a few.

Each day we learn of new applications. I have been permitted to say that the new Kodak Museum opening at Harrow in the near future will use one of these screens in its visitor-operated audio-visual display—testimony indeed!

This remarkable screen material is quite unlike that of any other type of projection screen.

Conventional screens all produce some degree of light scattering at their reflecting surface. This is due to the irregular nature of the reflecting medium when compared with the wavelength of light. The resultant diffuse nature of the reflected light reduces the image quality and, in particular, reduces the contrast range because of the flare effects caused by the scattering of incident light.

The image contrast available from normal screen materials is also determined by the level of ambient light. This ambient light reflected from the screen

limits the value of "black".

The STEREO BLACK SCREEN overcomes both of these problems by employing the principle of multiple reflection. Its surface comprises 12 parallel layers each less than 1/5000mm thick. These layers, which are made from the scales of the Scabbard fish, are colourless and transmit most of the light incident upon them. However, the surface of each layer reflects about 10% of the light falling upon it in a manner which satisfied the elementary laws of reflection at a plane surface. The 90% which is passed through to the next layer also has 10% reflected at its surface; and so on for the 12 layers. Thus, the reflected image is made up of 12 successive reflections which all emerge along the same axis. Any remaining incident light which is not

reflected is absorbed by the special backing material which acts similarly to the antihalation backing layer of film.



The image quality is exceptionally high because there is negligible flare. The absence of flare results in a very high screen contrast wherein black is black. The effects of ambient light are relatively unimportant because the incident angle of such light normally exceeds the critical angle of the screen and cannot, therefore, enter the multiple reflecting layer stack. ■

(Direct further enquiries to Paul McGurk, Marketing Manager, Herbert Beven & Company Ltd., Boxford Court, Boxford, Colchester Essex, England; Telephone: 0787 210021 (office), telephone: 01-352 2667 (home); Telex: 987248.)

Seventy-five years old, and after more than a decade of intensive research and development, Sasuke Takahashi is proud of his Stereo Black screen, which reflects an amazing amount of the light directed toward it in projection, while absorbing ambient light by means of its black "anti-halation" backing material. Twelve layers of Scabbard fish scales coat the surface.



"BREAKING UP IS HARD TO DO"



**CINEMATOGRAPHY
BY
GAYNE RESCHER**
with
equipment
by

A GREEN-EPSTEIN PRODUCTION in association with Columbia Pictures Television

| | |
|-------------------------------|-----------------------------|
| Producers | Jim Green and Allen Epstein |
| Associate Producer | Audrey Blasdel-Goddard |
| Director | Lou Antonio |
| Unit Production Manager | Harry Hogan III |
| Director of Photography | Gayne Rescher, A.S.C. |
| 1st Asst. Cameraman | Leo Napolitano |
| Camera Operator | Paul Polard |
| Gaffer | Roe Acquistapace |
| Key Grip | Jay Johnson |



Around the world twice, filming *Seven Wonders of the World* . . . around again to shoot *Windjammer* . . . honored for his outstanding work on films such as *Rachel, Rachel*; *John and Mary*; *A New Leaf*, and many more . . . Gayne Rescher has won recognition in film circles everywhere as one of Hollywood's top pros. His special touch is evident in *Breaking Up is Hard to Do*, making it clear why actors and directors rest easy with Rescher behind the camera.

Gayne has relied on Cine-Pro equipment in many film productions. "When you get equipment from Cine-Pro," says Gayne, "you can depend on Carl Porcello to see that you get exactly what you want, where and when you want it, day or night."

CINE-PRO

**MOTION PICTURE EQUIPMENT
RENTALS • SALES • SERVICE**

1037 N. SYCAMORE AVE. • HOLLYWOOD, CA 90038 • (213) 461-4794



(LEFT) To shoot a scene of Superman zipping behind buildings, a background "plate" of New York with the tower block in the mid-distance was shot. (CENTER) Superman was reduced in size by a combination of zoom lens and optical printer, and he had to be panned in the optical printer to create the illusion of his sideways flight. (RIGHT) The third stage was his flight back to the camera, after having disappeared behind the tower, reappearing in front of it.

TRICK CINEMATOGRAPHY

Continued from Page 892

difficult or inconvenient to arrange as a real situation: as, for instance Superman flying over New York. Here we would take a picture of the background scene, and a picture of Superman, flying against a special blue background. From this, we would expose to make an opaque mask, or matte, of the figure, against a clear background. This would be bi-packed in contact with the scene of New York and printed onto a piece of internegative film.


If a print were made from it at this stage, it would show a replica of the scene, but with exposure held back in the shape of Superman. In fact, the picture of Superman is printed into this unexposed area, the blue background being held back by bi-packing it with a reverse mask—known as the counter-matte. The final result is the required composite picture.

In practice travelling mattes are often much more complex than the simple case illustrated, with ten or more separate elements combined onto different areas of the field of view within a sequence.

The background colour is chosen as one that is unlikely to occur—or can be avoided—in the foreground subjects, so that the background can be eliminated when the matte is made. Of the colours that can be used, red, green or blue, the blue is the most suitable in relation to the film emulsion characteristics. This led to some delicate work in choosing the exact shade of material for Superman's costume, that could be separated from the background.

Picture negative steadiness has its part to play in obtaining a high-resolution result. If exact registration does not occur the result will be unsatisfactory and the effect spoiled.

Let us consider a famous sequence in the film *SUPERMAN*, where Superman is flying across New York looking for



To select perfectly perforated holes for special effects work, four consecutive pairs of punched holes are gauged, using a standard Mitchell pin. The film is held horizontally in a special clamp. Then the pin is carefully inserted from below. Holes are sought that will grip the pin snugly and prevent it from slipping under gravity. (BELOW) If one such pair are found, they are marked and the camera assistant will thread the camera so that the register pin enters the marked hole.



Luthor, who is hiding in his lair. He enters frame top camera right passing the camera very closely and then flies away to become a very small figure in the distance. Then he disappears behind a large tower block, reappears on the other side coming toward us and flies right into camera and dives at the last moment out of frame, camera right. This complex optical was a combination of travelling mattes of Superman, and optical moves.

The shot was broken down into sections. First of all, the plate of New York with the tower block in the mid distance. Secondly, Superman flying away from camera against a blue backing, basic flying moves here being obtained by using a zoom lens. A Panavision 50-500 anamorphic was used which gave a 10-to-1 reduction. Then on an optical printer we started reducing on a colour reversal internegative (CRI) from the first frame that Christopher Reeve was completely in frame and carried on the reduction on the optical printer getting a further 7-to-1 reduction until the point where he disappeared behind the tower block. Also during this optical move, we had to pan the optical printer to make his sideways flight. The third stage was his flight from the tower back to camera which was achieved by using the same process in reverse. After that, a matte was made of the tower, by delineation, so that Superman disappeared behind the tower which was on the background. When all these sections had been completed, the normal travelling matte process was carried out to superimpose Superman onto this background.

On SUPERMAN, many different systems of special effects were employed: front projection, back projection, high-speed photography, micro-photography, double-exposure techniques, and so on. Travelling matte was just one of the composite cinematography systems used.

It is obvious when considering the number of moves both in the original photography and on the optical printer, that complete control must be enforced at all times. A closed-circuit video system for overlaying Superman against the plate at the time of shooting the travelling matte photography was found to be a tremendous help, particularly for judging the angle of incline of Superman during his flight. These inclines, attitudes and banking movements cannot be changed later. On many occasions, to get Superman small enough, it was necessary to make a double CRI on the optical printer.

During the making of SUPERMAN, a scene was shot involving Christopher Reeve as Superman, lying in the railway track bridging a gap in the line so that the wheels of the train passed safely over his body. The lower sections of the scene

Faster service on 16mm dailies & answer prints

We develop and print
on day & night shifts
for "same day" service
—"same night" service
on Ektachrome—
"next day" on color negative

come to the lab experts —

bébèll®
INCORPORATED

MOTION PICTURE LAB DIVISION

416 West 45 St. New York 10036


PHONE: (212) 245-8900

WRITE, WIRE, PHONE FOR PRICE LIST

FRIGIDHEAT PRECISION HEAT PUMPS

FOR LIQUID PROCESS OR LASER TEMPERATURE CONTROL

For some 1800 customers over the past fifteen years, Frigidheat has become and still is their preferred 1/10°F. temp-control system for liquids. One of our smallest units is shown below with its 194-1 adjustable control attached to the stainless steel pump bracket. Its probe is mounted in the magnetic pump's inlet elbow. Other sizes have either type 316 or Hastelloy steel exchangers and are available with attached or remote controls as well.



FRIGIDHEAT INDUSTRIES

BOX 40947, NASHVILLE, TENN. 37204 / (615) 383-4255

were shot on the stage at Pinewood. The top half was shot by an entirely different crew in America many months later. Now, it was essential that, not only should both halves be rock steady but also both components should match in perspective, lighting, contrast and detail. To achieve this, measurements were recorded during the first shooting, of lens


heights, distance from camera to railway, elevation and tilt of camera, lens angles, key light direction and any other relevant information. All these facts were then used in America to line up and shoot the real train speeding along the railway-line and the job in the optical printer was then comparatively easy.

It is obvious that strict control must be

maintained over all components of an optical shot. It must also be noted that if there is any picture negative unsteadiness on either component, the final composite will not be satisfactory and the whole illusion ruined. It can be seen from this that steadiness in the original photography is of the utmost importance.


Continued on Page 937

(LEFT) A complex early sequence in **SUPERMAN** showed three villains being held captive by the council of elders of Krypton in a beam of light with revolving rings. (RIGHT) When they were sentenced to eternal imprisonment, a strange diamond-shaped object had to descend from space, collect them and take them into orbit around Krypton. This involved optically printing together five separate scenes, with their respective mattes.



Z&A SERVICE

OPTICAL
MECHANICAL
SERVICE



**Eclair, ACL, NPR, CM3,
French's or English.
We repair them all. Arris C.P.
lenses, motors, batteries.**

**Our
reputation
is quality
repairs.**

Call (213) 836-3194

9707 West Washington Blvd. Culver City California 90230

In Australia, New Zealand & South East Asia for everything required in Film & Television Equipment... Cameras, Editing, Lighting & Sound Equipment

Barry Pack 4-30
The new portable lighting system for TV news gathering. 150, 250, 350 W output 30 volt, 4 a.h. power pack with self contained automatic fast charge.



JOHN BARRY
GROUP • AUSTRALIA



Sales • Rental • Service

105 RESERVE ROAD
ARTARMON, NSW 2064
SYDNEY, AUSTRALIA
TELEPHONE: (02) 439 6955
TELEX: 24482

**HOWARD A.
ANDERSON CO.**



CREATORS OF DISTINCTIVE IDEAS
AND DESIGNS FOR
SPECIAL PHOTOGRAPHIC EFFECTS FOR
MOTION PICTURES AND TELEVISION

TITLES • GRAPHICS • MINIATURES
BLUE BACKING • INSERTS
MATTE PAINTINGS • OPTICALS
SPECIAL UNIT PHOTOGRAPHY

Main Office: PARAMOUNT PICTURES
5451 Marathon Street, Hollywood, Calif. 90038
(213) 463-0100





The ARRI Lightweight Mattebox clamps onto most lenses, works with almost any camera.

The lightest weight, most compact and most economical way to mount two filters and a sunshade on all your lenses.



The Lightweight Mattebox has three basic components: a sunshade, a frame and an adapter ring.

The frame contains two 3 inch square filter-holders. The adapter-ring fits onto the back of the frame; the sunshade fits onto the front. The complete unit weighs 10 ozs and measures 3 inches front to back.

The frame, filter-holders and adapter ring are aluminum, milled for perfect flatness and finished in black. The sunshade is aluminum and black rubber.

You fit the adapter-ring over the front of the lens barrel and then clamp it tight. Various adapter rings are available, designed to fit Schneider and Zeiss fixed focal-length lenses, plus Angenieux and Zeiss zooms. You can use other lenses, too.

There's a choice of two sunshades: a 6 $\frac{3}{4}$ " x 5 $\frac{1}{4}$ " rectangular one and a round one 6 $\frac{3}{4}$ " in diameter. The round one is for use with zooms and hard lenses whose front end revolves.

Since the unit fits onto the lens, you can use it with any 16mm camera — and with several 35mm cameras, too. And with no extraneous support gear, it's easy to hand-hold any of them.

Whatever camera and just about whatever lenses you shoot with, you can use the same sunshade and the same standard 3 inch square filters — two at a time. It could simplify your life.

ARRI

ARRIFLEX CORPORATION
One Westchester Plaza, Elmsford, New York 10523. (914) 592-8510. And 600 N. Victory Blvd., Burbank, Calif. 91502. (213) 841-7070
In Canada: ARRI/NAGRA Inc., 6467 Northam, Mississauga, Ontario L4V 1J2. (416) 677-4033

ULTRACAM-35 CAMERA Continued from Page 901

zoom is incorporated to give up to 9x magnification for critical focusing. Image always stays in focus and it can be viewed at any intermediate magnification. A 2-1 cylindrical lens assembly can be positioned in the optical path for correct viewing of anamorphic images. The ground glass is of a T configuration and can be easily interchanged. Diopter setting for individual eye accommodation is internal and calibrated for reference. Clearance between side of camera when using short or long eyepiece is sufficient for left or right eye operation.

VIDEO:

A C.C.D. camera is incorporated in viewfinder to monitor ground glass image. No external additions are required to ULTRACAM camera.

MOTOR:

Camera drive motor is integral with movement—not a separate component. Operation is on 24V DC and motor is optically encoded, obviating the need for brushes and their inherent noise. Rotor uses samarium cobalt magnets for maximum performance to weight ratio.

SPEEDS:

Running speeds are 8, 12, 16, 18, 20, 24, 25, 28 and 32 FPS and by a 10V P-P external pulse of 60x frame rate. Two output pulses are available: 60x frame rate and 1x frame rate. All speeds are crystal controlled to ± 15 ppm over a 0°—130° F range.

MAGAZINE:

At the present time, 500' and 1000' magazines are available, both of displacement type. All magazines have built in torque motor for film take-up. Motors are of identical construction to camera drive motor already described. Torque of magazine take-up is controlled by spring-loaded arm in camera body: this feature ensures correct take-up tension with empty core or 1000' load in magazine and everything in between. Each magazine also has an electric brake which is released when camera is switched to run, and instantly re-engaged when camera is stopped. Either magazine can be mounted on top or rear of camera. Magazines are held by a quick-action eccentric clamp.

FOLLOW FOCUS:

Follow-focus is built into camera body, and various types of controls can be attached to either side of camera.

FOOTAGE COUNTER:

Digital LED counter with readouts on both sides of camera. Visible in bright sunlight. Camera has internal switch for changing readout to feet or metres. A preset feature is incorporated for setting

footage counter to any desired number. Internal 9V transistor battery holds memory on counter indefinitely. Counter can be activated and checked on this internal battery without camera being connected to main power supply.

LENS MOUNT:

The camera has a standard BNCR lens mount for convenience of use. Lenses are solidly mounted camera body and film transport assembly. No additional supports are required for zoom lenses.

HANDLES:

A carrying handle can be fitted to top or back of camera, depending on where magazine is being used. A pistol-grip handle can be fitted in a high or low dovetail slot in camera body. This pistol-grip incorporates a run switch which can also be used as a remote control, using cable provided.

MATTE BOX:

The matte box assembly is of light weight tubular steel construction. It slides in a quick release dovetail slot and swings open at camera body. Accepts three 5" x 6" filters.

SOUND LEVEL:

Sound level is 20 ± 1 DBA at 3 ft. from film plane with film and 50mm lens on camera.

WEIGHT:

31 lbs. with 50mm lens and 400' of film in 500' magazines.

CONSTRUCTION:

All camera body structural parts and magazines are of magnesium alloy.

POWER SUPPLY:

20-30V DC. Normal running current is 2½ amps.

HEATER:

A 50W heater is located on the movement, motor, shutter, sub-assembly for cold weather use.

SIZE:

12" long x 8" high x 10" wide.

LENSES:

Lenses available under ULTRANON trademark. 18mm T-1.9, 24mm T-1.4, 28mm T-1.8, 35mm T-1.4, 85mm T-1.4, 135mm T-2, in design 16mm T-1.4, 20mm T-1.4.

For further information regarding the ULTRACAM-35 equipment, please contact LEONETTI CINE RENTALS, 5609 Sunset Boulevard, Hollywood, Calif. 90028. ■

MOVING?

When changing your address, please notify us at least four weeks in advance. BE SURE to give your FORMER address as well as your NEW ADDRESS and ZIP CODE.

AMERICAN CINEMATOGRAPHER

Two Hats



That's right, we're wearing two hats! Victor Duncan, Inc., the largest *film* equipment supplier in the Midwest is also a *video* equipment supplier.

As always, our *film* production rental inventories include the very finest in 35mm and 16mm cameras, optics, lighting, support, grip and electrical accessories. And our *check and double check* policy assures you that all equipment is as mechanically and optically perfect as skilled technicians can make it.

Our *video* production rental inventories are the very latest in professional ENG/EFM equipment: MNC-71CP prism optics video cameras, Bosch 1" portable recorders, JVC and Sony 3/4" portable recorders, Videotek monitors, plus the lighting, support, and accessories needed for any video production.

No matter which hat you're wearing today—*film* or *video*—contact Victor Duncan for any equipment needs.



VICTOR DUNCAN, INC.
Film & Video Production Equipment

CHICAGO

200 East Ontario, Chicago, IL 60611 (312) 321-9406

DALLAS

2659 Fondren, Dallas, TX 75206 (214) 369-1165

DETROIT

32380 Howard, Madison Hgts., MI 48071 (313) 589-1900



MARVIN L. GUNTER

Cinematographer, "Eight Is Enough"

"HMI LIGHTS ... like putting 10 pounds of light in a two pound package."



"When you have the continuing assignment of shooting a top-rated television show like "Eight Is Enough," and working under all conditions with as many different characters, it is super critical that you have the right equipment you can depend on to do the job—scene after scene.

LTM HMI Lights have filled that order for me for the past two years of the three I've been with the show. Their lightweight mobility and small size have saved precious hours of setup time, and more important, their high rate of intensity gives more quality controlled light with much less heat than incandescents. Our performers can work much closer to the lights, making everyone's job a bit easier.

LTM's Fresnel lenses appear to be free of "hot spots" and whether indoors or out, you can still retain perfect, uniform flesh tones while being able to cut and shade without multiple shadows. Oh yes, with such low amperage operating these remarkable lights, they are ideal for all kinds of location shooting. LTM HMI lights have definitely made their mark in the industry."

Marvin L. Gunter has been in the forefront of TV and Motion Picture lighting and cinematography for more than twenty-five years and has such credits as "The Boston Strangler," "Gaily, Gaily," and "The Dr. Kildare Show" to name a few. We thank Mr. Gunter for his kind words.



"The Award-Winning Choice of Award Winners"

LTM CORP. OF AMERICA

21200 Nordhoff Street, Chatsworth, CA 91311, (213) 998-6026 *Telex 67-7693

CINEMA WORKSHOP

Continued from Page 856

red and blue tubes so as to perfectly match the output level of the green tube. *Voila!* The outputs of all three tubes are identical, so the white card will reproduce white. Thus any anomalies in the light source are automatically compensated. The process takes as little as 1/2-second and an indicator light in the viewfinder usually tells you that the process is completed. Once the button is released, the gains of the three tubes are locked and the "color temperature rating" of the camera will remain unchanged until another lighting situation is encountered and the button is once again pressed.

Even if the source is a mixture of daylight, fluorescent and tungsten, merely place the white card in the position of the subject, zoom in on it, adjust the iris and press the white balance button. That's it. Flesh tones, as well as other colors, will be perfect.

In addition, most video cameras employ built-in color filters for gross adjustments of color temperature. There is usually a 3200°K and 5600°K position and, in some cases, an intermediate position of 4500°K. The cameraman should first approximate the color condition with one of these three filters and then auto white balance. The results are amazingly accurate and even the most bizarre lighting mixtures can yield perfectly balanced images. What will they think of next? ■

FILM IS GOOD FOR TV

Continued from Page 880

demanding to be told in a certain way for the reasons I have touched on. But, if a play is set in a TV studio and the script calls for inserts from outside locations—then, if a director chooses not to mix his textures, he should be applauded for recording these inserts with video camera. He is just as likely to make his next play all on film. The textural difference, the subtlety of film, the intimacy of the creative atmosphere all come into play in this decision-making process.

For those whose livelihood and fulfillment depend on the use of film and who may feel threatened by video, there are two comforting facts to take into consideration.

The first is a plain statistic. The television industry in Britain consumes almost twice as much film as the British film industry. The second is not a statistic, but the dawn of a new era, in the form of non-broadcast distribution of films and television programmes. First the video cassette recorder and now the video disc. They are no longer the wild dreams of engineers, they are a reality, they work,

they are here and they are without doubt technological marvels of great importance to us all. A whole new world of film and programme-making is opening up with equal opportunities for both film and video.

I hope by now that everyone knows what a Videogram is. Last year there was still great confusion over this word. It is not a flat round thing with a hole in the middle, although it can easily end up looking like that. It is a film or programme destined for non-broadcast distribution—cable, cassette and, of course, the video-disc.

I was lucky enough to be asked by EMI to direct their first Videogram, CHRISTMAS CAROLS FROM KING'S COLLEGE CAMBRIDGE, with the sound in stereo. I could have made it on film—but chose video—followed by the carol THE ANGEL GABRIEL.

Now why did I choose video? Christmas Carols from King's College Cambridge is an English ritual. We know it because of the BBC's Outside Broadcast coverage over the years. I tried to transform this annual live event into an "evergreen" lasting programme. Hence the different treatment. The evergreen voice of Sir John Gielgud reading the lessons; if you like, investing the live event with timelessness, and yet preserving the immediacy of the musical performance. I felt that the texture of the electronic image is better suited to achieve this.

However, there was another texture which intrigued me—that of the Chapel itself. The fan vaulting; the stone carving of the Tudor heraldry; the wood carving of the Fellow's Stalls and the organ screen; the stained-glass windows, tapestries, and so on.

Of course all this can be carefully lit and photographed on film and made to look glorious. For me that cruel crispness I mentioned earlier of the video image captures and transmits the Chapel's textures marvellously well. And I made my choice accordingly.

There were also logistical reasons. Although I had the Chapel for one week I only had the choir for two days. Fifteen carols in two days in nine different locations in the Chapel. Young choristers with many other commitments—such as school and normal choir practices—producing a fatigue element which had to be taken into account. It would have been impossible to use film under these restricting circumstances.

Now, I could easily have used film for the stained-glass windows. They were too high-up in the Chapel for my cameras to reach when I had all my ironmongery there, so they had to be reproduced from colour transparencies. In other words, a

Continued on Page 945

Angenieux Arriflex Arrivox Beaulieu Beyer Bolex Canon Cinema Products Colortran Eclair Electro-Voice Guillotine Magna

BRENNER

CINE SOUND

ANNOUNCES PRICE REDUCTIONS ON MARK 200 VHF FULL-DUPLEX SYSTEM:

COMMUNICATORS AND ACCESSORIES

| | | |
|---------|--------------------------|-----------|
| MK200S | COMMUNICATOR WITH HS-200 | \$2500.00 |
| NB-200 | NICAD PACK | 120.00 |
| AC-200 | AC CONV PACK | 94.00 |
| AC-200E | AC NICAD CHARGER | 12.00 |
| HS-200 | DY HEADSET SING | 140.00 |
| HS-200D | DY HEADSET DUAL | 195.00 |
| AK-200 | ANT ASSEMBLY | 39.00 |
| SW-200 | EXP SWITCH | 18.00 |
| XL-200 | 5 PIN & CORD | 15.00 |
| ANT-4C | HEADSET ANT HELEX | 20.00 |
| ANT-5C | COMM REC HELEX | 20.00 |
| DS-200 | DIV COMBINER | 150.00 |

THE NEW SWINTEK MARK 200 Full Duplex Communication System is the only closed loop intercommunication system specifically designed for clear two-way communication in high noise environments, with the added feature of carrying program material or functioning as a wireless microphone system when necessary. Closed-loop sidetone capability allows verification of the communication link and the system may be used as a conventional telephone when desired, or operated as a control-station/satellite set with several user options. It is a true hands-free intercom, although push-to-talk adaptation is provided for system expansion. The low-power, fully-portable system may be used for all communication applications, whether field or in-plant, and interfaces with many private-line systems and headsets. Swintek offers a choice of HI-band frequencies from 150 to 186 MHz, virtually free of static and/or dead spots. Any break in communication is immediately apparent due to loss of sidetone information.

Basic continuous two-way full-duplex

Unlike the conventional walkie-talkie, no transmit buttons have to be depressed to establish communications between two remote stations. This mode of operation limits false triggering of the transceiver system, thus blocking interfering signals. Any break in communications is immediately apparent at each station due to loss of sidetone information.



COMMUNICATOR

FEATURES:

- Compatible with many hard-wire PL systems including RCA, RTS, Clear-Com, etc.;
- True Hands Off Operation
- One-half mile usable range, typical
- Push To Talk for system expansion
- Data information input
- Compatible with many popular head-sets including PLANTRONICS MS50, BEYER DT109, SHURE SM12, ROANWELL, ASTROLITE, MINILITE, TELEX, etc.;
- Dimensions and Weight — 7.5" L x 4.7" W x 1.9" D; 2 lbs.
- Fast change "SNAP-IN" NICAD battery Pack
- A MARK 200 System consists of two MARK 200 transceivers, antennas, batteries and carrying case, headsets

For more information on Motion Picture Equipment, Sales, Service & Rentals, call or write

5215 Wisconsin Ave., N.W., Washington, D.C.
20015 (202) 244-3800

BRENNER

CINE SOUND

Div. of Ritz Camera Centers

Angenieux Arriflex Arrivox Beaulieu Beyer Bolex Canon Cinema Products Colortran Eclair Electro-Voice Guillotine Magna

Please mail me additional information:

☐ Service ☐ Sales ☐ Rentals

Name

Address

City

State Zip

THE NEW AÄTON 8-35 35mm CAMERA

Film 79

Shown publicly for the first time at FILM 79, this extremely low-profile and lightweight 35mm camera, with 200-foot magazine, sparked attention and became the "conversation piece" of the show

A stunning surprise at FILM '79 was the introduction of a brand new compact, lightweight, hand-held 35mm camera known as the Aäton 8-35. One got the impression that even the Aäton people were surprised by the tremendous positive response accorded the camera, apparently not fully realizing what they had there.

As the story goes, two years ago the well-known French director, Jean-Luc Godard, commissioned Aäton to make a very special kind of 35mm camera. He wanted to combine the advantages of the quantity of information contained in a 35mm film image with the ease of handling and unobtrusiveness of a Super-8 camera—quite an order, when one considers the ramifications of such a combination. As it turns out, the first prototype has been in use since April, 1979, with results that are more than encouraging. Now, it would seem, the Aäton people are set to go full steam ahead into production of the Aäton 8-35 camera, promising availability (whatever that really means) by *Photokina '80*.

What immediately follows is descriptive material provided by the manufacturer:

The Aäton 8-35 is handheld, and has instant coaxial magazines; until now, the only 35mm camera with instant mags has been the Cameflex (1946), which is extremely noisy.

The noise level of the 8-35 is 33 dB. Without any sound absorbing material, the prototype runs at 35 dB; two decibels less is realistic with damping. 33 dB appears quite acceptable in light of the fact that a non-optimum self-blipped 16mm camera can run in that area.

The steadiness is excellent; it is ensured by the same claw movement sys-

tem (U.S. patent 3806016) that has made a name for the Aäton 16mm LTR. The pulldown of the stroke is absolutely linear, with the dead point in the film plane. Willy Lubtschansky, J.-L. Godard's cameraman, contends that the 8-35's steadiness is comparable to that of a Mitchell. On double exposure tests, no visible sign of any movement whatsoever can be observed.

An original feature: a second electric motor in the camera body drives the 60m and 120m magazines through an independent drive clutch.

The 8-35 is small, and light; it weighs in at around 5 kg, with 60m mag—slightly less than the Aäton LTR 16mm camera.

This camera is meant to be a companion to the Panaflex or Arri 35 BL: it is easy to handle, unobtrusive, mobile. For certain films, it may even be the only camera; with a soft blimp, the sound level could be made acceptable for indoor work.

Jean-Pierre Beauviala, inventor and designer of the ultra-sophisticated Aäton 7 LTR 16mm camera, had been scheduled on the FILM '79 papers program to speak on the subject of "A New Single-System Camera", which is actually the new Aäton 7 Basic 16mm camera, designed to meet the need for a very robust, inexpensive single-system camera, "for applications when ultra-quiet running is not necessary, and high-speed film transport is required."

At almost the very last moment, it was announced that Mr. Beauviala would speak instead about the new Aäton 8-35 camera. What follows has been excerpted from his remarks on that equipment:

When Mr. Godard asked us to make his camera, he asked for it to be as small and as unobtrusive as a Super-8 cam-

era, and he is quite happy with the result. As you have seen in the definition tests which we have shown, the Aäton 8-35 shows very high definition. We made tests with the Arriflex 35BL and the Aäton 8-35, both at the same time and using the same Zeiss lens. The only difference seems to be that the Aäton images are perhaps slightly darker, which is to be expected, given the fact that it has a beam-splitter and a 153-degree mirror. One could not imagine that it would give the same results as a 180-degree mirror with a reflecting shutter. As indicated by the steadiness test, the steadiness of the camera is very good.

Since the objective was to make the camera as compact and lightweight as possible, we chose a 200-foot displacement-type magazine. Again, to keep the weight of the camera as light as possible, we decided not to have the electronic circuits nor the batteries on the camera, as we are now doing in the 16mm field. The Aäton 8-35 camera weighs five kilos (just over ten pounds) with the lens and 200 feet of film. A 400-foot coaxial magazine will be available later.

The power package incorporates the electronic circuits and the battery. The power consumption of the camera is 1.5 amps, which means that the camera can be run for three-quarters of an hour on the small battery. This is possible because of a very high-efficiency system that involves the main motor and a second motor for the take-up. This gives us exactly the amount of energy we need to run the film into the magazine, which keeps the power consumption very low for a 35mm camera.


There is a 6-36 frame-per-second variable speed capability on the camera.


There are two rear pressure plates—one for the claw, the other for the picture. There is quite a high degree of pressure, which maintains the film very flat and in a straight line. This method has been well-proven in our design for the Aäton 16mm camera, resulting in a steadiness which is comparable to that of the Mitchell camera.

The independent drive clutch system for the second motor that governs the take-up adapts automatically to the amount of torque necessary for a 200-



Continued on Page 899

The Aäton 8-35 camera was commissioned two years ago by French director Jean-Luc Godard, who wanted to combine the quality of the 35mm image with the ease of handling and unobtrusiveness of a Super-8 camera. The 8-35 is more the size of the Eclair ACL or Arriflex 16SR 16mm cameras, but is very lightweight and low-profile with 200-foot magazine mounted.





(LEFT) The lightness of the Aäton 8-35 camera is demonstrated here. It weighs 5 kilos (roughly 11 pounds) with the lens and 200 feet of film. It also has a very compact silhouette in this configuration. (RIGHT) In order to keep the camera as light and compact as possible, the decision was made to incorporate the electronic circuits and battery in an external power package. The camera can be run for three-quarters of an hour on the small battery.



(ABOVE LEFT) In order to change magazines, one simply presses a button and the magazine slides off on the left side of the camera. The motor that governs the take-up adapts automatically to the amount of torque necessary for either the 200-foot or 400-foot magazine. (RIGHT) The camera is designed to accept either a 200-foot displacement-type magazine or a 400-foot coaxial magazine. There is quite a high degree of pressure in the plate, which maintains the film very flat and in a straight line. (BELOW) Famed Swedish cinematographer Rune Ericson tries the new Aäton 8-35 camera on for size. Mr. Ericson is European representative for the Aäton camera.



THE FILM STORY

Continued from Page 879

simultaneous display to increase exposure and profits—all ways that can influence market saturation.

Over the last ten years, American business has multiplied its investment for hardware and software in motion picture and other forms of audiovisual communications—for such things as employee communications and dealer training. The potential in these areas has grown so fast that it now equals, in dollars, the total of what the entire market in audiovisuals amounted to about 10 years ago.

Part of this growth has been in the area of multi-image productions. We're just beginning to see an explosion in this type of activity. Motion pictures have a definite place in it.

Closely associated with the 16mm market are the documentary film producers. There are literally thousands of them setting up cameras around the world . . . using film to make their statements about the environment, the human condition . . . or any number of subjects. They underscore the fact that we're just beginning to scratch the surface in realizing the potential of 16mm as a communications tool.

But if we were to stick strictly to the saturation argument, we could find another of its flaws when we look at home entertainment systems. Consumer video cassette recorder sales have already passed the 500,000 mark in the United States. Surely, these units are going to open up vast uses for film-originated materials.

Videodisc is waiting in the wings with its own set of advantages and appeals. It should be the next entertainment system to catch fire.

Television projection systems are slowly breaking out of the novelty mold and seeing increased use in the home as well as in commercial establishments.



The "instant playback" capabilities of videotape fill a real need in certain types of shooting. (BELOW) The TV industry is just now changing from 2-inch broadcast quad recorders to a new generation of 1-inch analog recorders. If forecasts are correct, there will be yet another generation of 1-inch digital recorders.



(LEFT) Tape re-use was to be a cost-saving factor, production material could be erased and the tape used over and over. But this rarely happens, because each producer is reluctant to commit his baby to used tape. He wants to record his creation on the very best (new) material. (RIGHT) Huge libraries of TV material are even now accumulating, which will have to be junked, stored or transferred. Transfer from 2-inch to 1-inch tape or film will be a mammoth task.



The local pub operator will hang his head in shame if he can't offer patrons six-foot-wide televised pictures of the local soccer matches. You can bet those screens will also carry a lot of motion picture programming.

Super-8. While it is normally thought of as an amateur product, there is a tremendous amount of Super-8 being used for various types of release, regardless of subject matter—whether for entertainment, training, or education. It's a further outlet for films shot on a wider format.

And, of course, there is cable TV—not yet living up to its promise, but still active and providing a desirable service. Its potential is there, but the various companies involved have to do a better selling job and keep prices in a popular range.

The big changes that home entertainment systems will bring to the marketplace will be felt by broadcasters. Programming will be more selective and time-variable. With home video recorders capable of programmable recording times, there is no reason why broadcasting should not go on all day and all night to relatively small audiences covering wider selections of topics and events.

Our point, of course, is that the growth forecast for any of these new uses for motion pictures overwhelms any idea of market saturation.

Now, it's possible that the movies that will be used on these new systems in the 1980's might originate on some electronic medium. But it's much more likely that they will be on film. All of the artistry and craftsmanship of moviemaking has been built up around film. The center of gravity is there. And, in my opinion, it will remain there, as moviemaking continues on its path of development.


That brings us to the basic *misimpression* underlying the repeated promises of the tape take-over that has been "imminent" for some 20 years now. The misimpression is that film is worn out, dead in the water, while video systems are stroking by at a furious pace. It overlooks the real facts of what has been happening in both fields.

During the 20 years I'm talking about, at least 38 new or improved motion-picture film products have been introduced by Kodak alone.

We recently introduced two new Eastman color print films with improved dark-keeping qualities. Eastman color LF and Eastman color LFSP print films are expected to be of special benefit to libraries, and historical and archival collections.

Many of you, I am sure, are aware of our Academy Award winner, 5243. 5243


Continued on Page 932



Electronic technology and tape formats are changing so fast that the tape-to-film transfer business is booming. Lab people report that a number of their video customers are transferring to film, so that they can later transfer back to tomorrow's technology, whatever the electronic standard may be.

- CAMERA MOBILITY
- EDITING CONVENIENCE
- GREATER INFORMATION STORAGE POTENTIAL
- STANDARDIZATION
- LOWER COST

(ABOVE) A list of advantages offered by the photographic medium in programming. (BELOW) However, both video and film have their respective advantages and it appears that both media are going to be around together as long as they have something to offer the user. Creative co-existence is the order of the day.



THE NEW MOVIECAM 3N CAMERA

Film 79

A sleek new camera for studio or hand-held use that runs at the incredibly low noise level of 17.5 dBA and is so sophisticated that it diagnoses electronically the cause of any malfunction

Shown in prototype form at both FILM 77 and Photokina '78, the MOVIECAM 35mm camera in its Model 3N incarnation emerged as a finished product during FILM 79. Due to a shortage of available exhibition space at the Royal Lancaster Hotel, the MOVIECAM 3N was shown privately at the Eucam agency in Wardour Street and caused a sensation when it became known that this latest model of the camera operates at the incredibly low noise level of 17.5 dBA—with film!

In appearance the MOVIECAM 3N is a handsome piece of modern sculpture, with an irregularly hexagonal body and a rakish back-mounted magazine—all of which adds up to an ergonomically comfortable design for hand-held operation.

The camera *looks* like something new and different—and it is.

The MOVIECAM 3N (with 500 feet of film in the magazine) weighs 27 pounds and features a completely new BLN compensating link movement. Double transport claws and twin registration pins insure smooth pull-down, as well as a high degree of frame-to-frame registration. It is also mainly this new movement that is responsible for the phenomenal 17.5 dBA noise level of the camera when it is pulling film.

"We didn't purposely set out to get the camera to run that quietly," says Fritz Gabriel Bauer, designer of the MOVIECAM. "It just happens that this new movement makes very little noise."

In terms of electronic sophistication,

the MOVIECAM 3N rates in the "space-age" category, since just about everything on it that could be automated has been.

Following is the manufacturer's description of the camera:

The new MOVIECAM 3N is a trend-setting modular-system-designed 35mm camera for use in the production of theatrical and television feature films and television commercials.

The 3N incorporates all of the professional features required for theatrical filming and introduces many new features and accessories unique only with the 3N MOVIECAM. Some of its exclusive features and accessories include: Digiclapper, built-in slating system . . .

The handsome new MOVIECAM 3N camera was shown in early prototype form at FILM 77. In the past two years—a very short interim for major camera development—many significant changes have taken place. Now with its design "frozen" for production, it is an instrument of outstanding sophistication and versatility—light in weight as a hand-held camera, very substantial as a studio camera, and with several unique features that are most impressive. Its look is strictly "space-age"—with electronics to match.



OPERATIONAL CONTROLS



HI-SPEED LENSES AND ZOOMS




HAND HELD OPERATION



BLN-MOVEMENT AND SPROCKETS



MOVIECAM SYSTEM



MATTE BOX, FOLLOW FOCUS, LONG VIEWFINDER



HAND HELD OUTFIT



150 m/500 ft DISPLACEMENT MAGAZINE



COMPUTERIZED REMOTE CTRLS.

Moviespeed System, which allows the camera speed to be changed during filming, while maintaining exposure control . . . EBU Time Base Code, which prints real-time on film for editor's reference . . . and Microprocessor DC motor-control, which permits the camera to operate from 24V DC or 110/220V, 50/60 HZ.

MOVIECAM 3N's sound level is less than 18 dBA (measured by AKG, Vienna, with film in the camera) making it the quietest 35mm feature production camera in the industry.

Some of the unique features of the MOVIECAM 3N are truly ingenious.

For example, the *Digiclapper* built-in automatic slating system optically prints a pre-dialed scene number onto the first 100 frames of each scene in the middle of the frame, which insures easy legibility during projection. The savings in time and film stock made possible by this feature can be considerable.

One of the several plug-in modules available for the MOVIECAM 3N is the *Moviespeed System*, which allows the running speed to be changed at programmed rates during the shot. For example, a pole-vaulter can be shown at normal speed running up to plant his pole. As he does so, the frame rate smoothly changes and he soars through the air in "slow-motion," without even the slightest variation in exposure density. The time interval in which the acceleration or deceleration is to take place can be pre-set on switch banks. Control is affected by means of a microprocessor, which also makes the appropriate exposure corrections via the automatic iris control servomotor coupled to the lens-iris ring.

The *Moviespeedbox* is a control unit with microprocessors and switchboard to be mounted on the camera, which controls the *Moviespeed System* in forward and reverse modes, plus single-frame operation.

The effective application of the *Moviespeed System* to sports subjects is obvious, but it could also prove valuable in the filming of certain technical and scientific subjects, to say nothing of special effects for feature films.

Another plug-in module available for use with the MOVIECAM 3N is the *EBU Time Base Code-Box*, which mounts on the side of the camera and makes it the first 35mm camera that can print real time BCD code onto film, thus permitting automatic synchronization on editing tables.

A third plug-in module—and one that seems almost "magic" in its function—is the *Computer Diagnosis Module*. Mounted on the side of the camera, it is an electronic measuring device which supervises and controls all camera functions, the running speed and power consumption. If there is a failure of any


electronic component, the *Computer Diagnosis Module* immediately indicates the malfunction and identifies the faulty component by number. Presumably repairs can be made (without time-consuming tests) simply by quick replacement of the failed component with a new one.

Another fail-safe feature that should prove valuable is the camera's flickering control display, which indicates incorrect operation or buckle trips.



Interesting also is the phase shifter for synchronizing film with any TV monitor.

In its more conventional aspects, the MOVIECAM 3N has been designed for practicality. For example, its standard BNCR lens mount makes it possible for a vast range of existing lenses to be accommodated without modification.

MOVIECAM's reflex mirror shutter is variable in 10° increments from 0° to



(ABOVE RIGHT) The MOVIECAM 3N with top-mounted 1,000-foot magazine. (BELOW LEFT) MOVIECAM 3N in hand-held configuration, with 500-foot magazine, fixed focal length 50mm lens in BNCR-type lens mount and adjustable hand-grip. It weighs 27 pounds with 400-foot load. (RIGHT) MOVIECAM 3N in a studio configuration with finder extender, video system and "Video Assistant", production matte box and base plate, zoom lens and zoom motor. 500-foot magazine shown back-mounted.



176°, with the mirror stopping automatically in viewing position. Interchangeable ground glasses and aperture plates are available for all standard film formats.

Like several other of the most sophisticated new cameras on the market, the MOVIECAM 3N incorporates provision for a video system. In this case it is equipped with a Newvicon television pick-up tube that provides a high-contrast display of the ground glass image, which can feed TV monitors and a video tape recorder.

This integrated video head is controlled and powered by an external "Videx" power supply, which is easily attached to the camera. The "Video Assistant," a small (1½") monitor attached to the camera, serves to make the focus-puller's work easier and more accurate.

The new MOVIECAM 3N has a myriad of other sophisticated features which, although not unique to it, add up to a film-making instrument of great versatility. Mr. Bauer and his colleagues are to be congratulated on arriving at such a finished product in so relatively short a time.

For further information on the MOVIECAM 3N camera, contact: Moviecama-Kinematographische Geräte Gesellschaft m.b.H., Wolkersbergstrasse 14, A-1130 VIENNA, AUSTRIA. Tel (0 22 2) 85 01 65, 85 90 11.

MOVIECAM 3N is distributed in the United States and Canada through Moviecama Corporation of America, 625 West 54th Street, New York City, N.Y. 10019. Tel. (212) 757-0906. ■

TECHNICAL CHARACTERISTICS OF THE MOVIECAM 3N CAMERA

Film Format: 35 mm

Dimensions of Camera:

(with magazine 150 m/500 ft):

Height: 310 mm/12.2"

Continued on Page 941



The MOVIECAM 3N is ergonomically designed to fit comfortably onto the shoulder for hand-held work. (BELOW) H. "Scoop" Clapp, MOVIECAM of America Corporation President, shown with Fritz Gabriel Bauer, designer of the camera and Director of MOVIECAM GMBH. Mr. Clapp is sole distributor of MOVIECAM System equipment in the United States and five other western countries.



(LEFT) Plug-in MOVIESPEED CONTROL module allows the camera's running speed to be changed at programmed rates during the shot, without variation in exposure. The time interval for acceleration or deceleration can be pre-set on switch banks. Control is affected by means of a micro-processor which makes appropriate exposure corrections. (RIGHT) The COMPUTER DIAGNOSIS module is an electronic measuring device that supervises and controls all camera functions, the running speed and power consumption. The module immediately identifies the component responsible for any electronic malfunction. Following FILM 79 debut, MOVIECAM 3N was introduced to the industry in New York August 15-16 and in Hollywood August 20-21.



(RIGHT) David Samuelson demonstrates Panavision's impressive new Panastar Panaflex high-speed camera in its first public showing. The biennial BKSTS Conference in London attracts delegates from all over the world—more than 50 countries this year—and enables them to keep abreast of the latest technology.



This year the British Academy of Film and Television Arts joined with the BKSTS in presenting three very special programs, not the least of which was the fascinating "Special Effects '79" Seminar, presented twice on the afternoon of July 5. It was chaired by Academy Award-winning Director of Photography Oswald "Ossie" Morris, BSC (LEFT), and the panel included (RIGHT) Cinematographer Denys Coop, BSC, Colin Chilvers and Derek Meddings, all three of whom were among the six technicians awarded Academy "Oscars" for their extraordinary special effects for SUPERMAN. The program was enlivened by the screening of outstanding special effects sequences, ranging from the original KING KONG to MOONRAKER.



The traditional wind-up to the Conference in London is the black-tie Banquet, held this year in the Grand Ballroom of the London Hilton Hotel. (LEFT) BKSTS President R.F. Ebbetts and his party prepare to be seated at the head table. (RIGHT) Henry VIII is seated, as his courtiers stand and sing his praises. The troupe of mimes and singers provided class entertainment, but it was the spirited Royal Artillery Band that stole the show.



REPORT FROM FILM 79
Continued from Page 884

MOONRAKER. It is a most interesting seminar and afterwards I enjoy a warm reunion with all four gentlemen who have participated.

Meanwhile, back at the Royal Lancaster, the Equipment Exhibition is drawing considerable attention. HIM Lighting—not so long ago considered to be a really exotic development—is everywhere to be seen. Among the many items of equipment on display, there are, in my opinion, four exceptional pieces.

The first of these is the fascinating new ARRI Image Stabilizer (see Page 896), which was tantalizingly hinted at during *Photokina '78*, but not shown. Now it is right out in the open and it turns out to be a compact, lightweight accessory that mounts in front of the taking lens of the camera and very effectively smooths out the jolts and vibrations that plague most cameramen, especially when hand-holding. A most impressive piece of equipment that should gain wide acceptance.


But the biggest news—not equalled at the most bounteous *Photokina*—is the fact that there is not one but THREE new 35mm cameras making their debuts here.

The first is the startling Aäton 8-35 35mm Camera, hardly larger than an Eclair ACL or Arriflex 16SR with its 200-foot magazine mounted, it is a comfortably hand-holdable instrument and quickly becomes the conversation piece of the Exhibition (see Page 922).


The second is the new Leonetti-Wilcam ULTRACAM-35, which I had seen sneak-previewed a few months earlier at an A.S.C. dinner meeting in Hollywood. Even though the camera had been used on such productions as *THE GREEK TYCOON* and *APOCALYPSE NOW*, this marks its formal unveiling to the public. It is a beautifully engineered camera with many interesting features (see Page 900).

The third new camera to be shown is the MOVIECAM 3N. Actually, due to lack of exhibit space at the Royal Lancaster, it is being shown by invitation at the Eucam Agency in Wardour Street. I make the jaunt down there expecting to see the same advanced prototype that was on display at *Photokina '78*. But great things have happened to the camera since then. The design has been refined and "frozen" for production and even more sophisticated features than before have been incorporated—most notably an entirely new movement, which makes possible the incredibly low noise level of 17.5 dBA—with film! (See Page 926.)


Continued on Page 949



FILM 79
Westbourne Suite—Lower floor



FILM 79 Nine Kings Suite—Ground floor



FILM 79
Gloucester Suite—1st floor

COLUMBIA
COLLEGE

COLUMBIA
COLLEGE

Approved for Veterans

A study of the Motion Picture and Television Arts and Sciences within a degree program, taught by a distinguished faculty.

Now Registering. Write for a descriptive brochure.

COLUMBIA COLLEGE

925 No. La Brea Ave.
Hollywood, Calif. 90038
851-0550

THE FILM STORY

Continued from Page 925

is a duplicating color movie film with superior sharpness, tonal scale, and dye stability. I think it's a good example of our willingness to continue a costly process of developing new films, a process that has been part of our commitment to motion pictures for more than 50 years now.

Until electronic cameras and recorders become a good deal less costly, a lot lighter, and shed their umbilical cords, they are likely to see limited use in location shooting.

The electronic camera is not a recorder; that job is still handled by a second piece of equipment that is inseparable from the camera.

The film camera *is* the recorder. It has the film inside it.

We all recognize that considerable progress is being made in reducing the weight and bulk of electronic equipment—making it more portable and mobile. And, I'm sure that efforts are underway to improve the image quality of tape. As of now, however, it is still not comparable to the film image.

We talked earlier of standardization: the physical dimensions of 16mm film have not changed since the format was introduced in 1923, whereas tape is still striving to find its standard.

We are just now changing from a generation of 2-inch broadcast quad recorders to a new generation of 1-inch analog recorders. And if the forecasts are correct, there will be another generation of 1-inch digital recorders.

Any change in electronic camera design usually means a new system. Last year's camera is not as up-to-date as this year's and we feel obliged to buy the very latest equipment. Any good businessperson knows that amortization should, therefore, be taken over a very short period of time. It isn't.

It is in this area of economics that many a *mismatch* has occurred.

We see, for example, that the inherently higher cost of electronic equipment is ignored or not allowed to enter the cost picture. Logic seems to give way to emotion when buyers are saying, "We want our electronic toys and we don't care how much they cost!"

Well, that's nice if you can afford it. But consider that, by contrast, the film camera, in terms of equipment investment, is updated simply by putting a new roll of film in it. No new hardware. No overnight obsolescence.

Another area where we've seen a mismatch between fiction and fact is in the reuse of tape. Tape reuse was to be a cost-saving factor; production material could be erased and used over and over.



EVERYTHING IN VIDEO EQUIPMENT RENTALS FROM THE PEOPLE WHO BRING YOU EVERYTHING IN FILM EQUIPMENT RENTALS.

The world's finest maintained Motion Picture & Video Tape Equipment.



camera service center, inc.

625 West 54th Street, New York, N. Y. 10019, (212) 757-0906

But again, reality tells us differently.

A producer is reluctant to commit his baby to used tape. He wants to record his creation on the very best material. And no compromises, thank you.

Conversely, you reuse tape only at the expense of losing program material or of transferring it to film. Many historic and valuable programs have been lost because the studio could not afford to tie up the tape.

Which leads me to a major point of concern because I'm hearing about it from our friends who have gone into electronic production:

Our industry — and I use the term broadly because we're all in this communications boat together — is going to be facing a very real problem.

Huge libraries of material even now are accumulating which have to be either junked, stored, or transferred. If they are going to be transferred, it will be a mammoth task. It would mean a whole lot of new 1-inch tape to replace 2-inch tape.

It means a mammoth task even to transfer to film which would then, at least, become a standard which could be used forever.

Even if tape studios want to keep their existing libraries, they would have to maintain compatible equipment and that equipment is obsolete. They will have to go to a museum to play their masterpieces.

We are seeing the dilemma being partially resolved in the amount of tape-to-film transfer business going to the film labs. Lab people tell us that a number of their video customers are transferring to film so that they can later transfer back to tomorrow's technology, whatever the electronic standard may be.

As for *myopia*, my research associates tell me that it is very easy to slip into the short-sighted viewpoint that the quality standards of a whole industry can be set by laboratory demonstrations.

I could walk you through the laboratories in Rochester and show you some of the things going on in lasers and film characteristics, for instance, that would probably knock your eyes out. And there we are again—right back at myopia. We tend to get wrapped up in our own promising developments.

Life in the laboratory just isn't the same as life in the real world. It takes years of on-the-job usage to work all the problems out of a system, and film certainly has withstood the test of time.

The misassumption that I had in mind is the fairly common one that technological progress is a process of replacement.


We come by it probably on the basis of a few outstanding innovations:

The automobile for the horse and

COMPLETE LIGHTING AND GRIP EQUIPMENT RENTAL PACKAGE

featuring Mole Richardson 10K's to Inky's and L.T.M. HMI Lights

Insert Car, Dolly, Generators 18ft. Camera Crane
Kenworthy Snorkel Camera Systems



Contact John Burkley for brochure and rate information

MIDWEST CINE SERVICES

626 EAST 75TH STREET KANSAS CITY, MISSOURI 64131 (816) 333-0022

Your equipment. It's only as good as the lab in back of it.




You invest the most you can afford in your equipment. After all, it's what you make your living with. For the same reason, you spend precious time selecting a lab that is of the same caliber as your equipment.

Photo Processors follows this same philosophy. We've invested in the finest color equipment available. Our team of color specialists is among the best in the country. They are here to assure you that you will receive the best end-product possible. Send your next job to us and let us prove it. We can back you up.



photo processors inc.

Box 2116A, Austin, Texas 78767
AC 512-472-6926



For Those Who Care
Enough to Need the
Very Best...

UNDERWATER

35mm Spherical and Anamorphic
Totalvision-Cinemascope-Panavision

ALAN GORNICK, JR.

Director of Photography, IATSE 659

4200 Camino Real
Los Angeles, CA 90065
(213) 223-8914

PERFORMANCE EXTRAS

on the New Miller VG50 Fluid Head

Professional cameramen demand the finest... that's why they have preferred Miller Fluid Heads, the original Fluid Head.

The new, VG50, heavy duty Fluid Head will support movie and video cameras weighing up to 50 lbs., and incorporates the many features that have been the hallmark of Miller Fluid Heads... and MORE.

In addition to the smooth action of viscosity drag, variable tension control screws for pan and tilt units,

tilt and 360° panning capacity the new VG50 has


- A 360° azimuth scale.
- An elevation scale.
- Large 4"x7" camera plate for increased security and balance.
- Right or left hand handle option.

Recommended for use with the new, aluminum, heavy duty tripod, No. 213 which has the new, "Triple-Cluster" Claw-Ball Leveling Unit.

This leveling unit features a tight, quick-locking device for fast pressurized contact with the top casting on the tripod legs. This promotes more efficient, unobstructed filming mobility.

Recommended maximum load: 50 lbs.
Weight: 9 lbs.
Height: 6½ inches.

Also available, Model VGS50. Same as VG50 with addition of slip pan unit which allows breakaway pans in order to follow fast action, such as sporting and racing events.



Miller Professional Equipment

10816 Burbank Blvd. / No. Hollywood, CA 91601
Phone (213) 766-9451

buggy.

The jet engine for the piston engine.

The transistor for the vacuum tube.

If you took a broad survey of a hundred or more significant developments of this century, I believe you would find that they were more additive than subtractive. That is, new things coming out establish themselves along side what was already there, rather than pushing them out.

For example, I can remember that about the time I was in school, one of the big events was the introduction of the fluorescent lamp. It gave more light with less wattage. Naturally, the fluorescent was going to put the familiar incandescent lightbulb out of business.

What actually happened, of course, was that not only did the fluorescent and incandescent lamps do well, but whole new generations of lamps came along—sodium vapor, mercury vapor, quartz iodide—each finding its own place because of distinct advantages.

Moving to more recent times and to an area that I'm a little more familiar with, I can tell you that the years which saw the widespread acceptance of instant photography were the period of greatest growth in history for conventional photography.

One could cite many other instances in which new technology moved in alongside existing technology with the two getting along just fine.

The misassumption that progress is necessarily equated with replacement has given rise to what I believe is the *outright fallacy* underlying the Great Debate. It is that the future of film and tape is necessarily an "either-or" proposition.

It is true that there are certain applications within the broad technology of repeatable experience where one or the other has clear-cut superiority.

In the early days of television, it was my company that brought out the process that gave birth to the so-called "hot line." The sight of a still-damp original being slapped on a projector for playback was never quite our notion of the ideal application of film's best characteristics.

The instant playback capabilities of videotape fill a real need here. For this one clear-cut purpose, tape can do a job for which film was never really suited.

On the other hand, for large screen projection, where resolution and image sharpness are the criteria, film is, today, the only suitable medium. The high quality of that magnificent image undoubtedly helps draw people to the movies. And that's not taking anything away from the imagination and creativity that producers, writers, directors, and effects people are bringing to the artistic side of the business.

Meanwhile, between the extremes of

technical properties offered by tape and film is a wide range of production, distribution, and show situations in which both media present the user with advantages, whose relative weight depends on the priorities of the moment.

The electronic medium has going for it immediate access, some reusability of the raw material, more control of the output. The photographic medium offers greater camera mobility, more practical convenience in editing, more information storage potential, international standardization, and lower cost.

Users are going to want all these characteristics on different occasions. It looks as though both media are going to be around together as long as they have something to offer the user. We aim to see that photography is a vital contributor to that mix for a long while to come.

During 1978 and 1979, Kodak will have spent more than 800 million dollars on research and development. As you might imagine, a share of that money is going to the study of light sensitive materials.

We are very conscious of the cost of silver and what that entails as far as the industry is concerned. We know the system based on silver technology is still the best there is for many reasons: creativity . . . information storage capacity, to name only two.

There may be a better system someday. But right now we are learning how to get more out of the silver halide crystal, thus reducing the amounts of valuable silver needed to capture and present an image.

Our research investment is also paying off in helping us learn more about spectral and chemical sensitivity, and we are using that knowledge in ways that will produce continued improvement in the ability of films to record pictures in low light.


We are learning how to improve the exposure and process latitude of our films. We are learning more about the chemistry of dyes and dye formers for better color materials.

We are learning more about lasers that fulfill the literal definition of photography. They "write with light" in a controlled manner at remarkable speeds.

We are learning more about charge coupled sensing devices and their possible applications. We are learning more about integrated circuits, mini-computers, and microprocessors that save energy and improve equipment reliability—drawing on our expertise in electronics (magnetics also) where we have had an active and long-standing capability.

You have heard the results of some of our research already:

One of our engineers saw a way to



WHY THE MONEY-SAVING NEW CINEMATICS SIX-PLATE IS NOT REVOLUTIONARY.

It simply does everything you expect a flatbed to do (very reliably as it's turned out) for about half what you'd expect to pay. Well, maybe just a *little* bit revolutionary?

Our detailed illustrated brochure reveals how we do it. Please send for one. We'll include complete pricing.

Modular Super-8 and 16mm. About \$3500 to \$5300.

We would like to be able to say the new Cinematics six-plate is revolutionary, but all we did was expand our modular four-plate machine and put it in a larger case. And even our four-plate wasn't revolutionary when we introduced

Box 16045
Baltimore, Maryland 21218
(301) 889-7900



American Cinematographer



Please enter my new subscription for 1 year—
\$9.00 U.S. \$10.00 Foreign

and send me a
free copy of the
Four-In-One Reprint.
I am enclosing
my remittance.

(offer available only
with remittance)

American Cinematographer
P.O. Box 2230
Hollywood, CA 90028

Name _____

Address _____

City _____ State _____

Zip _____

FINANCING THE LOW-BUDGET INDEPENDENT FEATURE FILM

3 DAY SEMINAR OCTOBER 19-21, 1979
SHERATON INN - PORTLAND AIRPORT

Enrollment limited to 150

Portland, Oregon

- Raising Capital • Canadian Subsidies & Tax Shelters
- Limited Partnerships • Budget Planning • Distribution
- Grants • Point System/Deferred Payment/Contracts
- IRS/SEC • How Banks Look At Your Film

For further
information,
write or call:



Northwest Media Project

P.O. Box 4093, Portland, OR 97208 Phone (503) 223-5335

Please send me information concerning your 3-day financing seminar.

Name _____

Address _____ Apt. _____

City _____ State/Prov. _____ Zip _____

Presented by the Motion Picture Seminar of the Northwest and the Northwest Media Project.

EDITING CONSOLES

35mm, 16mm

Economical, reliable, gentle

For literature please call, day or night:

(800) 821-7700 ext. 815



Twenty-Fourth Frame

p.o. box 2167, christiansburg, va. 24073 (703) 382-4135

PALMER INTERLOCK PROJECTORS



now with
Dynamic Syne Control

This exclusive new feature allows picture and magnetic track relationship to be adjusted while the projector is running. Palmer interlocks are dependable, easy to operate, and gentle on all kinds of film. There are four new models for single and double system playback and studio quality recording.

Write for full details.

W.A. PALMER FILMS, INC.

611 HOWARD STREET • SAN FRANCISCO, CA 94105 • PHONE (415) 986-5961

San Francisco's complete 16 mm film service

divide a traditional motion picture sound track and thereby record and play back stereo sound without affecting monaural playback. We publicly disclosed the technique. Dolby Laboratories, in turn, developed a stereo system now used in many theaters, and on order in many more.

It's all part of that dynamic quality that keeps people periodically returning to the high-quality image that the cinema represents.

Since we were together at Film '77, for example, there have been five films that have grossed over 100 million U.S. dollars. Each, essentially, was a different type of film, yet each achieved enormous box office success. Motion pictures as a whole are doing well in movie houses in Europe.

Italy is really coming around. In spite of adversities, the economy is bouncing back. Theater business is very good.

France has always been a movie-going country—very visually oriented. The same thing can be said about Germany and Scandinavia.

And I don't have to tell most of you in this room what is going on in the United Kingdom. Film activity very strong. Lab business going great guns.

It is interesting that in a period when people were talking about the demise of film, there has been a renaissance. Theater attendance is up. The number of prints made from features, both in Europe and the U.S. is up. In the U.S., theater attendance brought in some \$2.8 billion last year.

But even more striking is the great percentage of program origination made on film for television—that has actually increased over the years.

So . . . in spite of a variety of new developments in electronics, a 100-year-old technology is alive and well and still producing improvements at a fairly fast rate. ■

To Classified Advertisers

Copy deadline for classified advertising is the 1st of month, preceding publication date. Mail copy and remittance to cover cost to

AMERICAN CINEMATOGRAPHER
1782 No. Orange Dr.
Hollywood 28, Calif.

**TECHNIQUES OF OPTICAL
TRICK CINEMATOGRAPHY**
Continued from Page 916

The camera must be steady tested. The Mitchell camera with its pin registration system is an ideal camera. This system holds the film firm, located on registration pins, positively steady at the moment of exposure. Many high-speed S35 Panavision cameras from Samuelsons were used in the making of SUPERMAN with excellent results. The sequence on the railway line was a relatively simple optical involving only two elements which had to be split-screened with the use of complementary mattes. Many other opticals in the picture involved numerous components which, on occasion, had to be moved, tracked, zoomed or faded on the optical printer.

One of the most complex opticals made was the sequence early in the picture where the three villains were held captive by the council of elders of Krypton in a beam of light with revolving rings. When they were sentenced to eternal imprisonment a strange diamond-shaped object had to descend from space and collect them and take them into orbit around Krypton. John Barry's design for this, the Phantom Zone, was a diamond-shaped, flat object with immense depth. To create the effect of the actual collection meant shooting it in separate parts. Firstly, the villains waiting in the rings. Secondly, the empty Phantom Zone; thirdly the Krypton surface; fourth, the villains shot for their containment in the Zone after the collection and finally a spinning shot of the villains. This was done by spinning the camera, as to spin optically in an anamorphic process does not work. All these components had to be mixed together with rotoscope mattes to print the Phantom Zone over the Krypton landscape, dissolving one to another. This optical was achieved with CRI techniques which resulted in the highest possible quality.

Let us now consider how the film stock is manufactured, and how this can affect the making of optical special effects. An understanding of this can considerably assist the special effects cinematographer.

Eastman Colour Negative film is coated onto rolls of triacetate base which are about five feet wide and in multiples of 2000 feet long. Normally five or more rolls are coated in sequence, as a batch. Each of these parent rolls is slit into either 35mm or 16mm strips—the familiar strip number is the position of the strips across the original parent roll. The slit rolls are then distributed around a bay of perforating machines, (maybe up to twelve separate machines), where they


THE ARRI ENERGY SET

12V/4AH BATTERY AND CHARGER

The Energy Set Battery uses nickel-cadmium cells fused together for low internal resistance. They're sealed into a resilient hard-rubber case. You can use the Battery with any camera that runs on 12VDC. It weighs 5 lbs, 2 oz.

With 4AH capacity, the Battery can drive 4,000 feet through the 16SR, 1,600 feet through the 16BL and 2,000 feet through the 35BL. A resettable circuit-breaker fuse automatically protects the camera's electric circuits against external shorts.

The Energy Set High/Low Charger shows a red light as it brings the Battery up to 80% of capacity (about 6 hours from fully discharged). It switches automatically to a trickle charge (about 5 hours) for the last 20%, showing a green light. A thermal sensor protects against overcharging. The Charger automatically switches



to work with 110V/60Hz or 220V/50Hz AC power. It weighs 2 lbs, 10 oz.

You can carry the Battery three ways. It comes with a shoulder-strap that snaps on. (Spring-loaded locks stop the strap from accidentally snapping off.) And a handgrip and belt loops are built into the case.



In this partial view of Charger, red and green lights are both on, showing trickle-charge mode.

ARRI

ARRIFLEX CORPORATION
One Westchester Plaza, Elmsford, New York 10523. (914) 592-8510. And 600 N. Victory Blvd., Burbank, Calif. 91502. (213) 841-7070
In Canada: ARRI/NAGRA Inc., 6467 Northam, Mississauga, Ontario L4V 1J2. (416) 677-4033

Which light stands can go the distance with the heavyweights? Bogen stands can.




Pile on the weight. Big, heavy spots and arcs. Gobos. Reflectors. Bogen Cine Stands can carry them all.

Get all the facts on our wide range, including a geared Wind-Up which easily handles 88lbs. Ask your dealer or write: Bogen Photo Corp., 100 So. Van Brunt St., P.O. Box 448, Englewood, N.J. 07631.

bogen
Lester Bogen doesn't sell anything he wouldn't buy himself.
Please send me more information on Bogen Cine Stands.
Name _____
Street _____
City _____ State _____ Zip _____

Whatever the speed—Micro-Demand meets the need.

Filmline's Citation Series Processors with Micro-Demand Drive.



Model DC28-35/16

Now any lab regardless of size, can have the quality and reliability of Micro-Demand, at prices geared to the volume of its operation.

Now the patented Micro-Demand film transport system comes in a full line of Filmline continuous, commercial film processors. Priced from \$8,900. With speeds from 7 FPM to 325 FPM.

Introduced in 1968 in its "Custom Line" machines for professional commercial labs Micro-Demand remains the most advanced demand drive transport system yet devised for film processing.

Micro-Demand dependability is outstanding—it will run 24 hours a day, seven days a week, at top speed, with virtually no maintenance.

The inherent design of the Micro-Demand system allows the use of conventional film rollers and bearings, eliminating the need for fragile plastic spring bushings, eccentric wob-

ble rollers or other mysterious contrivances. "Push-Button" operation and reliability allows the operator to perform other functions while the machine is running.

All Filmline processors use stainless steel construction throughout except where other alloys or formulations are recommended or proven superior.

Every Filmline machine is designed for "Zero Down Time" and backed by a superb performance record compiled in over 25 years of continuous service to the industry. Twenty-five years in the forefront of processing machine design and innovation.

Partial Listing of Filmline Installations: Deluxe-General, Technicolor, Inc., Capital Film Labs., Byron Motion Pictures, TVC Labs., Movielab, Radiant Laboratories, Guffanti Labs., Precision Film Labs., Bellevue-Pathe, ABC, CBS, NBC Network TV, NASA, General Motors, RCA, IBM, AEC... and thousands of others.

Distributed Overseas by:
Bell & Howell Ltd.
Wembley, Middlesex
Hao 1 EG, England



Filmline Corporation
Milford, Connecticut 06460
Area Code 203 - 878-2433
TWX 710-4623733

are punched one frame (four pairs of holes, for 35mm) at a time. Finally, after a rigorous inspection, the perforated strips are cut down to length as required, and packed into cans. The labels are marked with the emulsion batch and parent roll, and the individual strip number.

The perforating process is extremely accurate—accuracies being of the order of tenths of thousandths of an inch, as defined by the international standard for Bell and Howell 1866 negative perforations, and the eight hole at a time punching operation is deliberately chosen to be consistent with the frame-by-frame camera operation.

In practice most of the perforating dimensions remain the same throughout the life of a manufacturing machine set-up. However, the hole size increases progressively throughout the life of the machine, as the back surface of the film wears away the die during the cutting process. The hole is therefore started at the lower end of the Standard tolerance range, and the machine is taken out for resetting before the top end of the tolerance range is reached.

From experience it has been found that the lower half of the permissible hole size is best for critical optical combination printing. Part of the control system that we have developed over the years involves visual checks of the perforations carried out in the camera room to select the best fit onto the pins of the camera.

The roll of film is put into a camera magazine, with the end protruding. Perforating machine information may be stamped onto this, and this information is noted. Four consecutive pairs of punched holes are then gauged, using a standard Mitchell pin, in the following manner. The film is held horizontally in a special clamp, and the pin is carefully inserted from below, a lens being used to ensure that the pin is presented with its sides parallel to the perforation walls. Holes are sought that will grip the pin snugly, and prevent it from slipping down under gravity (a small brass weight is fitted to its base). If one such pair of holes are found, these are marked and the film is returned to its can. When the roll is to be used, the camera assistant will lace it in the camera so that the register pin enters the actual marked hole.

Obviously, within the same consignment of film, there will be no point in gauging other rolls from perforating machines that gave large holes only, while those with "all o.k." holes will be gauged for preference.

Similarly, when 400' rolls are being used, those with the same roll and strip numbers will have been cut down from the same parent strip, and can be considered to be identical.


For Animation THRIFTFAX Camera Stands

Ask us about

'JR.' THRIFTFAX



Versatile, accurate, productive



THRIFTFAX 'SR.'
Top performance

MINI-THRIFTFAX



For the mini-budget

For all ANIMATION/TITLING/FILMSTRIP production and preparation equipment, for animation supplies of all sorts, get the facts, first, from FAX Company. A two-part descriptive price list covering "The Mechanics of Animation" and "The Art of Animation" is yours free, on request. Tell us of special needs.

FAX COMPANY

374 S. Fair Oaks Ave., Pasadena, Calif. 91105 — 213/681-3084

The method described is very much a "craft" operation, and is a form of go/no-go gauging, rather than an attempt at precise measurement, but its effectiveness has been very well borne out in practice.

It is well known that changes in humidity can affect the film dimensions, although the gauging system evidently incorporates sufficient latitude for the variations encountered in normal working conditions where humidity control equipment is a rarity, but an inexpensive relative humidity indicator is a good investment, to avoid gauging during periods of extreme humidity conditions.

Checking the rolls is a tedious process but extremely worthwhile, and we are indebted to Jack Greenfield, chief mechanic at Pinewood Studios, who so patiently advises on the stock. It has been found that about 80% of the stock checked gave snug-fitting perforations on at least one pair of holes. No stock that has been checked has fallen outside the British Standard, which is of great credit to the manufacturers and terms such as "good film" and "bad film" are at the very least misleading, as what we are referring to is the smaller fraction of the hole size distribution, which is found to be necessary for travelling matte work.

Clearly it is going to be safest to select the estimated number of rolls required for critical optical work as soon as possible after the batch of film has been received, as later in the production schedule you may easily be left with only the larger-hole fraction.

The nature of optical work relies upon the fact that, when two films are double-exposed together, neither one moves against the other. Our experience is that the full range of the British Standard tolerances for perforation hole size does not guarantee suitable stock for this kind of work unless some system of pre-selection is used. In the past the manufacturers have made attempts to select rolls of film destined for optical effects work at the time of manufacture. With the increasing demands for opticals this proved to be very difficult to control and give a guaranteed result, and each roll still required a test before use. Furthermore, by the time that a production has been planned it often happens that the batch of film that is to be used has already been finished and packed some months before.

In the course of work carried out during the making of SUPERMAN, a series of measurements on hundreds of perforating machine outputs indicated that with the general improvements in production controls that have come about in the last ten years, stock from any particular perforating machine (which can be identified

American Cinematographer REPRINT

FILMING "2001—
A SPACE ODYSSEY"
SUPER-8—
THE STATE OF THE ART
SUPER-16
VIDEOTAPE & FILM

All in one place—no advertising



AMERICAN CINEMATOGRAPHER
P.O. Box 2230, Hollywood, Calif. 90028

Please send me _____ copies of the
FOUR-IN-ONE reprint @ \$5.00 ea.,
postpaid.

NAME _____

ADDRESS _____

CITY _____

STATE _____ ZIP _____

California residents please remit 6%
Sales Tax. (30¢ per copy). Foreign
buyers please pay by International
Money Order or U.S. Funds.

SHOOTING IN THE NORTHERN CALIFORNIA AREA CALL CINEMA SERVICES CO.

of San Francisco for all your

Lighting equipment, grip equipment, brutes,
HMI lights, generators, grip trucks


WRITE OR CALL FOR PRICE LIST:

CINEMA SERVICES CO.

3866 Bayshore Blvd., Brisbane, CA 94005
Phone (415) 468-5220

Distributors of Mole-Richardson Products

This Publication....



is Available in MICROFORM

For Complete Information

WRITE :

**University
Microfilms
International**

Dept. F.A.
300 North Zeeb Road
Ann Arbor, MI 48106
U.S.A.

Dept. F.A.
18 Bedford Row
London, WC1R 4EJ
England

Film Editing

**We supply all
your needs.
Sales, rental
and service.**

- ☐ CINEMONTA
16 and 35mm
Editing Tables
- ☐ PAG Recorders
and Mixers
- ☐ Digital Counters
- ☐ Portable TV Stands

Film Editing At It's Best

KLM Associates, Inc.

**Distributors of Quality Film Editing
Equipment & Supplies**

11810 Charen Lane, Potomac, MD 20854
(301) 299-7259 Telex 64249
(213) 931-6151 West Coast

THEY COPIED THE DESIGN WHAT ABOUT THE QUALITY?

We were flattered when Oscar Winner Cinema Products Corporation copied our original battery belt design . . . What about the quality?

At G&M our custom work meets your specifications, plus you get THE BEST PRICE AND GUARANTEE.



The Original G&M Battery Design:

- Belt Case That's Guaranteed Not To Crack
- Vel-Cro closing for quick comfort
- Heavy Duty Leather Belt

G & M POWER PRODUCTS

6500 Santa Monica Boulevard
Hollywood, CA 90038
(213) 465-8236



from the information stamped and printed on the films) can be tested by gauging or by optical camera testing, and the result will be totally representative of all the output of the same machine in that production consignment, as this represents only a short time in the total life of a perforating machine set up. Furthermore, an analysis confirms that, on average, the 80% success rate of finding stock with at least one pair of holes in the lower half of the Standard tolerance range is supported.

It is comforting to know that a simpler and less tedious system is possible, i.e. testing one roll from each perforating machine used, and accepting without further tests all other rolls from a machine that gave a roll with "all-o.k." holes. For expensive set-ups like those involved in SUPERMAN, we are likely to stay with the assurance of gauging every roll, although the perforator identity can certainly be used to assist "pre-selection" of the rolls which will be gauged. The operation would become very much easier if the manufacturers could find a method of marking perforator identity on the outside of the can, thereby eliminating the need to open every one and sometimes even to have to process a piece from the end, to identify the machine. It certainly seems reasonable, however, that work with slightly less critical subject matter could be successful with the simpler selection method, and for scenes without optical combination work all film within the Standard tolerance is perfectly satisfactory. ■



SOUND MAN

THE LONDON INTERNATIONAL FILM SCHOOL

New York, Hong Kong, Wellington, Toronto, Port of Spain, Tel Aviv, Teheran, Lagos, Melbourne—just a few of the studios world wide in which our graduate students are working.

The intensive two year Diploma Course covers 16mm, 35mm, black and white, colour, feature production in the studio and documentary location production together with specialist courses in Animation and Music for Film and Television.

Students are thoroughly grounded in all the technical aspects of Film Making, benefiting from the experience of staff who have spent a total of over 200 years in the industry. The 178 students from 42 different countries come privately or are sponsored by Governments, TV stations and Educational Institutions.

For further information write to:

The Administrator, The London International Film School,
24 Shelton Street, London WC2H 9HP.



MOVING?

PLEASE NOTIFY US
6 WEEKS IN ADVANCE

Miss/Mrs./Mr.

Name (please print)

New Address

Apt. No.

City

State

Zip

MAIL TO

AMERICAN

CINEMATOGRAPHER

P.O. Box 2230

Hollywood, Ca. 90028

ATTACH LABEL HERE for address change or inquiry. If you are receiving duplicate copies of AMERICAN CINEMATOGRAPHER, please send both labels. If moving, list new address above.

NEW MOVIECAM 3N CAMERA
Continued from Page 929

Width: 220 mm/8.3"
Length: 550 mm/21.6"

Weight with magazine:
13.5 kg/27 lbs

Sound level: under 18 dBA (measured by AKG, Vienna)

Movement: for Moviecam 3N the new BLN compensating link movement has been created. Double transport claws and twin registration pins enable smooth pull-down as well as a high degree of frame to frame registration. Dual eccentrics provide for independent adjustment of length of stroke and position of claw-entry relative to register pins. BT-Movement (with 2-perforation pull-down) for TECHNISCOPÉ version available.

Speeds: the running speed is variable in single frame increments between 1-50 fps fwd/rev with crystal controlled accuracy, single frame stop motion is also possible with external shutter.

Magazine: 150 m/500 ft displacement type of shoulder and tripod use. Electronic footage counter, digital display of raw film, memory, loop protection, carrying handle. A 300 m/1,000 ft magazine is also available.

Lens Mount: BNCR


Shutter: reflex mirror, variable in 10° increments from 0° to 176°. Mirror stops automatically in viewing position. Interchangeable ground glasses and aperture plates for all standard film formats.

Drive: DC motors controlled by micro-processors. Moviecam 3N will run from 24 DC; for mains operation a power unit is available (110/220 Volts, 50/60 Hz), which may also be used as battery charger.

Viewfinder: optical image via rotating mirror to ground glass. The viewfinder is rotatable through 360° while still presenting an upright image. An optional viewfinder extension can be supplied. The eye-piece is adjustable. Eye pieces for left-eye-viewing and with anamorphic viewing capability also available. Heated back lens of eye-piece to prevent condensation. Another special feature, "Movielite", illuminates the reticle on the ground glass with yellow light, making it easy to see the limits of frame even when shooting night scenes with dark background, where ordinary reticles can be almost invisible.

Video System: Moviecam 3N is equipped with a Newvicon television pick-up tube, providing a high contrast display of the ground glass image which can feed TV-monitors and a video tape recorder. This integrated video head is controlled and powered by an external


NEW YORK/MIAMI



- ★ Mercury Balancing
- ★ Lens Height to 25'
- ★ 6 Wheel Drive
- ★ Partial Crabbing

- ★ Electric Motor Drive for Tracking (10 mph)
- ★ Geared Turret Head
- ★ Highway Speeds of 55 mph
- ★ Auto Leveling

DALLAS



- ★ 18' Lens Height
- ★ Crabs
- ★ Highway Speed 55
- ★ 3 Operator
- ★ Auto Leveling
- ★ 4-Wheel Drive

IN-MOTION PRODUCTIONS

Miami
Cine Tech
(305) 754-2611

New York
General Camera
(212) 594-8700

Dallas
Star Cruizers
(214) 357-3282

RENT-LEASE-PURCHASE

the 35mm **2** or 16mm Moviola Console Editors from the only one in New York




- Service contracts available on all moviola equipment.
- Complete line of editing, projection and sound equipment for rental or purchase with full shop facility for overhauls and service.
- Complete stock of editing supplies.

LAUMIC CO. INC.

306 EAST 39th ST., NEW YORK, N.Y. 10016
(212) 889-3300-1-2

Isn't it nice to know we'll be around to service your equipment . . . **AFTER THE DEAL IS CLOSED?**®

Studio Quality Sound — Compact Cassette Convenience




XLR-24 Crystal Sync Location Recorder

Crystal sync location recording in full STEREO or 2 CHANNEL monoaural sound, plus built-in reference oscillator and sync presence meter. Frequency response 45-16,000 Hz \pm 3 db with chrome tape. S/N ratio: -64 db, Wow/Flutter: 0.12% NAB RMS, Power: 120vac/6vdc Weight 8.8 lbs with batteries. Crystal accuracy; \pm 1 frame in 30 min. Sync signal/audio separation: more than -70 db. (European version available)

XLR-24 \$995.00
XLR Resolver 350.00

SMALL FORMAT FILM & VIDEO

1420 E. Edinger, Suite 205 • Santa Ana, CA 92705 • (714) 972-0153



TYLER
camera systems

VIBRATION ISOLATION HELICOPTER CAMERA MOUNTS FOR 16 / 35 / 70 mm AND TV PHOTOGRAPHY

Hollywood 213-989-4420 — San Francisco 415-864-4644 — Mexico City 905-559-4845 — New York 212-431-3930
Miami 305-757-5988 — Boston 617-266-7468 — Denver 303-777-7699
Atlanta 404-451-4624 — London 01-452-8090 — Paris 328-5830 — Sydney 428-5300

Send for brochure — Tyler Camera Systems, 14218 Aetna Street, Van Nuys, California 91401 U.S.A.

HELICOPTERS CAMERAMEN CAMERA PILOTS



"Videx" power supply which can be easily applied to the camera.

The "Video Assistant", a 1½" small monitor attached to the camera facilitates the focus puller's work.

Matte Box: lightweight construction with inbuilt horizontal and vertical flaps, three 6x6" filter frames, may be used with rotating pola filter.

Digiclapper: the inbuilt Digiclapper System optically prints a dialled scene number on the first 100 frames of each scene in the middle of the frame, with easy legibility during projection. This feature achieves considerable savings in time and film stock.

Moviespeed System: the Moviespeed System allows running speed to be changed at programmed rates during the shot. The time interval in which the acceleration or deceleration is to take place can be pre-set on switch banks. Control is by a micro-processor, which also makes appropriate exposure corrections via the automatic iris control servomotor coupled to the lens iris-ring.

The Moviespeedbox is a control unit with microprocessors and switchboard to be mounted on the camera, which controls Moviespeed System, fwd and rev mode and single frame operation.

External Single Frame Shutter: mounted in front of the lens. Electronically controlled exposure time.

EBU Time Base Code-Box: to be mounted on the camera. Moviecam 3N is the first 35 mm camera that will print real time in BCD code onto the film, thus enabling automatic synchronization on editing tables.

Operational Controls:

1. Illuminated ON/OFF switch.
2. Frame speed preset by dial buttons. Digital control display. Flickering control display indicates incorrect operation or buckle trips.
3. Display for +FWD
— REV
4. Digiclapper preset.
5. Phase shifter for synchronizing film with any TV-monitor.
6. Sync-pulse outlet.
7. External synchronization.

Heater Barney: battery powered, heats both camera and magazine (recommended for temperatures below +5°C).

Follow Focus Attachment: focusing with adjustable hand-wheels. May be used with servo-motors.

Carrying cases: made from compounded plates with sunk-in handles and locks, lined with foam inside.

Computer Diagnosis: electronic measuring device. Supervises and controls all camera functions, running speed and power consumption. ■

You've got it licked!

A Digital Speed Control for Arri 35BL, Arri 16SR, Arri 16 BLEQ with Big, Bright Readouts

CRYSDIAL lets you dial it and forget it. Perfect exposure at any speed from four frames, to make the sun rise without flicker, to thirty-two frames to steady a helicopter shot in a wild situation, without worry about the camera speed drifting, as many as 95 individual crystal controlled speeds. The same super accurate speed regulation you expect from the best crystal motor at sync speed.

CRYSDIAL removes guesswork by showing your exact speed on big, bright digital readouts that can be read across a sound stage. It is small (4" x 5" x 1½"), rugged, and has a six-foot coiled cord for attachment to camera, belt or tripod handle, etc. It can be used as a remote stop/start switch.

CRYSDIAL gives you accurate timing for shooting special effects against a pre-recorded sound track. A total choice of crystal speeds to match exotic scanning rates in cathode ray tube photography, time and motion studies, scientific photography, instrumentation photography — the list is endless, a frontier has been crossed.

CRYSDIAL TV, the newest model, is switchable to 29.97 frames so you can film TV Tubes with NO Rollup.

CRYSDIAL is a trademark of Hafflex Corporation



Box 156, Bernardsville N.J. 07924
Phone: (201) 221-0040
See Us At Booth SMPTE

SEEING IS BELIEVING Continued from Page 889

creases. People do buy colour receivers, but they were already viewers in black and white. All this supports my theme that people generally do not have absolute standards of picture quality. Rather, they require what they are accustomed to—the norm.

There is nothing remarkable in that conclusion, but an interesting extension of it is surprising. That is, that the norm is different for different media. If we briefly compare the two most familiar media which give us coloured moving pictures—film and television—we find large differences between the technical parameters that determine what the pictures look like. The primary hues, saturation, contrast ratios and definition are substantially different between film and television. Yet, when we are in the cinema we do not yearn for pictures having the appearances of television pictures. Nor do we wish for film characteristics when watching television at home.

If we think of definition in terms of elements per picture width, the resolution of the film system is considerably higher than that of television. Very few shadow mask receivers are capable of resolving more than 4MHz, which is about 400 elements per picture width. Expressed in the same terms, a 16mm film system will resolve at least twice that, and a 35mm film system very much more.

It is often stated that film requires higher resolution because it is a large screen medium. Television is, of course, often described as "the small screen," but the size of the screen is not important. What matters is the viewing scale. The distance from which people watch their television probably owes more to furnishing arrangements than optimum viewing conditions, but at the supposedly recommended distance of five times the picture height a cigarette packet or small postcard held at arms length will totally obliterate the screen. In other words, the viewing scale is that of looking at a postcard at arms length and, oddly enough, in many cinemas more than half the seats give this same viewing scale or smaller, if we ignore the wide screen aspect ratio.

The reasons for these large, inherent definition differences between the two media are very complex and partly historical, but what is of particular interest is how these inherent definition characteristics influence the way in which the media are used creatively. It is generally true to say that film exploits its wide screen and gives us many mid and long shots. Television, on the other hand, is most emphatically associated with talk-

Continued on Page 952



THE LEADING INTERNATIONAL FESTIVAL OF THE PROFESSIONAL FILM & TV INDUSTRY

*Now in its
22nd Year*

The only Festival to encompass
all phases of film production

TV & CINEMA COMMERCIALS
INDUSTRIAL &
EDUCATIONAL FILMS
TELEVISION PROGRAMS
FILMSTRIPS
LEAD-IN TITLES
TV SPOT ANNOUNCEMENTS
FEATURETTES
NEWSFILMS
MULTI-MEDIA PRODUCTIONS

November 7-9

For applications & full details,
write, phone or wire:

**International
Film & TV Festival
of New York**

251 West 57th Street
New York, N.Y. 10019

(212) 246-5133 Cables: Interfilm

BUY SELL TRADE



**Good
Used
Equipment**

BUY FROM IDI

Arri 16 S/GS, 12-120, V.S. motor, battery belt, cable, very clean **\$4995**

Nagra 4.2L, ALC, 2-preamps, case, very nice **\$4395**

16MM Moviola opt/mag; opt/pix UL20, real nice **\$2495**

SELL TO IDI

IDI will purchase your used motion picture film equipment regardless of condition. We buy outright or we display your equipment in our showrooms on a consignment basis. Call us for details. We're ready to work with you NOW.

TRADE WITH IDI

IDI is an authorized dealer for just about every brand of film or video equipment. Buy that new camera, lens, recorder, or quartz head from us and we'll take your equipment in trade. Because of our large volume, we can afford to give you **top trade-in** dollars on good used equipment.

Major credit cards accepted

CALL TOLL FREE

800 • 327-5181

IN FLORIDA CALL 305/945-1111

IMAGE DEVICES
INCORPORATED

MIAMI

1825 N.E. 149 Street
Miami, Florida USA 33181
PHONE 305/945-1111

ATLANTA

1651 Phoenix Blvd.
Atlanta, Georgia USA 30349
PHONE 404/996-0000



ARRI IMAGE STABILIZER

Continued from Page 897

forces are less disturbing with the horizontally orientated camera systems and, for this reason, this position is to be preferred. After a short trial period, each user will quickly find out for himself the refinements that can be achieved through different system positions.

The maximal accelerative force which the system can withstand without incurring damage should not exceed "6 G". This is the expected stress limit which every Arriflex camera is built to withstand. Mobile cameras without tripod do not reach this level, but securely mounted cameras can reach and even exceed this level.



The stabilizing system compensates for vibrations with a frequency of one Hertz and above, which is the equivalent of suppressing one disturbing wave or more per second.

When using the image stabilizing system with fixed-focal-length lenses, angles of view up to 20° can be used without encountering vignetting. This means that, in the 16mm format, lenses of shorter focal length than 35mm should not be used. In the 35mm format, lenses shorter than 75mm should not be used. These limitations should not cause hardship, since it is when using the longer focal length lenses that image instability is most obviously accentuated and a stabilizing mechanism is most valuable.

There is practically no upper limit for the use of lenses with longer focal lengths. When using zoom lenses, the angle of view which can be accommodated is slightly reduced because of the larger diameter of the front element of such lenses; also, loss of angle of view must be expected when filming with lenses of speeds in excess of f/2. Conversely, with lenses of slower speed, a larger angle of view is available. Since today most subjects are shot with reflex film cameras or TV cameras, the maximum angle of view available can be seen through the viewfinder.

As mentioned previously in these pages (see *American Cinematographer*, December 1978), the effect on the screen produced by the new ARRI Image Stabilizer is not so much like that of devices such as the Steadicam or Panaglide which, in addition to eliminating vibration, also equalize larger movements very smoothly. It is more like that of the Dynalens, but its light weight, compact silhouette and freedom from the sensitivity of electronics would seem to make it a most convenient and desirable instrument for the cameraman—whether working in film or video—to add to his complement of tools.

REELS. CANS. CASES.



STEEL-PLASTIC FIBER

Specify GOLDBERG
for all your REEL needs!

IF IT'S SPECIAL...
we make it!



**GOLDBERG
BROTHERS**

P.O. Box 5345, T.A. — Denver, Colo. 80217

COMPLETE INTERNATIONAL DIRECTORY OF FILM & VIDEO FESTIVALS



**BRAND
NEW!!**

**The
Only One
of its Kind . . .**

**AT LAST THE COMPACT SOLUTION
TO YOUR CONTEST/GRANT IN-
FORMATION NEEDS & ENTRY
QUESTIONS.**

A 610 page (5½"x8½") Cross-Indexed, comprehensive & up-to-date reference source to over **1800 SEPARATE WORLDWIDE EVENTS** in Film, Video, Audio, Photography, TV-Radio Broadcasting, Writing, Poetry, Script & Playwriting, Advertising, Print & Broadcast Journalism. . .

Including:

- Contests, Festivals, Competitions.
- Grants, Money & Equipment Loans.
- Prizes, Awards, Honors, Project Funds.
- Scholarships, Fellowships, Residencies.
- Apprentice, Training, Intern Programs.
- Salons, Exhibitions & Sales Markets.

**MILLIONS IN CASH,
PRIZES & GRANTS
AWARDED EVERY YEAR!**

ORDER NOW!

All this under one cover for only

\$15.95 (Softbound)

\$21.95 (Hardbound)

*with no risk 14-day full-money-back
guarantee on books returned in
salable condition.*

RUSH check or money order, and \$1.50
postage & handling to:

FESTIVAL PUBLICATIONS
Dept. AC-5, P.O. Box 10180
Glendale, Calif. 91209 U.S.A.

(In order to hold down the costs of billing &
bookkeeping, pre-payment is required.)

To: FESTIVAL PUBLICATIONS
Dept. AC-5, P.O. Box 10180
Glendale, Calif. 91209 U.S.A.

Rush me CONTESTS, FESTIVALS & GRANTS:

_____ copies **Softbound** at \$15.95 each, and/or

_____ copies **Hardbound** at \$21.95 each, plus

\$1.50 postage & handling per copy (**U.S. funds**).

I enclose check or money order for _____ total.

Name (print) _____

Address _____

City _____ State _____ Zip _____

California residents please add 6% sales tax.

FILM IS GOOD FOR TV
Continued from Page 921

rostrum camera job. But so strong are my feelings about mixing textures that I used an electronic camera on a film rostrum bench.

Incidentally this Videogram was recorded on 2-inch VT and it can be played back on a Sony U-matic, the only means, alas, of hearing the stereo sound—but the disc is coming. RCA have already mastered the Videogram for demonstration purposes and Philips/MCA are, I believe, making it available soon on their disc system. The BBC transmitted it twice last Christmas and this Christmas you will be able to buy it in cassette form in the shops in mono. Roll on the video-disc!

And to show that there is no ill feeling, I am at the moment producing and directing a two-hour documentary for transmission on ITV in August called KITTY—RETURN TO AUSCHWITZ, and also a series of six one-hour documentaries for next year called WOMEN OF COURAGE—all for Yorkshire Television and *all* on film.

Quite a lot of the programmes I have made over the years have been historical documentaries, using large quantities of archive film. For instance, THE LIFE AND TIMES OF LORD MOUNTBATTEN for ITV, and more recently for the BBC, THE MIGHTY CONTINENT—a view of Europe in the 20th century. So I have some knowledge of how history has been recorded and preserved on film. 1897: magnificent footage of the Naval Review celebrating Queen Victoria's Diamond Jubilee. 1900: the Emperor Franz-Joseph reviewing his army. Amazing material—and so it goes on—the growth of cinema newsreels, Gaumont British, Pathe, Paramount, Universal and Movie-tone. A breed of cameramen who captured history, not merely for that week's newsreel, but for posterity. The "establishing long-shot", the details, the cut-aways, the little observations which are gems in the world's archives today.

Then in the 50's television joins in. Rather clumsily at first, but with the advent of 16mm and the growing importance of the newscaster, a change began to take place. The mobility of the camera and the sound equipment (and faster film stock) set a new style. Get in quickly—shoot—get out quickly; rushes back to base; through the bath at quick speed; chop, chop in the cutting room; roll telecine; you're on the air—it's all terrific!

No need for the lovingly composed establishing long-shot anymore, it has been replaced by the newscaster: "Yesterday Mrs. Margaret Thatcher, the Prime

WESTERN Cine

16mm to 35mm BLOW -UPS

**Best acuity
in the state
of the art today!**

Sharpness! The way people see it on the big screen. Nothing else matters. At Western Cine we are uniquely qualified to blow-up prints from 16mm to 35mm with excellent acuity -- actually the best in the state of the art today.

If you are contemplating a 35mm blow-up of your 16mm film production, we will furnish a test of your work at no charge.

**WE PROVIDE
COMPLETE
FINISHING SERVICES**

Processing
Printing
Titrting

Theatrical Sound Mixing
Optical Effects

For information, call or write. . .



312 So. Pearl St. • Denver, CO 80209
(303)744-1017

Cine Craft

3611 San Fernando Blvd. • Burbank, CA 91505
45 N. Texas Ave. • Orlando, FL 32805

angénieux offers more than quality lenses...



...quality SERVICE

We stand behind our quality products — with quality service. Dedicated professionals using angénieux designed test equipment, spare parts and the skills of experienced factory trained technicians.

You bought superior quality, therefore, we believe you will want superior service. To prove it, please accept our offer for a FREE evaluation of your lens.

Contact the nearest office today.

angénieux
corporation of america
NY (516) 567-2424
1500 OCEAN AVE., BOHEMIA, NY 11716
CA (213) 821-5080
13381 BEACH AVE., VENICE, CA 90291
ONT (416) 291-2363
4 HAVEN HILL SQ., AGINCOURT, ONT., M1V-1M4

Minister, attended a dinner in Tokyo together with other leaders taking part in the summit conference." Roll Telecine—cut to close up of Prime Minister with chop-sticks!

This gradual process of erosion in gathering and preserving today's news (and tomorrow's history) took place while, sadly, the cinema newsreels fell by the wayside. Television killed them off. Brave Movietone struggled on and finally packed up its cameras a couple of weeks ago. What does remain however are the rich film archives created by these companies. The money on the negative had, after all, been spent. An exposed neg is an exposed neg. But with a fine grain, dupe-neg and print that original negative could be earning its keep, because people like me will always want to use old archive film.

Television, albeit in a more haphazard way, also retains its master film in its own archives. With the help of the newscaster even the briefest coverage can live again.

Now, along comes ENG—Electronic News Gathering. Unlike film, tape can be used again. Tape is indeed being used again and again. As everyone knows, tape is very expensive, so there is every incentive to use it again and again and again. Are we therefore, in the last quarter of this century, entering an era of "throw-away" history? This is not an idle question. I sincerely hope that when you all meet again here at FILM '81 the relentless march of technology will have produced a technically superb and inexpensive storage system which will enable us to regain our much bruised sense of history. Students of the 21st century, I hope, will be able to look back on this century and say that we have not let them down.

But in spite of this retrograde step of which both are guilty, I firmly believe that film is extraordinarily good for television and television is very, very good for film. ■


FILM OR VT TIME CODE? Continued from Page 881

the Public Broadcasting Service (PBS) has been developing a closed-captioning television system under contract to the Bureau of Education for the Handicapped, Office of Education, United States Department of Health, Education, and Welfare (HEW). In this system, captioned information will be transmitted as a data stream on Line 21 of a television picture in a hidden or closed caption form. This data stream will be converted into visible captions at a television receiver only if that receiver contains the necessary decoding equipment that is currently being developed for PBS.

UHLER PRINTERS

For 35, 16, 8, & Super 8mm Films.
Information on these and other types
available on request.

Model No. CC16-8-S8




Combination Contact 16, 8, & Super 8mm films.

For sound & pictures in color and B & W 1200 ft. capacity.

Price \$4500.00 f.o.b. Detroit.

Model No. CCP16-8-S8



Optical Reduction & Enlarging,
color and B/W,
1200 ft. capacity

16 to Super 8mm Price: \$5595.00

35 to 16mm Price: \$6995.00

Reduction only 16 to Super 8mm
Price \$4995.00

Reduction only 35 to 16mm
Price \$6395.00

Model RE16-S8 and Model RE35-16

Model CP16-S8



Cine contact 16, 8, & Super 8mm films
—sound & picture, 400 ft. capacity,
Negative, positive, and reversal. Price:
\$750.00 f.o.b. Detroit.

UHLER CINE MACHINE CO.

15762 Wyoming Ave.,
Detroit, MI 48238 U.S.A.

Phone: 313-861-4663 Cable: UHLICIMA



**HOLLYWOOD'S OLDEST
FILM SCHOOL**
NOW ACCEPTING ENROLLMENTS
FOR OUR NEXT

MOTION PICTURE COURSE

CAMERAS • SOUND RECORDING
LIGHTING • EDITING • EFFECTS
COMPOSITION • SCRIPTING • ETC.

Two Week Courses— Evening Classes

**DANNY ROUZER
STUDIO**

7022 Melrose Avenue, Hollywood, California 90038
Request Brochure HC (213) 936-2494

SUPER BALTAR LENSES

We have the only remaining inventory of
BRAND NEW Super Baltars, from 20mm to
152mm in the world to date! Write us or
call for prices.

1994 N.E. 149th St.
No. Miami, FL 33181
(305) 949-9084, 9085

NCEO
OF FLORIDA, INC.

UNDERWATER PHOTOGRAPHY

I.E. COLUMBIA PICTURES

**THE
DEEP**

16-35 PANAVISION

AL GIDDINGS

415 530-1122

PIONEER-
TREBES
PRINTERS

OPTICAL PRINTERS
ANIMATION STANDS
LAB EQUIPMENT

(213) 843-0530

PIONEER

Marketing Corporation

CABLES PMAGIC
1021 N. Lake St
Burbank, CA 91502

R-2 Reflex Auto- COLLIMATOR

Focus Testing Equipment is made by
RICHTER CINE EQUIPMENT, ESSEX, N.Y. 12936
for people who care about image quality.
Cost? Less than one good lens or
one out-of-focus scene.

ROSCO
color media


ROSCO, PORTCHESTER, N.Y. 10573

B&H FILMO 70 SERIES
Professional 16mm Cameras

Sales • Service • Repair

An exclusive product of

ALAN GORDON ENTERPRISES, INC.
1430 N. Cahuenga Blvd., Hollywood, CA 90028
Telephone: (213) 466-3561 • (213) 985-5500
TWX: 910-321-4526 • Cable: GORDENT



To date, the development has focused on the use of videotape as the television program origination source because the VTR easily records the caption code in Line 21. However, it is intended that captioning will be compatible with television program material that is recorded on both videotape and film. Consequently, PBS last year solicited proposals for a feasibility study that would analyze the appropriate methods for the closed captioning of filmed program sources.

The Rochester Institute of Technology has conducted a feasibility study to evaluate methods to make caption codes compatible with filmed program sources. And the choice of concept(s) to encode motion picture film and the possibility of future work still rests with both the program director at RIT, Mr. Robert Murray, and PBS.

However, a few months ago, the SMPTE received a proposal for review (by the Society's engineering committee) to consider reserving the area between the film edge and the sound track for use as a data track. It was proposed to study the placement of the SMPTE time code (without drop frame) and specific additional "user" data in this 8-mil width area. The choice of the area outside the sound track was significant. If we observe the area of 16mm film occupied with data, we find little "real estate" remaining.

A working committee was immediately formed by the Society, and that committee, chaired by Michael Strong of Worldwide Films, is currently evaluating this proposal. Tests are being conducted to record and read the SMPTE time code at various data rates: 24 fps, 29.97 fps and 30 fps.

While the success of this approach is by no means assured, it is significant to note that 10 years ago this technique could not have been considered because optical sensors did not have adequate spectral response to effectively read this track.

The intention of those proposing that this data track standard be adopted by the SMPTE is to use the adequately available number of used bits per frame for including captions in the release print.

Of course, for the rest of us who are interested in coming up with a universal time code that would have more utility and hence be more economically viable than the existing EBU time code, the approach of laying down on film the same time code as used on tape, if successful, would be an ideal solution.

The difficulty of the task is not to be underestimated. The high packing density of the SMPTE time code—running from 80 to 100 bits per frame, depending on the frame rate at which the code is recorded—will require very sophisticated

Battery Problems?

Now available from Film Equipment Service Company—a battery system that overcomes common problems with

- "Memory" effect
- Charging
- Cold weather operation
- Short running life

Film Equipment Service Company's power units feature true sealed lead-acid batteries. Result: no "memory" effect. Excellent cold weather operation. Cycle life to 2,000 cycles. No corrosion or leakage. With a built-in meter.

FESC's two-step constant current charger senses when power unit is charged. So charger will not overcharge batteries.

Battery packs and belts for all film and video cameras and 30 volt lights. 2.5, 5 and 10ah units.

To inquire about free 2 week trial, call or write:



**FILM
EQUIPMENT
SERVICE
COMPANY**

1875 South Pearl St. • Denver, Colorado 80210
303-733-1980

NCE II[®] ANIMATION MOTOR



If you own an Arri, Mitchell, Cine Special, Maurer, B&H 2709, Eastman Reflex or any other camera with an outside drive shaft, you can have a motor driven, single frame camera for either animation or stop motion photography by adding the NCE II Animation Motor now manufactured by AGE Inc. The NCE II is an integral system of motor, adapter and control unit which, with the correct adapter, connects to almost any 16mm or 35mm professional camera. Because the motor rotates only when the continuous or single frame switch is actuated on the control box, the NCE II provides three major advantages: (1) Low electrical energy consumption; (2) Silent operation; (3) A motor that will not overheat. Write or call for detailed data sheet.

alan gordon enterprises inc.

1430 N. Cahuenga Blvd., Hollywood, CA 90028
Telephone: (213) 466-3561 • (213) 985-5500
TWX: 910-321-4526 • Cable: GORDENT

New Arriflex Film: "16SR CLOSE UP" FREE

Fascinating details of design and manufacture, plus vivid footage of the 16SR in use. 16mm color, 17 minutes. We'd like to lend you a print. Please write on your company or university stationery to Film Department, Arriflex Corporation, 1 Westchester Plaza, Elmsford, NY 10523. Thanks.

ARRI

MOVING?

PLEASE NOTIFY US
6 WEEKS IN ADVANCE

Miss/Mrs./Mr.

Name (please print)

New Address

Apt. No.

City

State

Zip

MAIL TO
AMERICAN
CINEMATOGRAPHER
P.O. Box 2230
Hollywood, Ca.
90028

ATTACH LABEL HERE for address change or inquiry. If you are receiving duplicate copies of AMERICAN CINEMATOGRAPHER, please send both labels. If moving, list new address above.

high-resolution writing and reading techniques. Problems of signal-to-noise and crosstalk with the adjacent optical sound track are yet to be resolved.

If success is achieved, however, then the adoption of a code for which much of the control hardware already exists should result in significant economies in its implementation. Moreover, with the increasing interface between film and tape, use of the same code in both media will greatly simplify all of the post-production processes that involve interaction between the two. ■

NOTED AND NOTABLE Continued from Page 905

There are many other bits and pieces of equipment on display that warrant interest, but the aforementioned four items alone, to my way of thinking, have been well worth the trip to London and they will most assuredly have a substantial positive impact on the industry.

That evening Samuelson Film Service Ltd. welcomes a crowd of 300 to its traditional bash at company headquarters in Cricklewood Broadway. Simultaneously, the Rank companies host a dinner cruise on the Thames for visiting delegates.

On the next day, Friday, July 6, the papers program is devoted entirely to laboratory technology.

In the evening the black-tie FILM 79 Banquet that formally winds up the Conference is held in the Grand Ballroom of the London Hilton Hotel. It is a gala event with Henry VIII and his entourage of jesters, jugglers and troubadours entertaining. But the great hit of the evening is the Royal Artillery Band, with its smart marching choreography and repertoire ranging from "Seventy-six Trombones" to "There'll Always be an England". There will indeed, judging from the tumultuous standing ovation accorded this fine troupe by its appreciative audience.

Then it's all over—with most of the foreign visitors heading for home or extended vacations in Europe. But it has been a magic week, and when the statistics are in it will be found that FILM 79 attracted more than 1,300 registered delegates from over 50 countries—the largest attendance yet.

As for the conduct of the event itself, it could hardly have been more smoothly carried off—a tribute to the many loyal, hard-working folks who did all the chores behind the scenes.

Many people make a point of telling me: "This has been the best yet!"

I would be willing to bet that the verdict is unanimous. ■

ECLAIR

Repairs and Service
NPR — ACL

All Work Guaranteed

Ecamm Company
1430 N. Cahuenga Blvd.
Hollywood, CA 90028
Telephone: (213) 466-7301

SHOOTING in CANADA?

Contact Jim Grattan for top equipped crews. Single and double system.

4606 St. Catherine Street, West
Montreal H3Z 1S3, P. Q. Canada
(514) 932-1463

GRATTAN PRODUCTIONS

CP and FREZZOLINI CORDLESS CAMERAS

COMPLETE OUTFITS
used, reconditioned **\$2995 up**
Includes Ang. 12/120 Zoom lens,
magnetic recording head, amplifier,
400' magazine, battery.

PHOTOMART

CINE EQUIPMENT SUPPLIERS
6327 S. ORANGE AVE., • ORLANDO, FLA. 32809

Phone (305) 851-2780

WE BUY Film Stock

Will Consider All 16/35mm Types
Sealed, Opened and Ends

TOP CASH

PLUS 50% OF SHIPPING

RAFIK (212) 473-5851
814 BROADWAY, NEW YORK, N.Y. 10003

ARRI
REPAIRS

Expert & Reliable Repairs
on all Arriflex Equipment
Including Lenses

ROESEL
Cine Photo Tech
48-20 70th St., Woodside, NY 11377
Wolfgang Roesel (212) 424-1600
Former Service Manager of Arriflex Comp.

HAWAII
9kgmbtv Colorfilm
1534 KAPIOLANI BLVD., HONOLULU, HAWAII 96814
Telephone: (808) 944-5225 or 944-5200
WRITE FOR PRICE SCHEDULE


16mm color motion picture processing and printing
ECO-3 ME-4 VNF-1

Let the PRO'S tell you How to Buy a 16mm Sound Projector

FREE

We will send you the article which appeared in FILMMAKERS NEWSLETTER on buying a "Used Projector."

HECHT — Box 443 — Ellenville, NY 12428



The PRETTIEST FILM FOR SALE

Why not cut your TV commercial around something incredibly beautiful—saving money and headaches in the process! From the aerial photographers of "Jonathan Livingston Seagull" comes the "Prettiest Pictures You'll Ever See!"

HANG GLIDING SURFING
DUNE BUGGIES SEAGULLS
AIRPLANES BALLOONS
INCREDIBLE AERIAL SCENICS
and MORE Ring (714) 494-1055
Box 205, So. Laguna, CA 92677

MACGILLIVRAY-FREEMAN FILMS

CALL A PROFESSIONAL Cine-Craft, Inc.

A full service laboratory for 16mm, Super 8, Regular 8
Any quantity Best prices

3611 San Fernando Blvd., Burbank, CA 91505
(213) 843-7036
Write for free brochure

BLOW-UP

HIGH QUALITY
35MM NEGATIVES
FROM YOUR 16MM ORIGINALS

Stock Shots Enlarged to Match-in with your 35mm Negative
Complete Pictures Transferred to 35mm

Call—Adrian at (213) 463-3178

CINESERVICE, INC.

1459 North Seward Street
Hollywood, California 90028

BEHIND-THE-LENS FILTER HOLDERS

For Angenieux lenses on all Arriflex 16, Eclair NPR and CM3 cameras, and for the 25-250 Angenieux for 35 mm -- in kits with gel cutter, tweezer, spare gel container and other convenience features.

Ask for brochures

CUSTOM PHOTOGRAPHICS

P. O. Box 25007, Portland, Oregon 97225 • 503-292-5569

AUTOMATIC DAYLIGHT PROCESSOR


- Processes up to 200 Ft.
- Super 8 to 105mm
- Movie—X-Ray • Microfilm
- Motor Driven—Portable
- Film Dryers Available
- Guaranteed

Write for Free Literature

OUR 32nd YEAR

Micro Record Corp.

487-14 South Ave., Beacon, N.Y. 12508



REPORT FROM FILM 79 Continued from Page 931


occur while shooting in hazardous conditions, especially when filming in a boat!

The new *raised video monitor* is now positioned mid-way between the STEADICAM camera-mounting platform and the sled-like lower portion. The new design allows the monitor to be tilted up or down and rotated about its axis, so that the operator can find the most convenient viewing position for shooting specific sequences.

For filming special effects, STEADICAM now permits the camera to be rotated a full 360° during the shot. (A special adapter is required for low-angle and tabletop shooting with the camera on the bottom instead of on the top.)

Prices for the new STEADICAM (Universal Model II) start at \$19,500.

For further information, please write to Cinema Products Corp., 2037 Granville Avenue, Los Angeles, CA 90025. Tel: (213) 478-0711 or (213) 477-1971.




CINEMA PRODUCTS' NEW KM-16 — A HIGH-QUALITY LOW COST, FILM-TO-TAPE TRANSFER SYSTEM

The KM-16 film-to-tape transfer system projects an image from any 16mm film, B&W or color, print or direct reversal film, to any ENG/EFP type video camera for recording on videotape or transmitting by microwave or cable.

The system incorporates the basic capabilities of a large tele-cine chain, with the added benefit of the video camera not being permanently installed in the system. With the KM-16, any station with a standard ENG/EFP type video camera can be assured of broadcast quality tape or transmission from 16mm newsfilm. Newsfilm need not be held up for conversion to videotape because of lack of access to a large tele-cine chain.

Being extremely compact and portable, the KM-16 can also be used to great advantage (in conjunction with a film mini-processing system) where ENG and newsfilm crews are operating in tandem on location—especially in remote areas or under adverse shooting conditions when only newsfilm crews can operate.



10,000 Rosco and Lee color sheets and rolls of reflective, diffusing, color-correcting media always in stock—plus all the newest, like new super-thin 2-mil for TV and 1/4-inch 4' x 8' panels for display. Everything for the professional—ready for immediate off-the-shelf delivery! Send \$1 for complete swatchbook.

Complete line of Supersaturated Roscopaint in stock for immediate delivery—literature on request.

Nationwide service for over 25 years. Same-day shipment anywhere in US.

Rush delivery in Manhattan.

(212) JUDson 6-1620

BARBIZON ELECTRIC

426 W. 55, NYC 10019



**Zeppelin®
wind screen**


Z416 — \$115.00
Z816 — \$130.00
AR416 — \$75.00
AR816 — \$70.00
High-Wind Sock for any size — \$17.95

The Zeppelin® Wind Screen insures perfect sound recording in all conditions where wind or air movement is present. Its aerodynamic design screens the microphone from wind but allows sound in. Although extremely lightweight, the Zeppelin is virtually indestructible and can be boom mounted or hand held with the Independent Suspension Shock Mount. There are Zeppelins available to house Sennheiser 816 and 416, AKG CK-8 and CK-9 and other similar microphones. Zeppelins and ISS Mounts are all-American made.

alan gordon enterprises inc.

1430 N. Cahuenga Blvd., Hollywood, CA 90028
Telephone: (213) 466-3561 • (213) 985-5500
TWX: 910-321-4526 • Cable: GORDENT

**Where to rent
the best for less.
\$79/week**



We guarantee professionally maintained equipment at the lowest price on Nagra, Vega, Sennheiser... all your sound equipment needs.

Similar saving on Sony Video-cassette rentals.

For daily delivery in NYC or immediate air express anywhere, call our Hot Line service anytime: **914-769-5087**.

**Scharff
Communications**
Sound and Video Equipment Rentals

**LEE
RENTS**

ARRI 16SR



AVAILABLE COMPLETE

**NAGRA PACKAGES
OUR SPECIALTY**

**SENNHEISER MATTHEWS
LOWEL • VEGA • ECLAIR**

**LEE
MOTION
PICTURE**

**RENTAL
SALES
SERVICE**

1016 NORTH SYCAMORE AVENUE
HOLLYWOOD, CALIF. 90038
(213) 876-1100


To avoid delay in getting processed newsfilm back to the station, the KM-16 would be used with an ENG camera to broadcast newsfilm to a local station receiving tower or via satellite worldwide.

Its low cost and high-quality performance make the KM-16 film-to-tape transfer system especially attractive to small TV stations.

The KM-16 operates by illuminating the image 60 times a second through a condenser system. The magnification is one-to-one, with the image further projected to infinity through a 45° mirror for reversal. The xenon lamp discharge is phase synchronized to the video camera's vertical blanking. This sync pulse also controls the phase relationship of the film pull-down to the lamp discharge.

The film movement is a pin-registered friction pull-down of 50°, well within the safety margin of 72° maximum, insuring high-quality film-to-tape transfer.

With the ENG/EFP camera lens set to infinity, the image is in focus; it can be viewed either on a monitor or the viewfinder of the video camera. By adjusting the focal length of the lens, the image can be adjusted to fill either the viewfinder or the monitor screen.



**NEW GENERATION EDITING
EQUIPMENT**

At FILM 79, Acmade International, a leading manufacturer of film equipment, showed a range of products including the new generation editing equipment, consisting of picture synchronisers, with the following features: fully motorised units with instant forward/reverse (rock and roll) movement, instant stop/start unit with facility to disengage the motor for fast hand wind. These picture synchronisers have a large 4 1/2" x 3 3/8" picture and allow for easy access to optics for cleaning.

To complement the Fourway editing machines, for both 16mm and 35mm, Acmade has introduced the Compeditor and the Twin-Pic models.

The Compeditor is available in 16mm and 35mm and is a 5-way, new concept in film editing whereby all editing and track laying is now carried out on the same machine. This unit has an independent

OXBERRY

Division of Richmark Camera Service, Inc.
Tel. (201) 935-3000
Cable: Oxberry Carlstadt N.J.
180 BROAD ST., CARLSTADT, N.J. 07072

**OPTICAL
PRINTERS
LIQUID GATE
ANIMATION
& FILMSTRIP
EQUIPMENT**

**ECO TYPE
7252
SUPER 8
100 FOOT ROLLS**

AVAILABLE FROM



NEWFILM LABORATORY, INC.
516 North Larchmont Boulevard
Hollywood, California 90004
(213) 462-6814

FREE CATALOG

HARD-TO-FIND PRECISION TOOLS

Lists more than 3000 items: pliers, tweezers, wire strippers, vacuum systems, relay tools, optical equipment, tool kits and cases. Also includes ten pages of useful "Tool Tips" to aid in tool selection.

JENSEN TOOLS & ALLOYS
1230 SOUTH PRIEST DRIVE • TEMPE, AZ 85281



**ELECTRONIC
follow focus
servo motor drives
auto dissolve units
DESIGNED
to fit
most existing
optical printers**

FOR INFORMATION, CONTACT:

ELICON

254 Viking Ave., Brea, Calif., 92621
(714) 524-2407

EAST COAST REP.

VISUAL EFFECTS

57 West Grand Ave., Chicago, Illinois 60610
(312) 642-8442

FOR SALE

2 Vista-Vision Cameras

Mitchell Mfg., light-weight or butterfly models with Hasselblad lenses, view through the lens, filters, matte boxes, film magazines, motors, batteries, miscellaneous and shipping cases.

(213) 780-2156

STAN WATERMAN FILMS UNDER THE SEA

*The Deep
Blue Water,
White Death*
ABC Sports

16-35 PANAVISION
MEMBER 1A 644
25 YEARS EXPERIENCE

16 HUNTER ROAD
PRINCETON, NJ 08540
609 921-7204

ANIMATION
LEARNING KITS,
SUPPLIES, EQUIP.
New No. 106 Catalog \$1.99
heath productions, inc.
1700 N. Westshore Blvd., Tampa, FL 33607

CANADA'S LARGEST

**LAB AND SOUND
FULL SERVICE
ORGANIZATION**



MONTREAL 2000 Northcliffe Ave.
Montreal, Que. H4A 3K5
Tel.: 514-484-1195

TORONTO 720 King St. West
Toronto, Ont. M5V 2T3
Tel.: 416-364-3894

Pathé Sound Studios
121 St. Patrick St.
Toronto, Ont. M5T 1V3
Tel.: 416-596-2521

*A DIVISION OF ASTRAL BELLEVUE PATHÉ LTD./LTEE

FOR THE PROFESSIONAL SOUNDMAN:

If you need a Nagra Recorder, Sennheiser, Schoeps, Micron, Vega Microphones, Tynmic, Audio Development Mixer, Rycote Wind Screen, etc?

Call or write us . . .

We sell all new equipment at excellent prices!

CINE SOUND 5

20440 Tiara Street / Woodland Hills, CA 91367
(213) 348-9403



T-Shirts for Filmmakers

Twenty-one popular professional film equipment designs. Write for free brochure.

alan gordon enterprises inc.

Dept. TS

1430 N. Cahuenga Blvd. Hollywood, CA 90028

Telephone: (213) 466-3561 • (213) 985-5500

DON'T LOSE YOUR HEAD!


We will renew your Fluid Head and overhaul it completely to be **BETTER THAN NEW!** Write or call us for our super fast service and low prices.

1994 N.E. 149th St.
No. Miami, FL 33181
(305) 949-9084, 9085



fourth sound track enabling both searching and synching to be carried out without involving the use of two machines.

The Twin-Pic model is a two picture/three sound track machine for the two camera set-up. In addition, a wide range of cutting room accessories was exhibited.



NEW CP CAMRAPROMPTER AVAILABLE

Cinema Products Corporation introduces a unique new prompting system, the CP CAMRAPROMPTER (patents pending).

Extremely lightweight, easy to mount and simple to operate, the new prompting system utilizes a clear glass set at a 45° angle in front of the video or motion picture camera lens, and is mounted in a matte box-type enclosure.

The clear glass (with anti-reflective coatings on the side facing the camera lens) acts as a mirror, yet allows for the most minimal light loss to the lens (4% max!), which is no greater than the light loss caused by a filter.

The script copy can be typed or hand-printed onto a continuous roll of 6"-wide matte-finish clear plastic, which is advanced by means of an ultra-silent, miniaturized motor-drive unit, with a small remote control box providing continuously variable speed control. The remote control box may be operated either by the subject being photographed or by the person in charge of pacing the sequence who is viewing the script roll from the side of the CAMRAPROMPTER unit!

A side-mounted light source (or ambient sunlight outdoors) provides the image on the 45°-angled clear glass "mirror." The entire system is operated from a 12-volt battery, and can be readily used on location both indoors and outdoors.

The CP CAMRAPROMPTER weighs under 4 lbs. It is priced at approximately \$1200.

MOVING?

When changing your address, please notify us at least four weeks in advance. BE SURE to give your FORMER address as well as your NEW ADDRESS and ZIP CODE.

AMERICAN CINEMATOGRAPHER

WHY WOULD A FILM PRODUCER

in Washington, D.C.
or San Jose, CA
or Reno, NV
or Anchorage, AK
or Honolulu, HI
or Redding, CA
or Yourtown, USA

USE A LAB IN PORTLAND, OR?

Maybe it's because they have found that they can get good, clean processing, highest quality prints, on time, with fair prices and no buck passing.

Maybe they have found that they can talk directly with knowledgeable people who work on their film. People who care!

If you want a lab that takes pride in every job why not call us? Frank Hood or Arlan Evensen, 503/224-3835. We're only a few hours away from any city in the United States.




Frank Hood

Teknifilm

909 N.W. 19th St. Portland, OR 97209

super grip

... the ideal camera mount
for difficult situations



Super Grip's single, powerful "gripper" makes it a quick, strong and efficient means of mounting cameras and lights in an unlimited number of difficult situations. It will mount on curved, irregular or flat surfaces in a horizontal, vertical or in-between position and may be tilted through a 360° circle by turning the gripping pad on the surface.

PRICE: \$375.00

(Includes Super Grip complete with carrying case, angle camera bracket, mounting bolts, wrench and instructions)

alan gordon enterprises inc.

1430 N. Cahuenga Blvd., Hollywood, CA 90028
Telephone: (213) 466-3561 • (213) 985-5500
TWX: 910-321-4526 • Cable: GORDENT


SKIDPLATE!

NEW FROM CIRO:
Now available
at your dealer.


Rubber foot stop
splicer from sliding.
Fits quickly onto
any CIR-type splicer.

CIRO

EQUIPMENT CORPORATION
6820 Romaine Street, Hollywood,
California 90038. (213) 467-1296



BIRNS & SAWYER DIRECTORS' FINDER



The Ill-B Cinemascope 35/16mm Zoom Finder is for all widescreen formats and film ratios. Built-in adjustable masks frame views at 1:1.66, 1:1.75, 1:1.85, 1:1.33, and 1:2.55. Special focal lengths range from 18.5 to 100mm for 35mm, and 9 to 50mm for 16mm. Embodies the latest advances in optical technology. Only \$229.50. Locking neck chain and leather case included.



BIRNS & SAWYER
1026 N. HIGHLAND AVE.
LOS ANGELES, CA 90038
(213) 466-8211 • TELEX 673280

SEEING IS BELIEVING Continued from Page 943

ing heads, i.e. close-ups. So even though when we visit the cinema we may well be viewing at the same scale as when we watch television, we tend to be seeing rather different sorts of pictures.

However, if we watch a Telecine replay of a typical piece of good quality 16mm film containing some mid and long shots, there is little doubt that, for most people, that film on Telecine does not meet their norm for satisfactory television pictures. Unfortunately, there are too many people in the television industry who will blame "inadequate" film for this. Equally, there are many people in the film industry who will blame the inadequacy of the television system. These attitudes do not help! The real reasons lie elsewhere and rest entirely on the concept that I have tried to develop in this paper. Film which projects satisfactorily does not look the same, or right, over television because it does not satisfy our pre-programmed concept of satisfactory television pictures. So strong is the influence of this prior conditioning that even professionals are unable to reject it, despite the knowledge that a different set of references should be brought to bear. This is why the slight vertical unsteadiness and minor abrasions of projected film go unnoticed in the cinema, but scream out at us when seen on our television screens. They are defects which are not normal for television.

Exactly the same sort of thing happens when television pictures are transferred to film. Such transfers do not make satisfactory film for projection purposes unless they have been "doctored" to look like conventional film. Such doctoring owes nothing to objective matters of resolution or colorimetry. It owes everything to subtle tricks which experts in the transfer field have had to develop by experience. but these tricks cannot always eliminate the head banding and dropouts which we seldom notice when viewing television. So foreign are these picture defects to the film medium, however, that they become immediately and objectionably noticed.

In conclusion then, satisfactory picture quality owes less to absolute factors than to the satisfaction of what we have been programmed to accept as normal. These expectations, or norms, are different for different media and include creative as well as technical aspects. Because of this problems arise when two different media are combined. These problems can only be overcome by so altering the characteristics of the "foreign" medium that it satisfies the subjective norm for the host medium.

*Vol. 80, P.801, Oct. 1971

COPYRIGHT FREE

33 original compositions specifically recorded for use as background musical moods for films, radio and television production, commercials, slide shows, and any other audio-visual requirements.



ARCAL Musical Moods-791, including unrestricted license to reproduce, is being offered at an introductory price of

\$20.00

Calif. residents add 6% sales tax.

Arcal Productions, Inc. Ph. (415) 369-7348
2732 Bay Road, Redwood City, Calif. 94063

THE FIVE C's OF CINEMATOGRAPHY

EIGHT BIG PRINTING! \$20

The classic definitive text for learning and visualizing motion picture and television production techniques.

Postage: USA \$1; Foreign \$2. CA 6% Tax

10-Day Trial Offer! Free Brochures!

Cine/Grafic, Box 430, Hollywood, CA 90028 USA

RECORDERS MICROPHONES

Projectors—Tables
Resolvers, Crystals,
M.S.T. X-TAL, MagFilm
conversions by THE FILM GROUP


UHER
AKG JVC

SONY SUPERSCOPE

SENNHEISER
electronic

JAC CARPENTER (CINE)
PO BOX 1321
MEADVILLE, PA 16335

WESTHEIMER Company



Joseph Westheimer, A.S.C.

**TITLES, TRAILERS, INSERTS AND OPTICAL EFFECTS
FOR MOTION PICTURES AND TELEVISION**
HO 6-8271

736 Seward St., Hollywood, Calif. 90038

BOLEX ACCESSORIES

- 24-Frame Sync. Camera motor 115V
- Var. Speed Battery Camera motor 24V
- 400-ft. Magazine w/400' counter in camera
- Intermittent motor — Range 1½ sec. to 36 min.
- Animation motor. Fits single-frame shaft

Write for Bolex Accessory Catalog
STEVENS ENGINEERING CO.
P.O. BOX 1605,
NEWPORT BEACH, CA 92663

BUY — SELL — SWAP HERE

EQUIPMENT FOR SALE

SUPER 16 Auricon Conversion by General, with pilotone, Angenieux 15-150, 2-400' magazines, Frezzi 1000 NiCad power pack, Halliburton case. Good Condition, \$1400. BARRY BRAVERMAN (603) 543-3982.

ARRI 16SR with 2-400 ft. mags, rt. and lt. hand grips, 2 batteries and chargers, choice of lenses. M. Schlansky, GENERAL CAMERA CORP., 471-11th Ave., NYC 10018 (212) 594-8700.

BOLEX Rex 4, 10mm, 25mm, 75mm (macro), 150mm (macro), Switar lenses, excellent condition, \$1350. (213) 851-4025.

GRIP TRUCK, fully equipped converted GMC 17-ft. step van w/generator, 16-ft. box w/professionally stocked and maintained grip package, two 40-gal. gas tanks, Xlnt location vehicle. (213) 461-3294.

Seven Baltars for Mitchell NC \$700. Three Mitchell tripods, friction head, \$475. Angenieux 12/120 Arri Std. and C mounts, \$1000. Pathe reflex 16mm, two lenses, \$285. B&H 70-DL, two lenses, case, \$165. No. 1832, AMERICAN CINEMATOGRAPHER (213) 662-4507.

NAGRA 4.2L, with everything, Sennheiser 816TU, both never used, 25% off current list/offer. Photosonics 1P, 400-ft. mag & battery used, \$3,000 firm. GREG, P.O. Box 1050, Los Gatos, CA 95030, (408) 379-5541.

16BL w/12-120, crystal mtr, 4-400 ft. magazines, power cable, battery, prime lens housing, and case, \$7,995. Call or write: GENERAL CAMERA CORP., 471 Eleventh Ave., NY, NY 10018 (212) 594-8700, Mr. Schlansky.

NPR-Ang. eyepiece, Beala, 3 mags, 3 Bauer, batt. (212) 799-0403.

FOR SALE: Unused Nagra SN serial #7502. Ryder power supply and resolver, Ryder crystal sync generator, Beyer DT 48s headphones, Nagra static microphone, SR cody transmitter, start/slate and receiver with all connections to the SN, 4 cables to Nagra IV, extra reels and tape, total value \$4289, we are selling for \$2500 or best offer. Call (904) 237-2129 or write to 3211 SW 27th Ave., Ocala, FL 32670.

FOR SALE: Arri S/B, Canon 12-120 Macrozoom, batt. belt, mag & torque motor, shoulder & tripods, filters, cases, more, all mint. Best offer. Call (716) 442-1373.

ECLAIR NPR including Beala crystal motor, 3-400' magazine, Angenieux orientable finder, 10-150 Angenieux zoom lens, cases, \$12,500. Additional magazines available for \$1500 each. Camera has been recently overhauled, (213) 459-3320, (213) 874-0811.

NAGRA 4.2L, crystal loaded, \$3000. O'Connor 100 head with claw ball joint, \$1000. Vega wireless complete microphone system, tripods, lights, much more, all reasonable. Call after 6 P.M. (305) 753-4744.

ECLAIR NPR, Perfectone crystal, 2 mags, excellent 9.5-95, 0.95 Angenieux, 50mm 1.4 Nikon, adapters, filters, accessories, \$7500. JON ELSE (415) 851-7255.

SYNCHRONOUS Uher recorder, case, charger, mike & cables, Bargain. (201) 494-9500.

Peterson 16/35 reduction, enlarging printer, 20 years old, outstanding condition, \$6,000. Depue 16mm contact printer, 2000-ft. flanges, \$1,500. BRUCE WEBSTER, (405) 524-6251.

SENNHEISER MKH-815 microphone, \$575. MZP pistol grip shock mount, \$60. S.E.R.A. 16mm 4-plate editing console, \$1,400. PHENIX PRODUCTIONS (914) 947-2902.

ARRIFLEX S, 16mm, 4-prime lenses, 12-120 motorized Angenieux, 4 magazines, sunshade and carrying case, \$5500. NORTHWESTERN INC., Portland, OR (503) 226-0170.

SYNC BEEP—1/4-inch tape prerecorded with high-level 1000 Hz tone, backed with special pressure-sensitive adhesive for quickly affixing visual and audible sync indication on any magnetic film or tape. Industry-wide acceptance. Send \$2.50 cash, check or money order for prepaid packet containing 20 strips totaling 100 35mm frames. D. P. UPTON CO., P. O. Box 5052, Tucson, AZ 85703.

EQUIPMENT FOR SALE

CAMERA CLEARANCE SALE!

ENGLISH ACL, 400' & 200' mags, prime lens. 1-NPR w/Perfectone motor, 400' mag & Kinoptic eyepiece. 1-NPR variable speed motor. 1-CP16 R/A, Zeiss 10-100, w/all accessories. 1-25mm Ang. f0.95 lens. New style French ACLs. Color & B&W TV equipment. Miscellaneous Accessories.

CALL FERCO

New York (212) 245-4800, San Francisco (415) 957-1787.

FOX STUDIO 35mm cameras with crystal sync, prime and anamorphic lenses. For rent or purchase. No. 1820, AMERICAN CINEMATOGRAPHER, (213) 662-4507, 463-5903.

FOR SALE, one Norelco AALL 35mm/70mm projector. Excellent condition, complete except lenses and lamphouse, \$5900. MACGILLIVRAY FREEMAN FILMS (714) 494-1055.

ARRIFLEX 16BL, Angenieux 12-120, 2-400' magazines, battery belt, filters, offset viewfinder, crystal sync, electric zoom, aluminum case, accessories, \$10,000. TVO PRODUCTIONS, Tom Van Otteren, (415) 459-2590.

ARRI 16S w/400 magazines, variable motor, 2 Schneider lenses, \$1695. (415) 334-1462.

USED FLATBED? If you're looking for a used flatbed, consider a new Cinematics. It will give you the same editing power at a lower price than a used whatever, and you can pick the model that gives you exactly what you want. Please request detailed illustrated brochure and price list. CINEMATICS, INC., Box 16045-R, Baltimore, MD 21218 (301) 889-7900.

HOLLYWOOD PRODUCTION BOARDS

Quickly budget and schedule any film project. FREE DETAILS, ASTROCAL, Dept. 6, 7469 Melrose, Hollywood, CA 90046.

ACL 12-120 Angenieux, crystal motor, two 200-ft. magazines, battery, charger, filters, case, \$4500. (216) 321-7884. Excellent condition.

MILLER FLUID HEAD #105 w/slip pan on Miller tripods, \$625. Call (314) 822-0258.

TWO Houston-Fearless 16mm mini-color film processors, process VNF-1 and ME-4. Both work well. Call Stu Seibel, (307) 634-7755.

BOLEX H-16 EBM outfit, w/power grip, battery, charger, Vario-Switar 17-85 compact zoom, Switar 25mm RX, battery belt container, base adaptor, cables, etc., perfectly maintained. seldom used, second unit camera, one owner, \$2,100. WILL LAWSON (313) 642-1737.

BAUER P-6 studio-16mm interlock projector, like new, \$3500. (312) 973-7897.

CAMERMAN'S personal Arri IICV, 3 Cooke lenses, 2 magazines, Sync, deluxe mattebox, constant motor, case, \$6,000. COSTIKYAN (312) 446-5380.

ARRIFLEX BL with Angenieux 12-120 blimped zoom, variable speed Jenson XTAL sync, two 400-foot BL mags, shoulder finder, power belt and many accessories, custom case, like new, \$9000. Moviola M77, six-plate editing table, three years old, rarely used, perfect condition, \$7000. Our film company has gone entirely video. All film equipment must go. (512) 736-2664 or 828-3929.

UPRIGHT Moviolas, 1-16mm with 2 16mm sound heads, 1 16mm picture head. 1-16mm with 1 16mm sound head, 2 16mm picture heads. 1-35/16mm with 2 35mm sound heads, 1 16mm picture head. \$1700 ea./best offer, TALIS ASSOCIATES (202) 244-0901.

FOR SALE or long term lease. McAlister dollies, completely renovated to like-new condition, \$5,500, plus shipping charges. Call or write CHINDIT FILM SERVICES, 6017 Melrose Ave., Hollywood, CA 90038. (213) 465-1368.

SIEMANS INTERLOCK PROJECTOR

MINT CONDITION, only used on twelve projects! Just taken from storage. Sync motor, record amplifier, cable and plugs, original technical manuals. Call for more fantastic details, \$2300 or best offer. PAUL TAYLOR (213) 451-3888/851-5054.

EQUIPMENT FOR SALE

CANON SCOOPIC 16MS macro zoom, extra NiCad, filters, used once, perfect. SAMUELSON, 2645 Greenvally Rd., Los Angeles, 90046 (213) 478-9785.

AURICON camera, single-system sound package with 400-ft. magazine, 12-120 Ang. lens, sound head included, MA-11 amplifier, Frezzi battery and case, C-cup adaptor, \$2000. Call ROBIN at (617) 448-6216 eves.

BEAULIEU R16BT, turret model, AC power converter, support plate, 200-ft. magazine (no motor), \$695. Angenieux 12-120 zoom, shade, 3 close-up lenses, \$1095. All like new. J.M. EDELMAN, M.D., 244 Peachtree, Baton Rouge, LA 70806. (504) 387-1441.

SUPPLIES

BLACK LEADER, 16mm fresh stock processed to 4.0+, guaranteed \$.03/ft. min. order 2000 ft., complete lab service and supplies. 16mm & Super-8. LEO DINER FILMS INC., 350 Golden Gate Ave., San Francisco, 94102 (415) 775-3664.

MOLDED Polyethylene cases, stock or custom sizes, with or without foam. THE PELICAN GROUP, P.O. Box 16667, Irvine, CA 92713 (714) 559-4883.

KODAK Film Sale. Take advantage of 20% lower Cdn. dollar, eg., 7242 EF, 41, 52, 56, \$6/100 roll. 7247 \$35/400. FILMEX, 55 Maitland St., Toronto, Canada M4Y 1C9 (416) 964-7414.

RENTALS

Editing rooms in Santa Monica. Fully equipped w/transfer facilities. Flatbeds or standard uprights available. RAMSGATE FILMS (213) 395-8007.

KEM rentals in Hollywood. HORIZONTAL EDITING STUDIOS (213) 461-4643.

CINEMONTA/STEENBECK RENTALS, 8-plate 16mm/35mm delivered to your premises. KLM ASSOC., INC., West Coast (213) 931-6151/East Coast (301) 299-7259.

NAGRAS FOR RENT: Nagra IVs @ \$79 per week, Nagra IIIs @ \$54 per week. Call for information about Vegas, Sennheisers and other location sound equipment. SCHARFF COMMUNICATION (914) 769-5087, Daily NYC delivery.

HOLLYWOOD editing equipment rentals at bargain rates. Also complete editorial services. CRAWFORD EDITORIAL, (213) 463-7939.

SERVICES AVAILABLE

HI-CONTRAST NEGATIVES or positive title cards to fit your title or we can shoot 8, 16, 35mm. Sharp, clean, professional, economical. Send for prices and style sheet. COMPUTASET TITLES, P.O. Box 88504, Seattle, WA 98188.

3/4" VIDEOTAPE editing system, offline/mastering. HORIZONTAL EDITING STUDIOS, Hollywood, (213) 461-4643.

FILMING in Northeast? We provide production services from pick-up shots, film crews, to complete productions. Contact CINEMAGRAPHS FILM & TAPE SERVICES, 91 Green Street, Huntington, NY 11743. (516) 271-5072.

ARRIFLEX, ECLAIR, ANGENIEUX service and repair, modifications, mounts, lens repairs, collimation, through the lens projections. STEENBECK, sales and service, HERMAN GALLI CAMERA SERVICE, 6804 Melrose Ave., Hollywood, CA 90038 (213) 931-4111.

RON PAUL URIARTE, cinematographer, 2nd Unit cinematography, on location around the world, around the clock, (213) 660-6138.

EXPERIENCED soundperson available. Fred Ginsburg, former technical sales representative of Jack Pill & Assoc., announces to friends and clients that he is now actively engaged as freelance production mixer. Resume and credits available. 6333 Lexington Ave., Hollywood CA 90038 (213) 461-9394.

RATES: Ads set in lightface type 50¢ per word. Minimum ad, \$5.00. Text set in lightface capital letters (except 1st word and advertiser's name) 60¢ per word. Modified display format (text set in boldface type, capitals or upper and lower case) \$5.00 per line. Send copy with remittance to copypayment to Editorial Office. American Cinematographer, P. O. Box 2230, Hollywood California 90028. Forms close 1st of month preceding date of issue.

WANTED

STEENBECK 16mm 6 or 8-plate. MR. SCHLANSKY, (212) 594-8700.

ECLAIR NPR, low-x zoom, primes, Nagra III, Sennheiser 816, tripod, etc. DRUMMOND, P.O. 1168, Juneau, AK 99802. Evenings c/o Fiddlehead, (907) 586-3150.

WANT TO SELL YOUR EQUIPMENT? Call Marvin Stern or Bill Sutphin at Birns & Sawyer, Inc. We need all kinds of motion picture equipment—Nagra III recorders (any condition), lighting (any type), Angenieux zoom lenses, etc. Let us know what you have. We pay top prices. Call (213) 466-8211 or come in. BIRNS & SAWYER, INC., 1026 N. Highland Ave., Hollywood, CA 90038.

Early AMERICAN CINEMATOGRAPHER MAGAZINES 1922-1935, 1941-1959 wanted, a complete run would be preferred. All will be assured a good home. DAVID SAMUELSON, 303-315 Cricklewood Broadway, LONDON NW2 6PQ, England.

FILM EQUIPMENT WANTED will trade '50s or Antique jukeboxes. (714) 536-3224. ROGER MENDE, Box 549, Huntington Beach, CA 92648.

WANTED: Professional motion picture equipment, 16mm and 35mm, cameras, lenses, lights, sound, editing, projection, lab, etc., for outright purchase or consignment. Supply complete technical description and price for immediate reply. Ted Lane, ALAN GORDON ENTERPRISES INC., 1430 Cahuenga Blvd., Hollywood, CA 90028. (213) 466-3561.

SWAP, \$4500 ladies custom diamond ring for used 4.2L Nagra, 816 Sennheiser, headset, fishpole, shockmounts and Zeppelin windsock and assorted cables. SKOOKUMCHUCK PRODUCTIONS, 24-9th Ave., South, Cranbrook, BC V1C 2L8 (604) 426-2831.

WANTED: Optical printers, contact printers, animation stands, cameras, film cleaners, color analyzers, tape punches/duplicators, processors, editors, etc. We have customers all over the world for good used photographic equipment. Contact Don Stults, PIONEER MARKETING CORP., 1021 N. Lake St., Burbank, CA 91502, (213) 843-0530.

WANTED

PHOTOSONICS 500 fps camera wanted—any condition considered. Will buy outright or trade Arri S top condition, (404) 981-6100.

RAW FILM STOCK, 16/35mm will consider all types. Top cash. RAFIK, 814 Broadway, New York, NY 10003 (212) 475-7884 collect.

WANTED: Nagra recorders, O'Connor 100 C and Worrall heads, zoom lenses, 35BL cameras, lighting, NPR cameras, etc. Image Devices will buy your used film equipment regardless of condition. We buy outright or display your gear for consignment sale. For the best deal, call now: Toll free number (800) 327-5181, Image Devices Incorporated, 1825 NE 149 St., Miami, FL (305) 945-1111, IMAGE DEVICES INCORPORATED, 1651 Phoenix Blvd., Atlanta, GA (404) 996-0000.

HIGHEST cash paid for any 16mm color film, especially VNF (7240 & 7250) mag. stripe. FILMEX (filmbroker) (416) 964-7415 collect. Overseas call FILMEX-EUROPA 46-31-181699.

MISCELLANEOUS

FLOOD FOOTAGE—Filmmaker has 10,000' 47 neg of 500 year flood that hit Jackson, MS on Easter. All aspects of disaster covered. J. DOLLARHIDE (601) 982-2459.

SELL YOUR JUNK FILMS: EXPERIMENT, HOME MOVIE, DRAMA, TRAVEL, ETC. SOUND OR SILENT, 8MM, SP8MM, 16MM FROM ANY COUNTRY FOR MAJOR DISTRIBUTION—ANY LENGTH. NO MATTER HOW BAD YOUR FILM'S PUT TOGETHER, WE'LL LOOK AT IT. WE'LL PAY APPROX. \$50-\$200 A MINUTE PLUS % DEPENDS ON MARKET VALUE. FOR EVERY 1-10 MINUTES OF FILM ADD \$4.00 FOR POSTAGE & HANDLING. SEND TO: SHAIR'S PRODUCTIONS, 443 STATE STREET, SAN MATEO, CA 94401, USA.

URGENT—CHINA: Stock film footage and stills of Hong Kong and 6 China cities required for travel sales film. Bids also being accepted for full production of this 22-minute film. Details on request. GH HASTINGS ADVERTISING, 124 Grand Ave., Oakland, CA 94612 (415) 835-1410.

SITUATIONS AVAILABLE

EXPERIENCED CAMERA TECHNICIAN WANTED. Good opportunity for the right person. Call WOLFGANG ROESSEL (212) 424-1600.

UNDERWATER PHOTOGRAPHER/JAPANESE MARKET REPRESENTATIVE. Motion picture company making films for Japanese market needs person experienced in underwater photography and Japanese advertising or market relations. Fluent Japanese required. Will consider qualified applicants with related experience. Salary open. Send resume. PACIFIC MOTION PICTURES, INC., 470 N. Nimitz, Honolulu, Hawaii 96817.

MOTION PICTURE CAMERA TECHNICIAN. Alan Gordon Enterprises, Hollywood, CA is looking for qualified professional camera mechanics for 16mm/35mm equipment. Send resume to Sid Spalding, 1430 N. Cahuenga Blvd., Hollywood, CA 90028.

RADIO-TV Jobs . . . Stations hiring nationwide! Free details: "Job Leads," 1680-PD Vine, Hollywood, CA 90028.

PROFESSIONAL CAMERA REPAIR TECHNICIAN. Victor Duncan, Inc. has openings in Dallas for professional camera repair technicians. Interested applicants should have practical background in camera mechanics and optics. VDI offers a complete employee benefit package and excellent working conditions. Salary commensurate with experience. Call Frank Marasco collect in Dallas, (214) 369-1165.

LENS REPAIR TECHNICIAN, Century Precision Cine/Optics in North Hollywood, CA has an immediate opening for one or more qualified individuals. Experience on professional motion picture lenses (Angenieux, Canon, Zeiss, etc.) preferred, but we will consider qualified trainees with related experience such as 35mm SLR or instrument repair experience. Salary open. Call Bill Turner, or Steve Manios collect at (213) 766-3715.

SITUATIONS WANTED

FILM/VIDEO Professional seeks permanent position outside smog, top non-union credits. JIM AUKEER, P.O. Box 9862, North Hollywood, CA 91606.

EXTEND YOUR HORIZONS WITH CO CENTURY TELE-ATHENAR II LENSES.

When you're on the edge of infinity and need that extra reach, look to Century to get you there.

Our Tele-Athenar II lenses are specifically designed for professional motion picture, video and still photography, and offer exceptional light transmission, superb color correction and critical sharpness unmatched in the industry.

The Tele-Athenar II series is available in nine focal lengths from 230mm to 1200mm, and features fast-acting, non-rotating focusing and an interchangeable mount system. Thus, a single Tele-Athenar II may be used on a wide variety of cameras in all formats up to and including 35mm double frame still.

Every Century lens is *individually optically bench-tested* prior to shipment, and carries a one-year warranty against defects in material and workmanship. The result is a lens with optimum performance characteristics that is lightweight and easy to handle, yet rugged enough to withstand the rigors of location shooting.

So if your horizons have been limited, let Century Tele-Athenar lenses help you go a step beyond.

Call us today for a complete catalog and price sheet. And mention this ad to get a *free* lens test chart.



CO Century precision cine/optics
A DIVISION OF CENTURY PRECISION INDUSTRIES, INC.

(213) 766-3715

TELEX: 66-2419

10661 BURBANK BLVD., NORTH HOLLYWOOD, CALIFORNIA 91601

SUSTAINING
SMPTA
MEMBER
Member Professional
Motion Picture
Equipment Association
pmpea




For Hand-Held Filming TV Prime-Time Series, Commercials, TV News, Olympic Sports World-Wide. **Frezzolini® Frezzi-Flex®**

See
FREZZOLINI®
at SMPTE,
Los Angeles,
Booths 428-429.

**"world's
finest
16mm ciné
camera"**

with or
without
FREZZI
side-mounted
amplifier



For information write or
call Sales Manager
(New Jersey 201) 427-1160 or
(New York 212) 594-2294.

Frezzolini® 16mm ciné cameras & E.N.G. support equipment.



Frezzolini Electronics Inc.
7 Valley St. Hawthorne, N.J. 07506 USA

Made In U.S.A.
U.S. Patent
#D277,601 and
Patents Pending
for the improved
features of this camera.
Patent and trademarks
in the U.S.A. and world-wide.

Export Agents:



11 Caesar Place, Moonachie, New Jersey 07074 USA • (201) 939-0875
Cables: Cinecraft Moonachie • Telex: Cinecraft Moon TLX 13-8875

"What's an answer print doing in a nice place like the Clio finals?"

The answer is Byron. "Most producers throw away their answer prints. Because quite often the color density in this initial stage isn't consistent—light areas here, dark ones there.

"But we felt the 16mm answer print Byron did for a commercial we shot for one of our clients was of the highest quality. It was exceptionally clean and the color balance was uniformly correct. In fact, it was good enough to make the 1979 Clio Finals, out of thousands of entries. Which makes us very proud.

"Sure, Byron has the best equipment and facilities. But more important, they have the conscientious talent to back them up. Personally, I believe Byron has the best color in the business. That's the key to superior answer prints, and hence, superior release prints, that all-important end product.

"We do work for a number of Fortune 500 companies who demand

the best work from both a conceptual and technical standpoint. And on the technical side, we don't believe any place can do a better job for us than Byron. And that includes labs in the Big Apple. Byron's work is consistently above industry standards.

"That's why I recommend Byron for your next 16mm (or 35mm) film processing and printing. They won't guarantee you'll make the Clio Finals. But they always offer high quality, reasonably priced, on-time work. I don't know what else a producer could ask for.

Except maybe an Oscar."

Bastian Wimmer,
Producer-Director,
IMAGE Associates,
Washington, D.C.

byron 
COLOR-CORRECT®

65 K Street, Northeast,
Washington, D.C. 20002
202/789-1100

Professional Film and
Video Tape Laboratories

T-N-99/99-0001-MEMBER -999
MR. WALTER L. FARLEY, JR.
W. T. GERMAN, INC.
6677 SANTA MONICA BLVD.
HOLLYWOOD, CA 90038